

**ESIKA EXTREME MOISTURIZING SPF 16 (BORGONA SEXY) - BROWN- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (CAFE MOCA) - BROWN- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (CORAL CHIC) - PINK- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (FUCSIA CAUTIVANTE) - PURPLE- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (FUCSIA GLAM) - PURPLE- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (GRANATE SEDUCTOR) - PURPLE- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (MAGENTA TRAVIESA) - PURPLE- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (MARRON GLAMOUR) - BROWN- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (MORADO EXUBERANTE) - PURPLE- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (NARANJA PRIMAVERA) - RED- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (ROJO DESEO) - RED- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (ROJO INTRIGANTE) - RED- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (ROJO LUJURIA) - RED- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (ROSA DIVA) - RED- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (ROSA ENCANTO) - PINK- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (ROSA ESPLENDOR) - PINK- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (ROSA ROMANTICA) - PINK- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (CEREZA HECHIZO) - RED- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (FRAMBUESA MANIA) - RED- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (ROSA DULZURA) - PINK- octinoxate and oxybenzone lipstick**  
**ESIKA EXTREME MOISTURIZING SPF 16 (PIMIENTA CALIENTE) - BROWN- octinoxate and oxybenzone lipstick**  
**Ventura Corporation LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ESIKA Extreme Moisturizing Lipstick SPF 16**

***Drug Facts***

---

***Active Ingredients***

---

***Purpose***

Octinoxate 6.6%  
Oxybenzone 1.5 %

Sunscreen  
Sunscreen

---

### Uses

- Helps prevent sunburn.

### Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

### Other information

- Protect the product in this container from excessive heat and direct sun.
- Apply lipstick following the curves of natural lip line. For added definition, use with a lip penCIL.

### Inactive ingredients

Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate, water, polyglyceryl-3 diisostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxyethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phospholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride.

**May contain:** red 7 lake , mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake , talc, blue 1 lake, chitosan, carmine.

**PR:** Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926.

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Borgona Sexy - Brown**

ēsika

**Extreme  
Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)

P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**  
 sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexaacrylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 disostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprate/dicaprate, kaolin, octyldodecanol, phenoxethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**  
 Extreme  
 Moisturizing Lipstick  
 SPF 16  
 Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.6 %.....Sunscreen  
 Oxybenzone 1.5 %.....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Café Moca - Brown**

ēsika

**Extreme  
Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)

P.R.: Dist. by Ventura Corporation, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**

sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexaacrylate/hexacacrylate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 distostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxethanol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.6 %.....  
Oxybenzone 1.5 %.....

**Purpose**

Sunscreen  
.....Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Coral Chic - Pink

ēsika

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**

sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexaacrylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 disostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprate/dicaprate, kaolin, octyldodecanol, phenoxethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosporlipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

ēsika

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.6 %.....Sunscreen  
Oxybenzone 1.5 %.....Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Fucsia Cautivante - Purple**


**ēsika**

**Extreme**

**Moisturizing Lipstick**

**SPF 16**

Net Weight 0.14 oz. (4 g)



P.R. Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**

sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**

■ Protect the product in this container from excessive heat and direct sun.  
**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozozerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 distostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octylododecanol, phenoxethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetylalcohol, cetylalglucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**

Extreme  
 Moisturizing Lipstick  
 SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.6 %.....Sunscreen  
 Oxybenzone 1.5 %.....Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**


■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Fucsia Glam - Purple

ēsika

Extreme  
 Moisturizing Lipstick  
 SPF 16

Net Weight 0.14 oz. (4 g)



P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**  
 sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 distostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldecanol, phenoxyethanol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phoschidolipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, but, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**

Extreme  
 Moisturizing Lipstick  
 SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.6 %  
 Oxybenzone 1.5 %

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**Purpose**  
 Sunscreen  
 Sunscreen

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Granate Seductor - Purple**

**ēsika**

**Extreme**

**Moisturizing Lipstick**

**SPF 16**

Net Weight 0.14 oz. (4 g)



P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**

sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 distostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxethylalcohol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chlosoan, carmine.

ēsika

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.6%.....Sunscreen  
Oxybenzone 1.5%.....Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**


■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Magenta Traviesa - Purple

ēsika

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)



P.R. Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.



**Drug Facts (continued)**  
 sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 olisostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxyethanol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bti, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**  
 Extreme  
 Moisturizing Lipstick  
 SPF 16  
 Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.6 %  
 Oxybenzone 1.5 %

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**Purpose**  
 Sunscreen  
 Sunscreen

PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Marron Glamour - Brown


ēsika

Extreme  
Moisturizing Lipstick



**Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)



P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**  
sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate, water, polyglyceryl-3 distostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldecanol, phenoxethanol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, polysilum chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**esika**  
Extreme  
Moisturizing Lipstick  
SPF 16  
Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**  
Octinoxate 6.6%.....  
Oxybenzone 1.5%.....

**Purpose**  
Sunscreen  
Sunscreen

**Uses**  
■ Helps prevent sunburn.

**Warnings**  
■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**Extreme  
Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)

P.R. Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**

sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** if swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 olisostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octylododecanol, phenoxyethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ESIKO**

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.6 % .....Sunscreen  
Oxybenzone 1.5 % .....Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**Purpose**

.....Sunscreen  
.....Sunscreen

ēsika

**Extreme  
Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)

P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**  
 sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexaacrylate/hexacacrylate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 disostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.6 %.....Sunscreen  
 Oxybenzone 1.5 %.....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Rojo Intrigante - Red**

**ēsika**

**Extreme  
Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)

P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**

sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexaacrylate/hexacacrylate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 disostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxethanol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.6 %.....  
Oxybenzone 1.5 %.....

**Purpose**

Sunscreen  
.....Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Rojo Lujuria - Red**

**ēsika**

**Extreme  
Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)

P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**

sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:**

Dipentaerythryl hexaacrylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate, water, polyglyceryl-3 disostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprate/dicaprate, kaolin, octyldodecanol, phenoxethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.6 %.....Sunscreen  
Oxybenzone 1.5 %.....Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent



**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Rosa Diva - Red**


**ēsika**

**Extreme**

**Moisturizing Lipstick**

**SPF 16**

Net Weight 0.14 oz. (4 g)



P.R. Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**  
 sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozozerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 distostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēSIKŌ**

Extreme  
 Moisturizing Lipstick  
 SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.6 %  
 Oxybenzone 1.5 %

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent


**Purpose**  
 Sunscreen  
 Sunscreen

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Rosa Encanto - Pink**

**ēSIKŌ**

**Extreme  
 Moisturizing Lipstick  
 SPF 16**

Net Weight 0.14 oz. (4 g)



**Drug Facts (continued)**  
 sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozoerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 distostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldecanol, phenoxethylanol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosdolipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, but, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**  
 Extreme  
 Moisturizing Lipstick  
 SPF 16  
 Net Weight 0.14 oz. (4 g)

**Drug Facts**  
**Active Ingredients**  
 Octinoxate 6.6 %  
 Oxybenzone 1.5 %

**Purpose**  
 Sunscreen  
 Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Rosa Esplendor - Pink**

**ēsika**

**Extreme  
 Moisturizing Lipstick  
 SPF 16**

**Net Weight 0.14 oz. (4 g)**

P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**

sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 distostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxethyl alcohol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chlosoan, carmine.

ēsika

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.6 %.....Sunscreen  
Oxybenzone 1.5 %.....Sunscreen


**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

Net Weight 0.14 oz. (4 g)



P.R. Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**  
 sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 olisostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octylododecanol, phenoxyethanol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bti, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**esika**

Extreme  
 Moisturizing Lipstick  
 SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.6 %  
 Oxybenzone 1.5 %

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**Purpose**  
 Sunscreen  
 Sunscreen


PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Cereza Hechizo - Red

esika

Extreme  
 Moisturizing Lipstick

SPF 16

Net Weight 0.14 oz. (4 g)



P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**  
 sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozozerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 disostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldecanol, phenoxethyl alcohol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phospholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, butylparaben, butylparaben cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ESIKA**  
 Extreme  
 Moisturizing Lipstick  
 SPF 16  
 Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.6 %.....Sunscreen  
 Oxybenzone 1.5 %.....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.


**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

PRINCIPAL DISPLAY PANEL - 4 g Tube Box - Frambuesa Manía - Red

ēsika  
Extreme

**Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)



P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**  
sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythryl hexaacrylate/hexacacrylate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 distostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldecanol, phenoxethanol, sodium starch octenylsuccinate, tocopherol acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, polysilum chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

Extreme  
Moisturizing Lipstick  
SPF 16  
Net Weight 0.14 oz. (4 g)

esika

**Drug Facts**

**Active Ingredients**  
Octinoxate 6.6 %.....  
Oxybenzone 1.5 %.....

**Purpose**  
Sunscreen  
Sunscreen

**Uses**  
■ Helps prevent sunburn.

**Warnings**  
■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

**Extreme  
Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)

P.R. Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**

sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** if swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythryl hexacaprylate/hexacaprate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 olisostearate, tridecyl searate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxyethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ESIKO**

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**

Octinoxate 6.6 %  
Oxybenzone 1.5 %

**Purpose**

Sunscreen  
Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent



ēsika

**Extreme  
Moisturizing Lipstick  
SPF 16**

Net Weight 0.14 oz. (4 g)

P.R.: Dist. by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926. Made in Colombia.

**Drug Facts (continued)**  
 sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

**Other information:**

**Drug Facts (continued)**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Dipentaerythrityl hexaacrylate/hexacrylate, tridecyl trimellitate, ethylhexyl palmitate, ozokerite, polyethylene, polymethyl methacrylate/water, polyglyceryl-3 disostearate, tridecyl stearate, copernicia cerifera (carnauba) wax, glycerin, neopentyl glycol dicaprylate/dicaprate, kaolin, octyldodecanol, phenoxethanol, sodium starch octenylsuccinate, tocopheryl acetate, microcrystalline wax, fragrance, methylparaben, petrolatum, phosholipids, propylparaben, cholesterol, butyrospermum parkii (shea) butter, glycine soja (soybean) oil, butylparaben, ethylparaben, bht, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, isobutylparaben, tocopherol, glycosphingolipids, magnesium chloride, potassium chloride, hydrated silica, sodium chloride. **May contain:** red 7 lake, mica, iron oxides, titanium dioxide, bismuth oxychloride, iron oxides, red 21 lake, yellow 5 lake, iron oxides, red 27 lake, talc, blue 1 lake, chitosan, carmine.

**ēsika**

Extreme  
Moisturizing Lipstick  
SPF 16

Net Weight 0.14 oz. (4 g)

**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.6 %.....Sunscreen  
 Oxybenzone 1.5 %.....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent

# ESIKA EXTREME MOISTURIZING SPF 16 (BORGONA SEXY) - BROWN

octinoxate and oxybenzone lipstick

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-277
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A2I8C7HI9T)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>soybean oil</b> (UNII: 241ATL177A)	
<b>butylparaben</b> (UNII: 3QP1U3FV8)	
<b>ethylparaben</b> (UNII: 14255EXE39)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	

potassium chloride (UNII: 660YQ98I10)	
hydrated silica (UNII: Y6O7T4G8P9)	
sodium chloride (UNII: 451W471Q8X)	
d&c red no. 7 (UNII: ECW0LZ41X8)	
mica (UNII: V8A1AW0880)	
titanium dioxide (UNII: 15FIX9V2JP)	
bismuth oxychloride (UNII: 4ZR792I587)	
d&c red no. 21 (UNII: 08744Z6JNY)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	
d&c red no. 27 (UNII: 2LRS185U6K)	
fd&c blue no. 1 (UNII: H3R47K3TBD)	
talc (UNII: 7SEV7J4RIU)	
aluminum oxide (UNII: LMI26O6933)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-277-02	1 in 1 BOX		
1	NDC:13537-277-01	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (CAFE MOCA) - BROWN

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-278
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Dipentaerythrityl hexacaprylate/hexacaprate (UNII: 554N82UWVW)	
tridecyl trimellitate (UNII: FY36J270ES)	
ethylhexyl palmitate (UNII: 2865993309)	
high density polyethylene (UNII: UG00KM4WR7)	
water (UNII: 059QF0KO0R)	

<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)
<b>tridecyl stearate</b> (UNII: A8OE252M6L)
<b>carnauba wax</b> (UNII: R12CBM0EIZ)
<b>glycerin</b> (UNII: PDC6A3C0OX)
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)
<b>kaolin</b> (UNII: 24H4NWX5CO)
<b>octyldodecanol</b> (UNII: 461N1O614Y)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)
<b>methylparaben</b> (UNII: A218C7H9T)
<b>petrolatum</b> (UNII: 4T6H12BN9U)
<b>propylparaben</b> (UNII: Z8IX2SC1OH)
<b>cholesterol</b> (UNII: 97C5T2UQ7J)
<b>shea butter</b> (UNII: K49155WL9Y)
<b>soybean oil</b> (UNII: 241ATL177A)
<b>butylparaben</b> (UNII: 3QPHU3FV8)
<b>ethylparaben</b> (UNII: 14255EXE39)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>candelilla wax</b> (UNII: WL0328HX19)
<b>yellow wax</b> (UNII: 2ZA36H0S2V)
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>potassium chloride</b> (UNII: 660YQ98I10)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>sodium chloride</b> (UNII: 451W471Q8X)
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)
<b>mica</b> (UNII: V8A1AW0880)
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)
<b>talc</b> (UNII: 7SEV7J4R1U)
<b>aluminum oxide</b> (UNII: LMI26O6933)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-278-04	1 in 1 BOX		
1	NDC:13537-278-03	4 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (CORAL CHIC) - PINK

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-379
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Dipentaerythrityl hexacaprylate/hexacaprate (UNII: 554N82UWVW)	
tridecyl trimellitate (UNII: FY36J270ES)	
ethylhexyl palmitate (UNII: 2865993309)	
high density polyethylene (UNII: UG00KM4WR7)	
water (UNII: 059QF0KO0R)	
polyglyceryl-3 diisostearate (UNII: 46P231IQV8)	
tridecyl stearate (UNII: A8OE252M6L)	
carnauba wax (UNII: R12CBM0EIZ)	
glycerin (UNII: PDC6A3C0OX)	
neopentyl glycol dicaprylate/dicaprate (UNII: VLW429K27K)	
kaolin (UNII: 24H4NWX5CO)	
octyldodecanol (UNII: 461N1O614Y)	
phenoxyethanol (UNII: HIE492ZZ3T)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
microcrystalline wax (UNII: XOF597Q3KY)	
methylparaben (UNII: A218C7H9T)	
petrolatum (UNII: 4T6H12BN9U)	
propylparaben (UNII: Z8IX2SC1OH)	
cholesterol (UNII: 97C5T2UQ7J)	
shea butter (UNII: K49155WL9Y)	
soybean oil (UNII: 241ATL177A)	
butylparaben (UNII: 3QPHU3FV8)	
ethylparaben (UNII: 14255EXE39)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
candelilla wax (UNII: WL0328HX19)	
yellow wax (UNII: 2ZA36H0S2V)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetearyl glucoside (UNII: 09FUA47KNA)	

<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229 XJ4V12)
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>potassium chloride</b> (UNII: 660YQ98I10)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)
<b>mica</b> (UNII: V8A1AW0880)
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)
<b>talc</b> (UNII: 7SEV7J4RIU)
<b>aluminum oxide</b> (UNII: LM26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-379-06	1 in 1 BOX		
1	NDC:13537-379-05	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (FUCSIA CAUTIVANTE) - PURPLE

octinoxate and oxybenzone lipstick

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-280
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	

<b>tridecyl trimellitate</b> (UNII: FY36J270ES)
<b>ethylhexyl palmitate</b> (UNII: 2865993309)
<b>high density polyethylene</b> (UNII: UG00KM4WR7)
<b>water</b> (UNII: 059QF0KO0R)
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)
<b>tridecyl stearate</b> (UNII: A8OE252M6L)
<b>carnauba wax</b> (UNII: R12CBM0EIZ)
<b>glycerin</b> (UNII: PDC6A3C0OX)
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)
<b>kaolin</b> (UNII: 24H4NWX5CO)
<b>octyldodecanol</b> (UNII: 461N1O614Y)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)
<b>methylparaben</b> (UNII: A2I8C7HI9T)
<b>petrolatum</b> (UNII: 4T6H12BN9U)
<b>propylparaben</b> (UNII: Z8IX2SC1OH)
<b>cholesterol</b> (UNII: 97C5T2UQ7J)
<b>shea butter</b> (UNII: K49155WL9Y)
<b>soybean oil</b> (UNII: 241ATL177A)
<b>butylparaben</b> (UNII: 3QP1I1U3FV8)
<b>ethylparaben</b> (UNII: 14255EXE39)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>candelilla wax</b> (UNII: WL0328HX19)
<b>yellow wax</b> (UNII: 2ZA36H0S2V)
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>potassium chloride</b> (UNII: 660YQ98I10)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)
<b>mica</b> (UNII: V8A1AW0880)
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)
<b>talc</b> (UNII: 7SEV7J4RIU)
<b>aluminum oxide</b> (UNII: LM26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-280-08	1 in 1 BOX		
1	NDC:13537-280-07	4 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (FUCSIA GLAM) - PURPLE

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-281
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Dipentaerythrityl hexacaprylate/hexacaprate (UNII: 554N82UWVW)	
tridecyl trimellitate (UNII: FY36J270ES)	
ethylhexyl palmitate (UNII: 2865993309)	
high density polyethylene (UNII: UG00KM4WR7)	
water (UNII: 059QF0KO0R)	
polyglyceryl-3 diisostearate (UNII: 46P231IQV8)	
tridecyl stearate (UNII: A8OE252M6L)	
carnauba wax (UNII: R12CBM0EIZ)	
glycerin (UNII: PDC6A3C0OX)	
neopentyl glycol dicaprylate/dicaprate (UNII: VLW429K27K)	
kaolin (UNII: 24H4NWX5CO)	
octyldodecanol (UNII: 461N1O614Y)	
phenoxyethanol (UNII: HIE492ZZ3T)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
microcrystalline wax (UNII: XOF597Q3KY)	
methylparaben (UNII: A2I8C7HI9T)	
petrolatum (UNII: 4T6H12BN9U)	
propylparaben (UNII: Z8IX2SC1OH)	
cholesterol (UNII: 97C5T2UQ7J)	
shea butter (UNII: K49155WL9Y)	
soybean oil (UNII: 241ATL177A)	
butylparaben (UNII: 3QP1I1U3FV8)	
ethylparaben (UNII: 14255EXE39)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	



candelilla wax (UNII: WL0328HX19)	
yellow wax (UNII: 2ZA36H0S2V)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetearyl glucoside (UNII: 09FUA47KNA)	
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)	
isobutylparaben (UNII: 0QQJ25X58G)	
tocopherol (UNII: R0ZB2556P8)	
magnesium chloride (UNII: 02F3473H9O)	
potassium chloride (UNII: 660YQ98I10)	
hydrated silica (UNII: Y6O7T4G8P9)	
sodium chloride (UNII: 451W47IQ8X)	
d&c red no. 7 (UNII: ECW0LZ41X8)	
mica (UNII: V8A1AW0880)	
titanium dioxide (UNII: 15FIX9V2JP)	
bismuth oxychloride (UNII: 4ZR792I587)	
d&c red no. 21 (UNII: 08744Z6JNY)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	
d&c red no. 27 (UNII: 2LRS185U6K)	
fd&c blue no. 1 (UNII: H3R47K3TBD)	
talc (UNII: 7SEV7J4RIU)	
aluminum oxide (UNII: LM26O6933)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-281-10	1 in 1 BOX		
1	NDC:13537-281-09	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (GRANATE SEDUCTOR) - PURPLE

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-282
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A218C7HI9T)	
<b>petrolatum</b> (UNII: 4T6HI2BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>soybean oil</b> (UNII: 241ATL177A)	
<b>butylparaben</b> (UNII: 3QPII1U3FV8)	
<b>ethylparaben</b> (UNII: 14255EXE39)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>potassium chloride</b> (UNII: 660YQ98I10)	
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)	
<b>sodium chloride</b> (UNII: 451W471Q8X)	
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)	
<b>mica</b> (UNII: V8A1AW0880)	
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)	
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)	
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)	
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)	
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)	
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)	
<b>talc</b> (UNII: 7SEV7J4RIU)	
<b>aluminum oxide</b> (UNII: LMI26O6933)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-282-12	1 in 1 BOX		
1	NDC:13537-282-11	4 g in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**ESIKA EXTREME MOISTURIZING SPF 16 (MAGENTA TRAVIESA) - PURPLE**

octinoxate and oxybenzone lipstick

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-283
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A2I8C7HI9T)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>shea butter</b> (UNII: K49155WL9Y)	

soybean oil (UNII: 241ATL177A)
butylparaben (UNII: 3QPHU3FV8)
ethylparaben (UNII: 14255EXE39)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
isobutylparaben (UNII: 0QQJ25X58G)
tocopherol (UNII: R0ZB2556P8)
magnesium chloride (UNII: 02F3473H9O)
potassium chloride (UNII: 660YQ98I10)
hydrated silica (UNII: Y6O7T4G8P9)
sodium chloride (UNII: 451W47IQ8X)
d&c red no. 7 (UNII: ECW0LZ41X8)
mica (UNII: V8A1AW0880)
titanium dioxide (UNII: 15FIX9V2JP)
bismuth oxychloride (UNII: 4ZR792I587)
d&c red no. 21 (UNII: 08744Z6JNY)
fd&c yellow no. 5 (UNII: I753WB2F1M)
d&c red no. 27 (UNII: 2LRS185U6K)
fd&c blue no. 1 (UNII: H3R47K3TBD)
talc (UNII: 7SEV7J4RIU)
aluminum oxide (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-283-14	1 in 1 BOX		
1	NDC:13537-283-13	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (MARRON GLAMOUR) - BROWN

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-284
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g
<b>Inactive Ingredients</b>		
<b>Ingredient Name</b>	<b>Strength</b>	
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)		
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)		
<b>ethylhexyl palmitate</b> (UNII: 2865993309)		
<b>high density polyethylene</b> (UNII: UG00KM4WR7)		
<b>water</b> (UNII: 059QF0KO0R)		
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)		
<b>tridecyl stearate</b> (UNII: A8OE252M6L)		
<b>carnauba wax</b> (UNII: R12CBM0EIZ)		
<b>glycerin</b> (UNII: PDC6A3C0OX)		
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)		
<b>kaolin</b> (UNII: 24H4NWX5CO)		
<b>octyldodecanol</b> (UNII: 461N1O614Y)		
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)		
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)		
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)		
<b>methylparaben</b> (UNII: A2I8C7HI9T)		
<b>petrolatum</b> (UNII: 4T6H12BN9U)		
<b>propylparaben</b> (UNII: Z8IX2SC1OH)		
<b>cholesterol</b> (UNII: 97C5T2UQ7J)		
<b>shea butter</b> (UNII: K49155WL9Y)		
<b>soybean oil</b> (UNII: 241ATL177A)		
<b>butylparaben</b> (UNII: 3QPI1U3FV8)		
<b>ethylparaben</b> (UNII: 14255EXE39)		
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)		
<b>candelilla wax</b> (UNII: WL0328HX19)		
<b>yellow wax</b> (UNII: 2ZA36H0S2V)		
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)		
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)		
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)		
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)		
<b>tocopherol</b> (UNII: R0ZB2556P8)		
<b>magnesium chloride</b> (UNII: 02F3473H9O)		
<b>potassium chloride</b> (UNII: 660YQ98I10)		
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)		
<b>sodium chloride</b> (UNII: 451W47IQ8X)		
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)		
<b>mica</b> (UNII: V8A1AW0880)		
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)		
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)		
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)		
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)		
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)		
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)		

talc (UNII: 7SEV7J4RIU)

aluminum oxide (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-284-16	1 in 1 BOX		
1	NDC:13537-284-15	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (MORADO EXUBERANTE) - PURPLE

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-285
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Dipentaerythrityl hexacaprylate/hexacaprate (UNII: 554N82UWVW)	
tridecyl trimellitate (UNII: FY36J270ES)	
ethylhexyl palmitate (UNII: 2865993309)	
high density polyethylene (UNII: UG00KM4WR7)	
water (UNII: 059QF0K00R)	
polyglyceryl-3 diisostearate (UNII: 46P231IQV8)	
tridecyl stearate (UNII: A8OE252M6L)	
carnauba wax (UNII: R12CBM0EIZ)	
glycerin (UNII: PDC6A3C0OX)	
neopentyl glycol dicaprylate/dicaprate (UNII: VLW429K27K)	
kaolin (UNII: 24H4NWX5CO)	
octyldodecanol (UNII: 461N1O614Y)	
phenoxyethanol (UNII: HIE492ZZ3T)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
microcrystalline wax (UNII: XOF597Q3KY)	

<b>methylparaben</b> (UNII: A2I8C7HI9T)
<b>petrolatum</b> (UNII: 4T6H12BN9U)
<b>propylparaben</b> (UNII: Z8IX2SC10H)
<b>cholesterol</b> (UNII: 97C5T2UQ7J)
<b>shea butter</b> (UNII: K49155WL9Y)
<b>soybean oil</b> (UNII: 241ATL177A)
<b>butylparaben</b> (UNII: 3QPHU3FV8)
<b>ethylparaben</b> (UNII: 14255EXE39)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>candelilla wax</b> (UNII: WL0328HX19)
<b>yellow wax</b> (UNII: 2ZA36H0S2V)
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>potassium chloride</b> (UNII: 660YQ98I10)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)
<b>mica</b> (UNII: V8A1AW0880)
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)
<b>talc</b> (UNII: 7SEV7J4RIU)
<b>aluminum oxide</b> (UNII: LMI26O6933)

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-285-18	1 in 1 BOX		
1	NDC:13537-285-17	4 g in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**ESIKA EXTREME MOISTURIZING SPF 16 (NARANJA PRIMAVERA) - RED**

octinoxate and oxybenzone lipstick

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-286
---------------------	----------------	---------------------------	---------------

**Route of Administration**

TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A218C7H9T)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC10H)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>soybean oil</b> (UNII: 241ATL177A)	
<b>butylparaben</b> (UNII: 3QPHU3FV8)	
<b>ethylparaben</b> (UNII: 14255EXE39)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>potassium chloride</b> (UNII: 660YQ98I10)	
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)	
<b>mica</b> (UNII: V8A1AW0880)	
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)	



<b>bismuth oxychloride</b> (UNII: 4ZR792I587)	
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)	
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)	
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)	
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)	
<b>talc</b> (UNII: 7SEV7J4RIU)	
<b>aluminum oxide</b> (UNII: LMI26O6933)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-286-20	1 in 1 BOX		
1	NDC:13537-286-19	4 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**ESIKA EXTREME MOISTURIZING SPF 16 (ROJO DESEO) - RED**  
 octinoxate and oxybenzone lipstick

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-287
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	

octyldodecanol (UNII: 461N1O614Y)
phenoxyethanol (UNII: HIE492ZZ3T)
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)
microcrystalline wax (UNII: XOF597Q3KY)
methylparaben (UNII: A2B8C7HI9T)
petrolatum (UNII: 4T6H12BN9U)
propylparaben (UNII: Z8IX2SC1OH)
cholesterol (UNII: 97C5T2UQ7J)
shea butter (UNII: K49155WL9Y)
soybean oil (UNII: 241ATL177A)
butylparaben (UNII: 3QPII1U3FV8)
ethylparaben (UNII: 14255EXE39)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
isobutylparaben (UNII: 0QQJ25X58G)
tocopherol (UNII: R0ZB2556P8)
magnesium chloride (UNII: 02F3473H9O)
potassium chloride (UNII: 660YQ98I10)
hydrated silica (UNII: Y6O7T4G8P9)
sodium chloride (UNII: 451W47IQ8X)
d&c red no. 7 (UNII: ECW0LZ41X8)
mica (UNII: V8A1AW0880)
titanium dioxide (UNII: 15FIX9V2JP)
bismuth oxychloride (UNII: 4ZR792I587)
d&c red no. 21 (UNII: 08744Z6JNY)
fd&c yellow no. 5 (UNII: I753WB2F1M)
d&c red no. 27 (UNII: 2LRS185U6K)
fd&c blue no. 1 (UNII: H3R47K3TBD)
talc (UNII: 7SEV7J4RIU)
aluminum oxide (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-287-22	1 in 1 BOX		
1	NDC:13537-287-21	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**ESIKA EXTREME MOISTURIZING SPF 16 (ROJO INTRIGANTE) - RED**

octinoxate and oxybenzone lipstick

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-288
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A218C7H9T)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>soybean oil</b> (UNII: 241ATL177A)	
<b>butylparaben</b> (UNII: 3QPHU3FV8)	
<b>ethylparaben</b> (UNII: 14255EXE39)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>potassium chloride</b> (UNII: 660YQ98I10)	

hydrated silica (UNII: Y6O7T4G8P9)	
sodium chloride (UNII: 451W47IQ8X)	
d&c red no. 7 (UNII: ECW0LZ41X8)	
mica (UNII: V8A1AW0880)	
titanium dioxide (UNII: 15FIX9V2JP)	
bismuth oxychloride (UNII: 4ZR792I587)	
d&c red no. 21 (UNII: 08744Z6JNY)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	
d&c red no. 27 (UNII: 2LRS185U6K)	
fd&c blue no. 1 (UNII: H3R47K3TBD)	
talc (UNII: 7SEV7J4R1U)	
aluminum oxide (UNII: LM26O6933)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-288-24	1 in 1 BOX		
1	NDC:13537-288-23	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (ROJO LUJURIA) - RED

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-289
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Dipentaerythrityl hexacaprylate/hexacaprate (UNII: 554N82UWVW)	
tridecyl trimellitate (UNII: FY36J270ES)	
ethylhexyl palmitate (UNII: 2865993309)	
high density polyethylene (UNII: UG00KM4WR7)	
water (UNII: 059QF0KO0R)	
polyglyceryl-3 diisostearate (UNII: 46P231IQV8)	

<b>tridecyl stearate</b> (UNII: A8OE252M6L)
<b>carnauba wax</b> (UNII: R12CBM0EI2)
<b>glycerin</b> (UNII: PDC6A3C0OX)
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)
<b>kaolin</b> (UNII: 24H4NWX5CO)
<b>octyldodecanol</b> (UNII: 461N1O614Y)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)
<b>methylparaben</b> (UNII: A2I8C7HI9T)
<b>petrolatum</b> (UNII: 4T6HI2BN9U)
<b>propylparaben</b> (UNII: Z8IX2SC1OH)
<b>cholesterol</b> (UNII: 97C5T2UQ7J)
<b>shea butter</b> (UNII: K49155WL9Y)
<b>soybean oil</b> (UNII: 241ATL177A)
<b>butylparaben</b> (UNII: 3QPII1U3FV8)
<b>ethylparaben</b> (UNII: 14255EXE39)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>candelilla wax</b> (UNII: WL0328HX19)
<b>yellow wax</b> (UNII: 2ZA36H0S2V)
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>potassium chloride</b> (UNII: 660YQ98I10)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)
<b>mica</b> (UNII: V8A1AW0880)
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)
<b>talc</b> (UNII: 7SEV7J4R1U)
<b>aluminum oxide</b> (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-289-26	1 in 1 BOX		
1	NDC:13537-289-25	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**ESIKA EXTREME MOISTURIZING SPF 16 (ROSA DIVA) - RED**

octinoxate and oxybenzone lipstick

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-290
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0K00R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A2B8C7HI9T)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>soybean oil</b> (UNII: 241ATL177A)	
<b>butylparaben</b> (UNII: 3QPIU3FV8)	
<b>ethylparaben</b> (UNII: 14255EXE39)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	

isobutylparaben (UNII: 0QQJ25X58G)	
tocopherol (UNII: R0ZB2556P8)	
magnesium chloride (UNII: 02F3473H9O)	
potassium chloride (UNII: 660YQ98I10)	
hydrated silica (UNII: Y6O7T4G8P9)	
sodium chloride (UNII: 451W47IQ8X)	
d&c red no. 7 (UNII: ECW0LZ41X8)	
mica (UNII: V8A1AW0880)	
titanium dioxide (UNII: 15FIX9V2JP)	
bismuth oxychloride (UNII: 4ZR792I587)	
d&c red no. 21 (UNII: 08744Z6JNY)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	
d&c red no. 27 (UNII: 2LRS185U6K)	
fd&c blue no. 1 (UNII: H3R47K3TBD)	
talc (UNII: 7SEV7J4RIU)	
aluminum oxide (UNII: LMI26O6933)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-290-28	1 in 1 BOX		
1	NDC:13537-290-27	4 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**ESIKA EXTREME MOISTURIZING SPF 16 (ROSA ENCANTO) - PINK**  
 octinoxate and oxybenzone lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-291
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
Dipentaerythrityl hexacaprylate/hexacaprate (UNII: 554N82UWVW)	
tridecyl trimellitate (UNII: FY36J270ES)	

<b>ethylhexyl palmitate</b> (UNII: 2865993309)
<b>high density polyethylene</b> (UNII: UG00KM4WR7)
<b>water</b> (UNII: 059QF0KO0R)
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)
<b>tridecyl stearate</b> (UNII: A8OE252M6L)
<b>carnauba wax</b> (UNII: R12CBM0EIZ)
<b>glycerin</b> (UNII: PDC6A3C0OX)
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)
<b>kaolin</b> (UNII: 24H4NWX5CO)
<b>octyldodecanol</b> (UNII: 461N1O614Y)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)
<b>methylparaben</b> (UNII: A218C7HI9T)
<b>petrolatum</b> (UNII: 4T6H12BN9U)
<b>propylparaben</b> (UNII: Z8IX2SC1OH)
<b>cholesterol</b> (UNII: 97C5T2UQ7J)
<b>shea butter</b> (UNII: K49155WL9Y)
<b>soybean oil</b> (UNII: 241ATL177A)
<b>butylparaben</b> (UNII: 3QPHU3FV8)
<b>ethylparaben</b> (UNII: 14255EXE39)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>candelilla wax</b> (UNII: WL0328HX19)
<b>yellow wax</b> (UNII: 2ZA36H0S2V)
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>potassium chloride</b> (UNII: 660YQ98I10)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)
<b>mica</b> (UNII: V8A1AW0880)
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)
<b>talc</b> (UNII: 7SEV7J4RIU)
<b>aluminum oxide</b> (UNII: LMI26O6933)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-29 1-30	1 in 1 BOX		
1	NDC:13537-29 1-29	4 g in 1 TUBE		



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (ROSA ESPLENDOR) - PINK

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-292
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Dipentaerythrityl hexacaprylate/hexacaprate (UNII: 554N82UWVW)	
tridecyl trimellitate (UNII: FY36J270ES)	
ethylhexyl palmitate (UNII: 2865993309)	
high density polyethylene (UNII: UG00KM4WR7)	
water (UNII: 059QF0K00R)	
polyglyceryl-3 diisostearate (UNII: 46P231IQV8)	
tridecyl stearate (UNII: A8OE252M6L)	
carnauba wax (UNII: R12CBM0EIZ)	
glycerin (UNII: PDC6A3C0OX)	
neopentyl glycol dicaprylate/dicaprate (UNII: VLW429K27K)	
kaolin (UNII: 24H4NWX5CO)	
octyldodecanol (UNII: 461N1O614Y)	
phenoxyethanol (UNII: HIE492ZZ3T)	
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)	
microcrystalline wax (UNII: XOF597Q3KY)	
methylparaben (UNII: A218C7H19T)	
petrolatum (UNII: 4T6H12BN9U)	
propylparaben (UNII: Z8IX2SC1OH)	
cholesterol (UNII: 97C5T2UQ7J)	
shea butter (UNII: K49155WL9Y)	
soybean oil (UNII: 241ATL177A)	
butylparaben (UNII: 3QPH1U3FV8)	
ethylparaben (UNII: 14255EXE39)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
candelilla wax (UNII: WL0328HX19)	

yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
isobutylparaben (UNII: 0QQJ25X58G)
tocopherol (UNII: R0ZB2556P8)
magnesium chloride (UNII: 02F3473H9O)
potassium chloride (UNII: 660YQ98I10)
hydrated silica (UNII: Y6O7T4G8P9)
sodium chloride (UNII: 451W47IQ8X)
d&c red no. 7 (UNII: ECW0LZ41X8)
mica (UNII: V8A1AW0880)
titanium dioxide (UNII: 15FIX9V2JP)
bismuth oxychloride (UNII: 4ZR792I587)
d&c red no. 21 (UNII: 08744Z6JNY)
fd&c yellow no. 5 (UNII: I753WB2F1M)
d&c red no. 27 (UNII: 2LRS185U6K)
fd&c blue no. 1 (UNII: HBR47K3TBD)
talc (UNII: 7SEV7J4RIU)
aluminum oxide (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-292-32	1 in 1 BOX		
1	NDC:13537-292-31	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (ROSA ROMANTICA) - PINK

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-293
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A2I8C7HI9T)	
<b>petrolatum</b> (UNII: 4T6HI2BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>soybean oil</b> (UNII: 241ATL177A)	
<b>butylparaben</b> (UNII: 3QPII1U3FV8)	
<b>ethylparaben</b> (UNII: 14255EXE39)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>potassium chloride</b> (UNII: 660YQ98I10)	
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)	
<b>mica</b> (UNII: V8A1AW0880)	
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)	
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)	
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)	
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)	
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)	
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)	
<b>talc</b> (UNII: 7SEV7J4RIU)	
<b>aluminum oxide</b> (UNII: LMI26O6933)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-293-34	1 in 1 BOX		
1	NDC:13537-293-33	4 g in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**ESIKA EXTREME MOISTURIZING SPF 16 (CEREZA HECHIZO) - RED**

octinoxate and oxybenzone lipstick

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-294
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0K00R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A218C7H19T)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>shea butter</b> (UNII: K49155WL9Y)	

soybean oil (UNII: 241ATL177A)
butylparaben (UNII: 3QPHU3FV8)
ethylparaben (UNII: 14255EXE39)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
candelilla wax (UNII: WL0328HX19)
yellow wax (UNII: 2ZA36H0S2V)
cetostearyl alcohol (UNII: 2DMT128M1S)
cetearyl glucoside (UNII: 09FUA47KNA)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
isobutylparaben (UNII: 0QQJ25X58G)
tocopherol (UNII: R0ZB2556P8)
magnesium chloride (UNII: 02F3473H9O)
potassium chloride (UNII: 660YQ98I10)
hydrated silica (UNII: Y6O7T4G8P9)
sodium chloride (UNII: 451W47IQ8X)
d&c red no. 7 (UNII: ECW0LZ41X8)
mica (UNII: V8A1AW0880)
titanium dioxide (UNII: 15FIX9V2JP)
bismuth oxychloride (UNII: 4ZR792I587)
d&c red no. 21 (UNII: 08744Z6JNY)
fd&c yellow no. 5 (UNII: I753WB2F1M)
d&c red no. 27 (UNII: 2LRS185U6K)
fd&c blue no. 1 (UNII: H3R47K3TBD)
talc (UNII: 7SEV7J4R1U)
aluminum oxide (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-294-36	1 in 1 BOX		
1	NDC:13537-294-35	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (FRAMBUESA MANIA) - RED

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-295
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g
<b>Inactive Ingredients</b>		
<b>Ingredient Name</b>	<b>Strength</b>	
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)		
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)		
<b>ethylhexyl palmitate</b> (UNII: 2865993309)		
<b>high density polyethylene</b> (UNII: UG00KM4WR7)		
<b>water</b> (UNII: 059QF0KO0R)		
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)		
<b>tridecyl stearate</b> (UNII: A8OE252M6L)		
<b>carnauba wax</b> (UNII: R12CBM0EIZ)		
<b>glycerin</b> (UNII: PDC6A3C0OX)		
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)		
<b>kaolin</b> (UNII: 24H4NWX5CO)		
<b>octyldodecanol</b> (UNII: 461N1O614Y)		
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)		
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)		
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)		
<b>methylparaben</b> (UNII: A2I8C7HI9T)		
<b>petrolatum</b> (UNII: 4T6H12BN9U)		
<b>propylparaben</b> (UNII: Z8IX2SC1OH)		
<b>cholesterol</b> (UNII: 97C5T2UQ7J)		
<b>shea butter</b> (UNII: K49155WL9Y)		
<b>soybean oil</b> (UNII: 241ATL177A)		
<b>butylparaben</b> (UNII: 3QPI1U3FV8)		
<b>ethylparaben</b> (UNII: 14255EXE39)		
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)		
<b>candelilla wax</b> (UNII: WL0328HX19)		
<b>yellow wax</b> (UNII: 2ZA36H0S2V)		
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)		
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)		
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)		
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)		
<b>tocopherol</b> (UNII: R0ZB2556P8)		
<b>magnesium chloride</b> (UNII: 02F3473H9O)		
<b>potassium chloride</b> (UNII: 660YQ98I10)		
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)		
<b>sodium chloride</b> (UNII: 451W47IQ8X)		
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)		
<b>mica</b> (UNII: V8A1AW0880)		
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)		
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)		
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)		
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)		
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)		
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)		

**talc** (UNII: 7SEV7J4RIU)

**aluminum oxide** (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-295-38	1 in 1 BOX		
1	NDC:13537-295-37	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (ROSA DULZURA) - PINK

octinoxate and oxybenzone lipstick

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-296
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A218C7H9T)	

<b>petrolatum</b> (UNII: 4T6H12BN9U)
<b>propylparaben</b> (UNII: Z8IX2SC1OH)
<b>cholesterol</b> (UNII: 97C5T2UQ7J)
<b>shea butter</b> (UNII: K49155WL9Y)
<b>soybean oil</b> (UNII: 241ATL177A)
<b>butylparaben</b> (UNII: 3QPII3FV8)
<b>ethylparaben</b> (UNII: 14255EXE39)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>candelilla wax</b> (UNII: WL0328HX19)
<b>yellow wax</b> (UNII: 2ZA36H0S2V)
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>potassium chloride</b> (UNII: 660YQ98I10)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)
<b>mica</b> (UNII: V8A1AW0880)
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)
<b>talc</b> (UNII: 7SEV7J4RIU)
<b>aluminum oxide</b> (UNII: LMI26O6933)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-296-40	1 in 1 BOX		
1	NDC:13537-296-39	4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## ESIKA EXTREME MOISTURIZING SPF 16 (PIMIENTA CALIENTE) - BROWN

octinoxate and oxybenzone lipstick

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-297
---------------------	----------------	---------------------------	---------------



**Route of Administration**

TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.066 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.015 g in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>Dipentaerythrityl hexacaprylate/hexacaprate</b> (UNII: 554N82UWVW)	
<b>tridecyl trimellitate</b> (UNII: FY36J270ES)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>polyglyceryl-3 diisostearate</b> (UNII: 46P231IQV8)	
<b>tridecyl stearate</b> (UNII: A8OE252M6L)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>neopentyl glycol dicaprylate/dicaprate</b> (UNII: VLW429K27K)	
<b>kaolin</b> (UNII: 24H4NWX5CO)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>methylparaben</b> (UNII: A218C7HI9T)	
<b>petrolatum</b> (UNII: 4T6HI2BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>soybean oil</b> (UNII: 241ATL177A)	
<b>butylparaben</b> (UNII: 3QP11U3FV8)	
<b>ethylparaben</b> (UNII: 14255EXE39)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	
<b>cetearyl glucoside</b> (UNII: 09FUA47KNA)	
<b>isobutylparaben</b> (UNII: 0QQJ25X58G)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>potassium chloride</b> (UNII: 660YQ981I0)	
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)	
<b>mica</b> (UNII: V8A1AW0880)	
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)	
<b>bismuth oxychloride</b> (UNII: 4ZR792I587)	

<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)	
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)	
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)	
<b>fd&amp;c blue no. 1</b> (UNII: H3R47K3TBD)	
<b>talc</b> (UNII: 7SEV7J4R1U)	
<b>aluminum oxide</b> (UNII: LMI26O6933)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-297-42	1 in 1 BOX		
1	NDC:13537-297-41	4 g in 1 TUBE		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**Labeler** - Ventura Corporation LTD (602751344)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-277, 13537-278, 13537-379, 13537-280, 13537-281, 13537-282, 13537-283, 13537-284, 13537-285, 13537-286, 13537-287, 13537-288, 13537-289, 13537-290, 13537-291, 13537-292, 13537-293, 13537-294, 13537-295, 13537-296, 13537-297)

Revised: 12/2013

Ventura Corporation LTD