STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily

Other information

- each softgel contains:sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

D&C red #33*, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Colace® Regular strength Stool Softener active ingredient**

Stool Softener Laxative

Docusate Sodium 100 mg

Stool Softener Laxative

Relief of Constipation

Safe, Gentle & Dependable

SOFTGELS

**This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.
MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

Product Label

^{*}contains one or more of these ingredients

Drug Facts

Active ingredient (in each softgel)

Purpose

Docusate sodium 100 mg.....Stool softener laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 12 to 72 hours

Warnings

Do not use if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain nausea vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily	
children 2 to under 12 years of age	take 1 softgel daily	
children under 2 years	ask a doctor	

Drug Facts (continued)

Other information

■ each softgel contains: sodium 6 mg

■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients D&C red #33, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide *contains one or more of these ingredients

Questions or comments? Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

"This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener

> TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

MADE WITH PRIDE AND CARE FOR H-E-B*, SAN ANTONIO, TX 78204





NDC 37808-778-10



Stool Softener

Laxative

Docusate Sodium 100 mg

Stool Softener Laxative

Relief of Constipation
Safe, Gentle & Dependable



100 SOFTGELS



Lot No .:

Exp. Date:

H-E-B Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37808-778

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

Inactive Ingredients		
Ingredient Name	Strength	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
GELATIN (UNII: 2G86QN327L)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SORBITAN (UNII: 6O92ICV9RU)		
SORBITOL (UNII: 506T60A25R)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		

Product Characteristics				
Color	RED, WHITE	Score	no score	
Shape	OVAL	Size	12mm	
Flavor		Imprint Code	P10;SCU2;D1	
Contains				

1	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-778- 10	1 in 1 BOX	09/30/2018	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:37808-778- 03	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/30/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	09/30/2018	

Labeler - HEB (007924756)

Revised: 12/2019 HEB