

**ICY HOT ARM NECK LEG AND SMALL AREAS- menthol patch**  
**ICY HOT BACK AND LARGE AREAS- menthol patch**  
**ICY HOT XL BACK AND LARGE AREAS- menthol patch**  
**ICY HOT VALUE PACK- menthol**  
**Chattem, Inc.**

-----

## **Icy Hot - Patch**

### ***Icy Hot® - Medicated Patch***

#### ***ARM, NECK & LEG & SMALL AREAS***

### ***Active Ingredient***

Menthol 5%

### ***Purpose***

Topical analgesic

### ***Uses***

temporarily relieves minor aches and pains of muscles and joints associated with:

- arthritis
- simple backache
- strains
- sprains
- bruises

### ***Warnings***

#### **For external use only**

#### **Do not use**

- on wounds or on irritated or damaged skin
- with a heating pad

#### **When using this product**

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not expose the area to local heat or to direct sunlight
- rare cases of serious burns have been reported with products of this type
- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs
- you experience severe burning pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

■ adults and children 12 years of age and older:

■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle

■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area

■ once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area

■ apply to the affected area not more than 3 to 4 times daily

■ wash hands after applying or removing patch. Throw away the patch by folding sticky ends together.

■ children under 12 years of age: ask a doctor

***Inactive Ingredients***

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

KEEP CARTON AS IT CONTAINS IMPORTANT INFORMATION FOR USAGE OF THE PRODUCT.

Distributed by Chattem, Inc.

P.O. Box 2219

Chattanooga, TN 37409-0219 USA

©2020 www.icyhot.com

Made in Japan.

***Icy Hot® - Medicated Patch***

## **BACK & LARGE AREAS**

### **Active Ingredient**

Menthol 5%

### **Purpose**

Topical analgesic

### **Uses**

temporarily relieves minor aches and pains of muscles and joints associated with:

- arthritis
- simple backache
- strains
- sprains
- bruises

### **Warnings**

#### **For external use only**

#### **Do not use**

- on wounds or on irritated or damaged skin
- with a heating pad

#### **When using this product**

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not expose the area to local heat or to direct sunlight
- rare cases of serious burns have been reported with products of this type
- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds

#### **Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs

■ you experience severe burning pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### ***Directions***

■ adults and children 12 years of age and older:

■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle

■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area

■ once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area

■ apply to affected area not more than 3 to 4 times daily

■ wash hands after applying or removing patch. Throw away the patch by folding sticky ends together.

■ children under 12 years of age: ask a doctor

### ***Inactive Ingredients***

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

KEEP CARTON AS IT CONTAINS IMPORTANT INFORMATION FOR USAGE OF THE PRODUCT.

Distributed by Chattem, Inc.

P.O. Box 2219

Chattanooga, TN 37409-0219 USA

©2020 www.icyhot.com

Made in Japan.

***Icy Hot® - Medicated Patch***

***XL BACK & LARGE AREAS***

***Active Ingredient***

Menthol 5%

## ***Purpose***

Topical analgesic

## ***Uses***

temporarily relieves minor aches and pains of muscles and joints associated with:

- arthritis
- simple backache
- strains
- sprains
- bruises

## ***Warnings***

**For external use only**

**Do not use**

- on wounds or on irritated or damaged skin
- with a heating pad

**When using this product**

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not expose the area to local heat or to direct sunlight
- rare cases of serious burns have been reported with products of this type
- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs
- you experience severe burning pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

- adults and children 12 years of age and older:

- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- apply to the affected area not more than 3 to 4 times daily
- wash hands after applying or removing patch. Throw away the patch by folding sticky ends together.
- children under 12 years of age: ask a doctor

### ***Inactive Ingredients***

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

KEEP CARTON AS IT CONTAINS IMPORTANT INFORMATION FOR USAGE OF THE PRODUCT.

Distributed by Chattem, Inc.  
P.O. Box 2219  
Chattanooga, TN 37409-0219 USA  
©2020 www.icyhot.com  
Made in Japan.

### ***Icy Hot® - Medicated Patch***

#### ***Value Pack***

### ***Active Ingredient***

Menthol 5%

### ***Purpose***

Topical analgesic

### ***Uses***

temporarily relieves minor aches and pains of muscles and joints associated with:

- arthritis
- simple backache
- strains
- sprains

- bruises

## **Warnings**

### **For external use only**

#### **Do not use**

- on wounds or on irritated or damaged skin
- with a heating pad

#### **When using this product**

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not expose the area to local heat or to direct sunlight
- rare cases of serious burns have been reported with products of this type
- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds

#### **Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs
- you experience severe burning pain, swelling, or blistering where the product was applied

#### **If pregnant or breast-feeding**

ask a health professional before use.

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- adults and children 12 years of age and older:
  - remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
  - carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
  - once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
  - apply to affected area not more than 3 to 4 times daily
  - wash hands after applying or removing patch. Throw away the patch by folding

sticky ends together.

- children under 12 years of age: ask a doctor

### ***Inactive Ingredients***

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

KEEP CARTON AS IT CONTAINS IMPORTANT INFORMATION

Distributed by Chattem, Inc.

P.O. Box 2219

Chattanooga, TN 37409-0219 USA

©2024

Made in Japan.

### ***Principal Display Panel***

**ICY HOT®**

**ORIGINAL**

**ARM, NECK,**

**LEG PATCH**

**PAIN RELIEF**

**5% MENTHOL**

**Feel it Work Instantly**

**Wear for up to 8 Hours**

**3-1/8" x 4-5/8"**

**(8 CM x 12 CM) EACH**

**5 PATCHES**



**Principal Display Panel**

**ICY HOT®  
ORIGINAL  
LARGE PATCH  
PAIN RELIEF  
5% MENTHOL  
3-15/16" x 7-13/16"  
(10 cm x 20 cm) EACH  
5 PATCHES**



## Principal Display Panel

**ICY HOT®**  
**ORIGINAL**  
**XL PATCH**  
**PAIN RELIEF**  
**5% MENTHOL**  
**Feel it Work Instantly**  
**Wear for up to 8 Hours**  
**5-1/2" x 9-3/4"**  
**(14 CM x 25 CM) EACH**  
**3 PATCHES**



**Principal Display Panel**

**ICY HOT®  
ORIGINAL  
Pain Relief Patch**

**ICYHOT ORIGINAL** TARGETED RELIEF FOR  
 • Simple Backache • Muscle Strains  
 • Arthritis • Sprains • Bruises

**ICYHOT ORIGINAL**

**ICYHOT ORIGINAL**

**ICYHOT ORIGINAL**

DISCOVER THE POWER OF



Hydrogel Technology for FAST COOLING



**XL PATCH PAIN RELIEF**



**3 PATCHES**

5% MENTHOL

Feel it Work Instantly!

Wear up to 8 hours

5-1/2" X 6-3/4" (14 CM X 25 CM) EACH



\*Ice Out The Pain Fast With A Cooling Sensation  
 Then Relax It Away With A Warming Sensation

LEARN MORE



FOR EASY REMOVAL OF EMBOSSED BACKING



©2014 Chatham, Inc.

**Drug Facts**  
**Active Ingredient** Menthol 5% **Purpose** Topical analgesic

**Uses** temporarily relieves minor aches and pains of muscles and joints associated with: • arthritis • simple backache • strains • sprains • bruises

**Warnings** For external use only

Do not use • on wounds or on irritated or damaged skin • with a heating pad

When using this product • use only as directed • do not bandage tightly • avoid contact with eyes and mucous membranes

• do not expose the area to local heat or to direct sunlight • rare cases of serious burns have been reported with products of this type

• a transient burning sensation may occur upon application but generally disappears in several days • avoid applying into skin folds

Stop use and ask a doctor if • condition worsens or symptoms persist for more than 7 days • symptoms start up and occur again within a few days

• redness is present or excessive skin irritation occurs • you experience severe burning pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• adults and children 12 years of age and older: • remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle

• carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area • once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area

• apply to affected area not more than 3 to 4 times daily • wash hands after applying or removing patch. Throw away the patch by folding sticky ends together.

• children under 12 years of age ask a doctor

**Inactive ingredients** aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate-C12-15-alkyl acrylate copolymer, nonoxonyl-10, polyacrylic acid, polybutene-10, sodium polyacrylate, sorbitan sesquioluate, stearic acid, sodium lauryl sulfate, sodium sulfite, talc, tartaric acid, titanium dioxide, water

KEEP CARTON AS IT CONTAINS IMPORTANT INFORMATION. Made in Japan.



0 41167 00847 8


333-006  
906850



Cut Open Pouch and Remove Pad



For easy removal of embossed backing:



©2020 Chattem, Inc.

**Drug Facts**

**Active ingredient**

Menthol 5%

**Purpose**

Topical analgesic

**Uses**

temporarily relieves minor pain associated with: ■ arthritis ■ simple backache ■ bursitis ■ tendonitis ■ muscle strains ■ sprains ■ bruises ■ cramps

**Warnings**

For external use only

**When using this product** ■ use only as directed. Read and follow all directions and warnings on this label.  
■ avoid contact with eyes and mucous membranes ■ rare cases of serious burns have been reported with products of this type  
■ do not apply to wounds or damaged, broken or irritated skin  
■ do not bandage tightly or apply local heat (such as heating pads) to the area of use  
■ a transient burning sensation may occur upon application but generally disappears in several days

**Stop use and ask a doctor if** ■ condition worsens ■ redness is present ■ irritation develops  
■ symptoms persist for more than 7 days or clear up and occur again within a few days  
■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**adults and children over 12 years:**  
■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle  
■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area  
■ once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area  
■ wear one icy hot patch for up to 8 hours ■ repeat as necessary, but no more than 3 times daily  
**children 12 years or younger:** ask a doctor

**Inactive ingredients**

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxonyl-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

333-006



Dist. by Chattem, Inc., a Sanofi Company  
P.O. Box 2219  
Chattanooga, TN 37409-0219 USA  
©2020 www.icyhot.com

0052639-01

Made in Japan.



LOT

EXP

**Principal Display Panel**

**ICY HOT®  
ORIGINAL  
Pain Relief Patch  
Menthol 5%**

MENTHOL 5%




**LARGE  
PATCH**

**FEEL IT WORKING  
INSTANTLY**

- ▶ Powerful Targeted Relief
- ▶ Icy to Dull, Hot to Relax
- ▶ Comfortable Fabric
- ▶ Stays in Place

Contains 1 Patch  
3-15/16" x 7-13/16" (10 cm x 20 cm)



**Wear For Up To 8 Hours**

***Principal Display Panel***

**ICY HOT  
ORIGINAL  
PATCH  
PAIN RELIEF  
5 % MENTHOL  
ASSORTED SIZES  
10 PATCHES**



## ICY HOT ARM NECK LEG AND SMALL AREAS

menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0084
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CELLULOSE GUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	

<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>WATER</b> (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0084-1	1 in 1 CARTON	11/01/2000	
1		5 in 1 POUCH		
1		0.2055 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	11/01/2000	

## ICY HOT BACK AND LARGE AREAS

menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0843
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CELLULOSE GUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	

<b>NONOXYNOL-30</b> (UNII: JJX07DG188)
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>WATER</b> (UNII: 059QF0KO0R)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0843-1	1 in 1 CARTON	03/01/2003	
1		5 in 1 POUCH		
1		0.4285 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:41167-0843-7	3 in 1 CARTON	03/01/2003	
2		5 in 1 POUCH		
2		0.4285 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:41167-0843-2	1 in 1 CARTON	03/01/2003	02/22/2025
3		6 in 1 POUCH		
3		0.4285 g in 1 PATCH; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/01/2003	

## ICY HOT XL BACK AND LARGE AREAS

menthol patch

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0847
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
Ingredient Name	Basis of Strength	Strength

<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g
---	---------	--------------

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CELLULOSE GUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0847-1	1 in 1 CARTON	12/01/2007	
1		3 in 1 POUCH		
1		0.75 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:41167-0847-2	1 in 1 CARTON	03/10/2017	01/14/2025
2		4 in 1 POUCH		
2		0.75 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/01/2007	

## ICY HOT BACK AND LARGE AREAS

menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0073
---------------------	----------------	---------------------------	----------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CELLULOSE GUM (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
METHYL ACRYLATE (UNII: WC487PR91H)	
NONOXYNOL-30 (UNII: JJX07DG188)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
STARCH, CORN (UNII: O8232NY3SJ)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
TALC (UNII: 7SEV7J4R1U)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0073-8	2 in 1 CARTON	03/01/2003	
1		5 in 1 POUCH		
1		0.4285 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/01/2003	

## ICY HOT BACK AND LARGE AREAS

menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0083
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)	
<b>CELLULOSE GUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0083-2	1 in 1 POUCH	03/01/2003	
1		0.4285 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/01/2003	

## ICY HOT VALUE PACK

menthol kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0854
---------------------	----------------	---------------------------	----------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0854-0	1 in 1 CARTON; Type 0: Not a Combination Product	01/03/2025	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	5 PATCH	1.0275 g
Part 2	5 PATCH	2.1425 g

### Part 1 of 2

## ICY HOT ARM NECK LEG AND SMALL AREAS

menthol patch

### Product Information

<b>Item Code (Source)</b>	NDC:41167-0084
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CELLULOSE GUM (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
METHYL ACRYLATE (UNII: WC487PR91H)	
NONOXYNOL-30 (UNII: JJX07DG188)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
STARCH, CORN (UNII: O8232NY3SJ)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
TALC (UNII: 7SEV7J4R1U)	

<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0084-1	1 in 1 CARTON		
1		5 in 1 POUCH		
1		0.2055 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/03/2025	

## Part 2 of 2

### ICY HOT BACK AND LARGE AREAS

menthol patch

### Product Information

<b>Item Code (Source)</b>	NDC:41167-0843
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)	
<b>CELLULOSE GUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	

<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0843-1	1 in 1 CARTON		
1		5 in 1 POUCH		
1		0.4285 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/03/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/03/2025	

**Labeler** - Chattem, Inc. (003336013)

Revised: 7/2025

Chattem, Inc.