

**DG HEALTH CLEARLAX- polyethylene glycol 3350 powder, for solution  
Dolgenercorp, LLC**

-----  
**Dolgenercorp, LLC ClearLax® Drug Facts**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - use once a day
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

### **Other information**

- store at 20° -25° C (68° -77° F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

### **Inactive ingredients**

none

### **Questions or comments?**

**1-888-309-9030**

### **Principal Display Panel**

DG™ | health

Compare to the active ingredient of MiraLAX®

ClearLax®

Polyethylene Glycol 3350

Powder for Solution


Osmotic Laxative

- Relieves occasional constipation (irregularity)

- Softens stool
- Unflavored powder
- Grit free

NET WT 17.9 OZ (510 g)

30 Once-Daily Doses



## DG HEALTH CLEARLAX

polyethylene glycol 3350 powder, for solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-306
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-306-01	119 g in 1 BOTTLE; Type 0: Not a Combination Product	10/07/2009	
2	NDC:55910-306-02	238 g in 1 BOTTLE; Type 0: Not a Combination Product	05/06/2013	
3	NDC:55910-306-03	510 g in 1 BOTTLE; Type 0: Not a Combination Product	04/29/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/07/2009	

**Labeler** - Dolgencorp, LLC (068331990)

Revised: 2/2023

Dolgencorp, LLC