

**ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment**  
**Welly Health PBC**

-----  
**Drug Facts**

**Active ingredient**

(in each gram)

Bacitracin zinc 400 units

Neomycin sulfate (3.5 mg Neomycin) Polymyxin B sulfate 5000 units

**Purpose**

First Aid

Antibiotics

**Uses**

First aid to help prevent infection in minor cuts, scrapes, and burns

**Warnings**

**External use only.**

**Do not use**

- internally
- in eyes
- over large areas of the body or on puncture wounds, animal bites or serious burns
- for more than 1 week unless directed by a doctor
- if you are allergic to any of the ingredients

**Stop use, ask a doctor**

- a rash or allergic reactions develops
- condition worsens or persists

**Keep out of reach of children.**

If ingested, contact a Poison Control Center right away.

**Directions**

- clean affected area
- apply a small amount 1 to 3 times daily
- may cover with a sterile bandage

## Inactive ingredients

petrolatum

Welly Health PBC, Minn., MN 55402

1-833-BE-WELLY


## Principal Display Panel - Antibiotic Pouch Label

**Welly™**

Triple Antibiotic  
Ointment


0.5g/ 1/57 OZ

TRIPLE ANTIBIOTIC



<b>Drug Facts</b>
<b>Active ingredient Purpose</b> (in each gram) Bacitracin zinc 400 units Neomycin sulfate (3.5mg Neomycin) Polymyxin B sulfate First Aid 5000 units ..... Antibiotics
<b>Uses</b> First aid to help prevent infection in minor cuts, scrapes, and burns
<b>Warnings</b> For external use only ▶

TRIPLE ANTIBIOTIC



<b>Drug Facts (continued)</b>
<b>Warnings (continued)</b> <b>Do not use</b> •internally •in eyes •over large areas of the body or on puncture wounds, animal bites or serious burns •for more than 1 week unless directed by a doctor •if you are allergic to any of the ingredients
<b>Stop use and ask a doctor if</b> •a rash or allergic reaction develops •condition worsens or persists
<b>Keep out of reach of children.</b> If ingested, contact a Poison Control Center right away.
<b>Directions</b> •clean affected area •apply a small amount 1 to 3 times daily •may cover with a sterile bandage
<b>Inactive Ingredients</b> petrolatum

Welly Health PBC, Minn., MN 55402  
1-833-BE-WELLY

## ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72663-560
---------------------	----------------	---------------------------	---------------

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	6 mg in 1 mL
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 mL
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	0.77 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72663-560-34	0.5 mL in 1 POUCH; Type 0: Not a Combination Product	02/25/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/25/2019	

**Labeler** - Welly Health PBC (116766884)

Revised: 1/2025

Welly Health PBC