

FOSTER AND THRIVE ALLERGY AND CONGESTION D- fexofenadine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release
Strategic Sourcing Services LLC

McKesson Allergy & Congestion-D Drug Facts

Active ingredients (in each tablet)

Fexofenadine HCl 60 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have difficulty swallowing

Ask a doctor before use if you have

- heart disease
- thyroid disease
- glaucoma
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- kidney disease. Your doctor should determine if you need a different dose.

When using this product

- **do not take more than directed**
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)
- the tablet coating may be seen in the stool (this is normal). Continue to take as directed (see Directions).

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- you get nervous, dizzy, or sleepless

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not divide, crush, chew or dissolve the tablet; swallow tablet whole

adults and children 12 years of age and over	take 1 tablet with a glass of water every 12 hours on an empty stomach; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney	ask a doctor

Other information

- each tablet contains: **calcium 21 mg**
- safety sealed: do not use if carton is opened or if individual blister units are torn or opened
- store between 20° and 25°C (68° and 77°F)
- meets USP *Dissolution Test 2*

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch

Questions or comments?

Call **1-833-358-6431**

Package/Label Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENTS IN ALLEGRA-D® 12 HOUR ALLERGY & CONGESTION

Foster & Thrive®

Allergy & Congestion-D

Fexofenadine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets

60 mg/120 mg

ANTIHISTAMINE/NASAL DECONGESTANT

12 HR

Non-Drowsy

INDOOR/OUTDOOR RELIEF OF

- Nasal and Sinus Congestion Due to Colds or Allergies
- Sneezing; Runny Nose; Itchy, Watery Eyes and Itchy Nose or Throat Due to Allergies

ACTUAL SIZE

30 EXTENDED RELEASE TABLETS

5U039 KM C1

Drug Facts (continued)

Inactive ingredients: cidal silicon dioxide, croscarmellose sodium, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, magnesium stearate, talc, hypromellose, butylparaben, polyethylene glycol, pregelatinized starch, croscarmellose sodium, polyethylene glycol, pregelatinized starch

Questions or comments? Call 1-833-358-6431

This product is not manufactured or distributed by Chatham, Inc., a Sanofi Company, distributor of Allegra-D® 12 Hour Allergy & Congestion.

©2013 Merck for Health care US

Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141

Mo Joy BackGuarantee
www.FosterThrive.com
Rev. 12/25

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

If you are now taking a prescription monoamine oxidase inhibitor (MAOI) or certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease, or 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

If you have difficulty swallowing

Ask a doctor before use if you have heart disease thyroid disease glaucoma high blood pressure diabetes trouble urinating due to an enlarged prostate gland kidney disease. Your doctor should determine if you need a different dose.

Directions

Adults and children 12 years of age and over: Take 1 tablet with a glass of water every 12 hours on an empty stomach, do not take more than 2 tablets in 24 hours

Children under 12 years of age: do not use

Adults 65 years of age and older: ask a doctor

Consumers with kidney disease: ask a doctor

Other information

Each tablet contains: calcium 2 mg

Safety seal: do not use if seal is opened or if individual blister units are torn or opened

Store between 20° and 25°C (68° and 77°F) meib USP *USP Solution* Test 12

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose sneezing itchy, watery eyes; itching of the nose or throat; temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Temporarily relieves sinus congestion and pressure

Temporarily relieves throat irritation

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose sneezing itchy, watery eyes; itching of the nose or throat; temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Drug Facts

Active ingredients (in each tablet)

Fexofenadine HCl 120 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal decongestant

Directions

Adults and children 12 years of age and over: Take 1 tablet with a glass of water every 12 hours on an empty stomach, do not take more than 2 tablets in 24 hours

Children under 12 years of age: do not use

Adults 65 years of age and older: ask a doctor

Consumers with kidney disease: ask a doctor

Other information

Each tablet contains: calcium 2 mg

Safety seal: do not use if seal is opened or if individual blister units are torn or opened

Store between 20° and 25°C (68° and 77°F) meib USP *USP Solution* Test 12

Directions

Adults and children 12 years of age and over: Take 1 tablet with a glass of water every 12 hours on an empty stomach, do not take more than 2 tablets in 24 hours

Children under 12 years of age: do not use

Adults 65 years of age and older: ask a doctor

Consumers with kidney disease: ask a doctor

Other information

Each tablet contains: calcium 2 mg

Safety seal: do not use if seal is opened or if individual blister units are torn or opened

Store between 20° and 25°C (68° and 77°F) meib USP *USP Solution* Test 12

Important: Read all product information before using. Keep this box for important information

Foster & Thrive®
Allergy & Congestion-D
Fexofenadine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets
60 mg/120 mg
ANTIHISTAMINE/NASAL DECONGESTANT



NDC 70677-1315-2

COMPARE TO THE ACTIVE INGREDIENTS IN ALLEGRA-D® 12 HOUR ALLERGY & CONGESTION *

Foster & Thrive®
Allergy & Congestion-D

Fexofenadine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets

60 mg/120 mg

ANTIHISTAMINE/NASAL DECONGESTANT

12 HR

Non-Drowsy

INDOOR/OUTDOOR RELIEF OF

- Nasal and Sinus Congestion Due to Colds or Allergies
- Sneezing; Runny Nose; Itchy, Watery Eyes and Itchy Nose or Throat Due to Allergies



ACTUAL SIZE

30 EXTENDED RELEASE TABLETS



FOSTER AND THRIVE ALLERGY AND CONGESTION D

fexofenadine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1315
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	60 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	

Product Characteristics

Color	YELLOW, WHITE	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	5U0
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1315-1	20 in 1 CARTON	02/11/2026	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:70677-1315-2	30 in 1 CARTON	02/11/2026	

2

1 in 1 BLISTER PACK; Type 0: Not a Combination Product

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA216792	02/11/2026	

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 2/2026

Strategic Sourcing Services LLC