

**UP AND UP SPORT SUNSCREEN BROAD SPECTRUM SPF 50- avobenzone, homosalate, octisalate, octocrylene, oxybenzone aerosol, spray
TARGET CORPORATION**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Up & Up Sport Sunscreen Spray Broad Spectrum SPF 50

Active ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%, Oxybenzone 5.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask doctor if

- rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in well ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, stearoxytrimethylsilane, glycerin, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate) caprylic/capric triglyceride

Up & Up Sport Sunscreen Spray Broad Spectrum SPF 50

NET WT 9.1 OZ (258 g)


NDC 11673-937-48

value size

SPF 50

sport sunscreen spray

broad spectrum SPF 50



Compare to Coppertone® Sport® SPF 50 Clear Continuous Spray Sunscreen*



water resistant (80 minutes)
clear, rub-free formula
UVA/UVB protection

NET WT 9.1 OZ (258 g)



The Skin Cancer Foundation recommends this product as an effective aid in the prevention of sun induced damage to the skin, including sunburn and possibly premature aging. When used regularly in the prescribed manner, this product may also help reduce the potential risk of skin cancer due to overexposure to sunlight.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0% Oxybenzone 5.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• Spray liberally and spread evenly by hand 15 minutes before sun exposure	
• Hold can 4-6 inches away from the skin to apply	
• Do not spray directly into face. Spray into hands then apply to face	
• Do not apply in windy conditions	
• Use in a well-ventilated area	
reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: ask a doctor	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
Other information	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, stearyltrimethylsilane, glycerin, diethylhexyl syringlidene malonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride	
Questions or comments? Call toll free 1-800-910-6874	

100% satisfaction guaranteed or your money back.

Distributed by Target Corporation
Minneapolis, MN 55403
TM & © 2018 Target Brands, Inc.

*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademarks Coppertone® and Coppertone Sport®.



DOT-SP 1478

UP AND UP SPORT SUNSCREEN BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, octocrylene, oxybenzone aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-937
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-937-48	258 g in 1 CAN; Type 0: Not a Combination Product	10/09/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/09/2019	

Labeler - TARGET CORPORATION (006961700)

Revised: 10/2022

TARGET CORPORATION