# BEST CHOICE SUGAR FREE CHERRY COUGH DROPS- menthol lozenge Valu Merchandisers

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Menthol 5.8 mg

#### Active ingredient (in each drop)

Menthol 5.8 mg

#### Purpose

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

## Warnings

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

#### Ask a doctor before use if you have:

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

## Stop use and consult doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

## Keep out of reach of children.

#### Directions

adults and children 5 years and over - dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.

children under 5 years - ask a doctor

## Other information

- 6 calories per drop
- Excess consumption may cause a laxative effect.

Inactive ingredients: Acesulfame potassium (non-nutritive sweetener), artificial flavor, corn starch, eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glycerin, isomalt, maltitol syrup, medium chain triglycerides, soybean oil, sucralose (non-nutritive sweetener), and water.

**Questions?** Or to report an adverse event call **1-800-245-2898**. Monday - Friday, 9AM to 4PM EST



<b>COUGH DROPS</b> Menthol Cough Suppressant / Oral Anest Temporarily Relieves Cough Soothes Sore Throat	hetic 25 DROPS
0 3000-M 3000-M BEZL CHOICE	
PROUDLY DISTRIBUTED BY: 5000 KANSES, CO. 5000 KANSES, CO.	
ed or distributed by the owner of the registered	Duestions? Or to report an Monday through Friday, 9AM to is product is not manufactur idemark HALLS®
esultame potassium (non-nutritive sweetener), artificial flavor, com e no. 1, FD&C red no. 40, glycerin, isomalt, maltitol syrup, medium sucratose (non-nutritive sweetener) and water.	nactive ingredients: Ac haroh, eucalyptus oil, FD&C blu
e no. 1, Fuxic red no. 40, giycerin, isomair, maririoi syrup, medium sucratose (non-nutritive sweetener) and water.	nactive ingredients: Ac haroh, eucalyptus oil, FD&C blu
ask a doctor alories per drop E Excess consumption may cause a laxative effect. esultame potassium (non-nutritive sweetenet), artificial flavor, com e no. 1, FD&C red no. 40, glycerin, isomalt, maltitol syrup, medium sucratose (non-nutritive sweetenet) and water.	children under 5 years 2 ther information = 6 cs nactive ingredients: Ac tarch, eucalyptus oil, FD&C blu tarch, eucalyptus oil, FD&C blu
alories per drop Excess consumption may cause a laxative effect. esultame potassium (non-nutritive sweetener), artificial flavor, com e no. 1, FD&C red no. 40, glycerin, isomalt, matitiol syrup, medium sucralose (non-nutritive sweetener) and water.	adults and children 5 years and over children under 5 years 6 cs 7ther information = 6 cs 7ther information = 7 cs 7ther
ask a health professional before use. the reach of children. In case of accidental overdose, get in Control Center right away. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. ask a doctor ask a doctor esultame potassium (non-nutritive sweetenet), artificial flavor, com esultame potassium (non-nutritive sweetenet) and water.	persistent headache. These c sore throat is severe, or imitat sore mouth does not improve f pregnant or breast-feeding, dep this and all drugs out of adults and children 5 years and over children under 5 years drindren under 5 years of they information <b>a</b> 6 or drindren under 5 years adults and children by the information <b>a</b> 6 or drindren under 5 years of they information <b>a</b> 6 or drindren under 5 years of they information <b>b</b> 6 or drindren under 5 years drindren dri drindren drin
<ul> <li>7 days, tends to recur, or is accompanied by tever, rash, or ould be signs of a serious condition.</li> <li>7 days</li> <li>7 days</li> <li>7 days</li> <li>7 no control Center right away.</li> <li>7 control Center right away.</li> <li>8 sek a doctor</li> <li>8 sek a doctor</li> <li>9 as needed or as directed by a doctor.</li> <li>9 as needed or as directed by a doctor.</li> <li>9 ask a doctor</li> <li>9 ask a doctor</li> <li>9 as needed or as directed by a doctor.</li> <li>9 as needed or as directed by a doctor.</li> <li>9 as needed or as directed by a doctor.</li> <li>9 as needed or as directed by a doctor.</li> <li>9 as needed or as directed by a doctor.</li> </ul>	<ul> <li>Stop use and consult doctor i persistent headacrie. These c persistent headacrie. These c sore throat is severe, or imitat a sore mouth does not improve pregnant or breast-feeding, ceep this and all drugs out of adults and children</li> <li>Syears and over adults and children</li> <li>Syears and over soults and children</li> <li>Syears and over</li> <li>Syears and over</li> <li>Syears and over</li> </ul>
uch as occurs with smoking, asthma, or emphysema serve phlegm (mucus) dosage 7 days, tends to recur, or is accompanied by tever, rash, or ould be signs of a serious condition. 7 days fin 7 days in 7 days in 7 days ask a health professional before use. 7 different of children, in case of accidental overdose, get 7 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 7 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 7 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 7 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 8 needed or as directed by a doctor. 8 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 1 lozenge slowly in water. 9 dissolve 2 dissolve 1 lozenge slowly in mouth. Repeat every 2 hours 9 dissolve 2 dissolve 2 dissolve 1 lozenge 2 dissolve 1 lozenge 2 dissolve 2 d	Viten using this product Viten using this product to not exceed recommended stop use and consult doctor i persistent headache. These c persistent headache. These c persistent headache. These c persistent headache. These c persistent or breast-feeding, sore throat is severe, or improve sore throat is severe, or improve beep this and all drugs out of adults and children adults and children beited help or contact a Polsc of years and over 5 years and over children under 5 years over 5 years and over 5 years and ov



	Ingredient Name		Basis	of Streng	gth	Strength
MENTHOL (UNII: L7T10EIP)	BA) (MENTHOL - UNII:L7T10EIP3A)		MENTHOI	_		5.8 mg
Inactive Ingredients						
Ingredient Name				Strength		
WATER (UNII: 059QF0KO0	R)					
<b>Product Characterist</b>	ics					
Color	red (Maroon)	Score		I	no score	
Shape	OVAL	Size		1	17mm	
Flavor	CHERRY	Imprint Code		1	В	
Contains						

Packaging			
t Item Code	Package Description	Marketing Start Date	Marketing End Dat
NDC:63941-051-25	25 in 1 BAG; Type 0: Not a Combination Product	10/09/2019	

# Labeler - Valu Merchandisers (868703513)

# Registrant - Bestco Inc. (002149136)

Establishment					
Name	Address	ID/FEI	Business Operations		
Bestco Inc.		002149136	manufacture(63941-051)		

Revised: 10/2019