# HEALTH MART ADULT TUSSIN- dextromethorphan hbr, guaifenes in solution Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# McKesson Adult Tussin Drug Facts

### Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 400 mg

# **Purposes**

Cough suppressant Expectorant

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

### **Warnings**

#### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

# Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	20 mL every 4 hours	
children under 12 years	do not use	

#### Other information

- each 20 mL contains: sodium 13 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

# **Inactive ingredients**

acetic acid, anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

#### Questions or comments?

1-800-719-9260

# Package/Label Principal Display Panel

Compare to Robitussin® Maximum Strength Cough + Chest Congestion DM active ingredients

MAXIMUM STRENGTH

Adult Tussin

Cough + Chest Congestion DM

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

Relieves: Cough/Mucus

For ages 12 & over

Gluten Free - Non-Drowsy

SAME EFFECTIVE COUGH RELIEF\*

\*COMPARED TO OUR PREVIOUS (10 mL) FORMULA

SEE NEW DOSING

4 Fl oz (118 mL)



Purposes

Warmings
Do not use if you are now taking a prescription
monoamine oxidose inhibitor (MAD) (sertain drugs for
depression, peychatric, or embotine) conditions, or
Parkinson's disease), or for 2 weeks after stopping the
MADI drug, if you do not know if your prescription drug
contains an MADI, sak a doctor or pharmacist before
taking this product.

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose,

age	dose	
adults and children 12 years and over	20 mL every 4 hours	
children under 12 years	do not use	

■ each 20 mL contains: sodium 13 mg ■ store at 20-25°C (68-77°F). Do not refrigerate

#### Drug Facts (continued)

Inactive ingredients acetic acid, anhydrous citric acid, carboxymethytcellulose sodium, F08.0 blue no. 1, F08.0 red no. 40, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium bezcades, sodium citrate, sorbitol solution, sucralose, xarthan gum

Questions or comments? 1-800-719-926

\*\*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Maximum Strength Cough + Chest Congestion DM.

# DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Dosage Cup Provided

#### **M**SKESSON

Another Quality Product Distributed by McKesson 6555 State Highway 161, Irving, TX 75039 Money Back Guarantee







#### HEALTH MART ADULT TUSSIN

dextromethorphan hbr, guaifenesin solution

# **Product Information**

HUMAN OTC DRUG NDC:62011-0372 Product Type Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
MENTHOL, UNSPECIFIED FORM (UNII: L7T10 EIP3A)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SO DIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
XANTHAN GUM (UNII: TTV12P4NEE)		

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor	FRUIT	Imprint Code	
Contains			

F	Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date	
1	NDC:62011-0372-1	1 in 1 CARTON	08/22/2018		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part341	08/22/2018			

# Labeler - Strategic Sourcing Services LLC (116956644)