

LANASHIELD- lanolin ointment
Dynarex Corporation

1260

1262

1263

1265

Active Ingredient

Lanolin USP 50%

Purpose

Skin Protectant

Uses

- Temporarily protects minor • cuts • scrapes • burns
- Temporarily protects and helps relieve chafed, chapped, or cracked skin and lips
- Helps prevent and protect from the drying effects of wind and cold weather

Warnings

For External Use Only

Do not use on

- Deep or puncture wounds • Animal bites • Serious burns

When using this product

- Do not get into eyes.

Stop use and ask a doctor if

- Condition worsens • Symptoms last more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control (1-800-222-1222) Center right away.

Directions

Apply as needed

Other Information

- Store at room temperature 15°-30°C (59°-86°F)
- Avoid excessive heat
- Tamper evident. Do not use if seal is damaged.

Inactive Ingredients

beeswax (White), edetate disodium, emulsifying wax, lanolin alcohol, mineral oil, mint perfume, petrolatum, purified water, sodium borate

Label



Label



	LANASHIELD SKIN PROTECTANT CREAM WITH LANOLIN USP 50% <i>Helps Relieve Chafed Skin</i> Net Wt. 2.5 oz. (71 g)		Item 1262 8 40117 34685 7	BATCH LOT LLLLLLL YYYYY-MM-DD YYYYY-MM-DD	 Manufactured for: Dynarex Corporation 11 Dynarex Drive • Middletown, NY 10941 USA • www.dynarex.com • Made in India Symbol Glossary: dynarex.com/symbols.php NDC# 67777-410-11 R260209	Drug Facts
						<table border="1"> <tr> <th>Active ingredient</th> <th>Purpose</th> </tr> <tr> <td>Lanolin USP 50%</td> <td>Skin Protectant</td> </tr> </table> Peel here for Drug Facts
Active ingredient	Purpose					
Lanolin USP 50%	Skin Protectant					

Drug Facts (continued) Uses ■ Temporarily protects minor: ■ cuts ■ scrapes ■ bumps ■ Temporarily protects and helps relieve chafed, chapped, or cracked skin and lips	■ Helps prevent and protect from the drying effects of wind and cold weather Warnings For External Use Only Do not use on ■ Deep or puncture wounds ■ Animal bites ■ Serious burns	When using this product ■ Do not get into eyes. Stop use and ask a doctor if ■ Condition worsens ■ Symptoms last more than 7 days or clear up and occur again within a few days If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get	medical help or contact a Poison Control (1-800-222-1222) Center right away. Directions ■ Apply as needed Other information ■ Store at room temperature 15°-30°C (59°-86°F) ■ Avoid excessive heat	■ Tamper evident. Do not use if seal is damaged. Inactive ingredients beeswax (white), edetate disodium, emulsifying wax, lanolin alcohol, mineral oil, mint perfume, petrolatum, purified water, sodium borate Questions? 1-888-396-2739 Monday – Friday, 9AM – 5PM EST.
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Label

LANASHIELD

SKIN PROTECTANT CREAM
WITH LANOLIN USP 50%

Helps Relieve Chafed Skin

Item 1263

Net Wt. 4 oz. (113 g)



- ✓ RELIEVES CHAFED, CHAPPED, CRACKED SKIN
- ✓ ENRICHED WITH BEESWAX
- ✓ PROTECTS AGAINST DRYING EFFECTS OF WIND & COLD WEATHER



Drug Facts

Active ingredient	Purpose
Lanolin USP 50%	Skin Protectant

Uses

- Temporarily protects minor: ■ cuts ■ scrapes ■ burns
- Temporarily protects and helps relieve chafed, chapped, or cracked skin and lips
- Helps prevent and protect from the drying effects of wind and cold weather

Warnings

For External Use Only

Do not use on ■ Deep or puncture wounds ■ Animal bites ■ Serious burns

When using this product ■ Do not get into eyes.

Stop use and ask a doctor if ■ Condition worsens ■ Symptoms last more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control (1-800-222-1222) Center right away.

Directions ■ Apply as needed

Other information

- Store at room temperature 15°-30°C (59°-86°F) ■ Avoid excessive heat
- TAMPER EVIDENT. Do not use if seal is damaged.

Inactive ingredients

beeswax (white), edetate disodium, emulsifying wax, lanolin alcohol, mineral oil, mint perfume, petrolatum, purified water, sodium borate

dynarex

Manufactured for: Dynarex Corporation
11 Dynarex Drive • Middletown, NY 10941
USA • www.dynarex.com
Made in India R260209
Symbol Glossary: dynarex.com/symbols.php

NDC# 67777-410-04 Item 1263



Label

<p>Item 1265</p> <p>8 40117 34682 6</p>	<p>LANASHIELD SKIN PROTECTANT CREAM WITH LANOLIN USP 50%</p> <p>Helps Relieve Chafed Skin</p> <p>Net Wt. 14 oz. (397 g)</p>		<table border="1"> <thead> <tr> <th colspan="2">Drug Facts</th> </tr> </thead> <tbody> <tr> <td>Active ingredient</td> <td>Purpose</td> </tr> <tr> <td>Lanolin USP 50%</td> <td>Skin Protectant</td> </tr> <tr> <td colspan="2">Uses</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ Temporarily protects minor: ■ cuts ■ scrapes ■ burns ■ Temporarily protects and helps relieve chafed, chapped, or cracked skin and lips ■ Helps prevent and protect from the drying effects of wind and cold weather </td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2">For External Use Only</td> </tr> <tr> <td colspan="2">Do not use on ■ Deep or puncture wounds ■ Animal bites ■ Serious burns</td> </tr> <tr> <td colspan="2">When using this product ■ Do not get into eyes.</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if ■ Condition worsens ■ Symptoms last more than 7 days or clear up and occur again within a few days</td> </tr> <tr> <td colspan="2">Inactive ingredients</td> </tr> <tr> <td colspan="2">beeswax (white), edetate disodium, emulsifying wax, lanolin alcohol, mineral oil, mint perfume, petrolatum, purified water, sodium borate</td> </tr> <tr> <td colspan="2">Questions?</td> </tr> <tr> <td colspan="2">1-888-396-2739 Monday – Friday, 9AM – 5PM EST.</td> </tr> </tbody> </table>	Drug Facts		Active ingredient	Purpose	Lanolin USP 50%	Skin Protectant	Uses		<ul style="list-style-type: none"> ■ Temporarily protects minor: ■ cuts ■ scrapes ■ burns ■ Temporarily protects and helps relieve chafed, chapped, or cracked skin and lips ■ Helps prevent and protect from the drying effects of wind and cold weather 		Warnings		For External Use Only		Do not use on ■ Deep or puncture wounds ■ Animal bites ■ Serious burns		When using this product ■ Do not get into eyes.		Stop use and ask a doctor if ■ Condition worsens ■ Symptoms last more than 7 days or clear up and occur again within a few days		Inactive ingredients		beeswax (white), edetate disodium, emulsifying wax, lanolin alcohol, mineral oil, mint perfume, petrolatum, purified water, sodium borate		Questions?		1-888-396-2739 Monday – Friday, 9AM – 5PM EST.	
Drug Facts																															
Active ingredient	Purpose																														
Lanolin USP 50%	Skin Protectant																														
Uses																															
<ul style="list-style-type: none"> ■ Temporarily protects minor: ■ cuts ■ scrapes ■ burns ■ Temporarily protects and helps relieve chafed, chapped, or cracked skin and lips ■ Helps prevent and protect from the drying effects of wind and cold weather 																															
Warnings																															
For External Use Only																															
Do not use on ■ Deep or puncture wounds ■ Animal bites ■ Serious burns																															
When using this product ■ Do not get into eyes.																															
Stop use and ask a doctor if ■ Condition worsens ■ Symptoms last more than 7 days or clear up and occur again within a few days																															
Inactive ingredients																															
beeswax (white), edetate disodium, emulsifying wax, lanolin alcohol, mineral oil, mint perfume, petrolatum, purified water, sodium borate																															
Questions?																															
1-888-396-2739 Monday – Friday, 9AM – 5PM EST.																															

LANASHIELD

lanolin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67777-410
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LANOLIN (UNII: 7EV65EAW6H) (LANOLIN - UNII:7EV65EAW6H)	LANOLIN	50 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
WHITE WAX (UNII: 7G1J5DA97F)	
MINERAL OIL (UNII: T5L8T28FGP)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-410-12	36 in 1 CASE	10/12/2014	
1	NDC:67777-410-11	71 g in 1 JAR; Type 0: Not a Combination Product		
2	NDC:67777-410-14	12 in 1 CASE	10/12/2014	
2	NDC:67777-410-13	397 g in 1 JAR; Type 0: Not a Combination Product		
3	NDC:67777-410-07	2 in 1 CASE	10/12/2014	
3	NDC:67777-410-06	144 in 1 BOX		
3	NDC:67777-410-05	5 g in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:67777-410-03	24 in 1 CASE	10/12/2014	
4	NDC:67777-410-04	113 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	10/12/2014	

Labeler - Dynarex Corporation (008124539)