

**GLYCERIN - glycerin suppository**  
**CVS Pharmacy**

-----  
**CVS Adult Glycerin Supp.**

**Active ingredient (in each suppository)**

Glycerin 2 g

**Purpose**

Laxative

**Uses**

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

**Warnings**

**For rectal use only**

May cause rectal discomfort of burning sensation

**Ask a Doctor before using any laxative if you have**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children.**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

Single daily dosage

adults and children 6 years and over - 1 suppository, or as directed by a doctor

children 2 to under 6 years - use Child Suppositories

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

## Other information

- Store container tightly closed.
- Keep away from excessive heat.

## Inactive ingredients

purified water, sodium hydroxide, stearic acid

## Glycerin Suppositories, 50 count

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.


Glycerin Suppositories, 50 count

Distributed by

Rite Aid

30 Hunter Lane

Camp Hill, PA 17011




Compare to the active ingredient in Fleet® Glycerin Suppositories\*

### Glycerin Suppositories

**LAXATIVE**

For fast, gentle relief of occasional constipation



50 ADULT SUPPOSITORIES


TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL IS DAMAGED OR MISSING.

<b>Drug Facts</b>	<b>Purpose</b> Glycerin 2g.....Laxative		
<b>Active ingredient (in each suppository)</b> Glycerin 2g.....	<b>Uses</b> ■ for relief of occasional constipation ■ this product generally produces bowel movement in 1/4 to 1 hour	<b>Warnings</b> <b>For rectal use only</b> May cause rectal discomfort or a burning sensation. <b>Ask a doctor before using any laxative if you have</b> ■ abdominal pain, nausea or vomiting ■ a sudden change in bowel habits lasting more than 2 weeks ■ already used a laxative for more than 1 week <b>Stop use and consult a doctor if you have</b> ■ rectal bleeding ■ no bowel movement after using this product These symptoms may indicate a serious condition. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	<b>Directions</b> <i>Single daily dosage</i> adults and children 1 suppository, or as directed by a doctor 6 years and over children 2 to use Child Suppositories under 6 years Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.
	<b>Other information</b> ■ Store container tightly closed. ■ Keep away from excessive heat.	<b>Inactive ingredients</b> purified water, sodium hydroxide, stearic acid	

\*This CVS Health™ product is not manufactured or distributed by C.B.Fleet Co., Inc., owner of the registered trademark Fleet®.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
©2019 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS V-30413

Lot No. & Exp.



#304709 0 50428 38138 0

## GLYCERIN

glycerin suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-724
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-724-10	100 in 1 JAR; Type 0: Not a Combination Product	10/14/2019	
2	NDC:69842-724-50	50 in 1 JAR; Type 0: Not a Combination Product	10/14/2019	
3	NDC:69842-724-25	25 in 1 JAR; Type 0: Not a Combination Product	10/14/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/14/2019	

**Labeler** - CVS Pharmacy (062312574)

**Registrant** - DSC Laboratories Inc. (097807374)

## Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(69842-724)

Revised: 12/2023

CVS Pharmacy