

CURIST ALLERGY RELIEF- levocetirizine dihydrochloride tablet
Little Pharma, Inc.

Curist Allergy Relief (Levocetirizine) Tablets

Read directions and warnings before use. Keep carton as it contains important information.

Drug Facts

Active ingredient (in each tablet)

Levocetirizine dihydrochloride USP 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

Ask a doctor before use if you have ever had trouble urinating or emptying your bladder.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

| | |
|---------------------------------|--|
| adults 65 years and older | ask a doctor |
| adults and children 12-64 years | <ul style="list-style-type: none"> • take 1 tablet (5 mg) once daily in the evening • do not take more than 1 tablet (5 mg) in 24 hours • ½ tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms |
| children 6-11 years | <ul style="list-style-type: none"> • take ½ tablet (2.5 mg) once daily in the evening • do not take more than ½ tablet (2.5 mg) in 24 hours |
| children under 6 years | do not use |
| consumers with kidney disease | do not use |

Other information

- store between 20° and 25°C (68° and 77°F)
- **safety sealed: do not use if carton was opened or torn**

Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, silicon dioxide, titanium dioxide

Questions? call **1-844-243-1241**

Distributed by:

Little Pharma, Inc. New York, NY 10023

Made in India

curist

Allergy Relief

Levocetirizine Dihydrochloride Tablets, USP 5 mg

Antihistamine

24 Hour Relief of Runny Nose; Sneezing; Itchy, Watery Eyes; Itchy Nose or Throat

90 Tablets

Read directions and warnings before use. Keep carton as it contains important information.

Drug Facts

Active ingredient (in each tablet)
Levocetirizine dihydrochloride USP 5 mg.....Antihistamine

Purpose
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
• runny nose • sneezing • itchy, watery eyes • itching of the nose or throat

Warnings
Do not use • if you have kidney disease
• if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine
Ask a doctor before use if you have ever had trouble urinating or emptying your bladder.
When using this product
• drowsiness may occur • avoid alcoholic drinks • alcohol, sedatives and tranquilizers may increase drowsiness
• be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if
• you have trouble urinating or emptying your bladder
• an allergic reaction to this product occurs.
Seek medical help right away.
If pregnant and breast-feeding,
• if breast-feeding: not recommended →

Drug Facts (continued)
• if pregnant: ask a health professional before use
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

| | |
|---------------------------------|--|
| adults 65 years and older | ask a doctor |
| adults and children 12-64 years | • take 1 tablet (5 mg) once daily in the evening • do not take more than 1 tablet (5 mg) in 24 hours • 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms |
| children 6-11 years | • take 1/2 tablet (2.5 mg) once daily in the evening • do not take more than 1/2 tablet (2.5 mg) in 24 hours |
| children under 6 years | do not use |
| consumers with kidney disease | do not use |

Other information
• store between 20° and 25°C (68° and 77°F)
• **safety sealed: do not use if carton was opened or torn**

Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, silicon dioxide and titanium dioxide

Questions? Call 1-844-243-1241

curist

Allergy Relief


Levocetirizine Dihydrochloride Tablets, USP 5 mg Antihistamine

24 Hour Relief of Runny Nose; Sneezing; Itchy, Watery Eyes; Itchy Nose or Throat

90 Tablets

curistrelief.com

Distributed by:
Little Pharma, Inc. New York, NY 10023
Made in India



3 72559 00705 3

CURIST ALLERGY RELIEF

levocetirizine dihydrochloride tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:72559-007 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------------|----------|
| LEVOCETIRIZINE DIHYDROCHLORIDE (UNII: SOD6A38AGA) (LEVOCETIRIZINE - UNII:6U5EA9RT2O) | LEVOCETIRIZINE DIHYDROCHLORIDE | 5 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HYPROMELLOSES (UNII: 3NXW29V3WO) | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | white | Score | 2 pieces |
| Shape | OVAL | Size | 8mm |
| Flavor | | Imprint Code | LI |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:72559-007-05 | 1 in 1 CARTON | 10/15/2019 | |
| 1 | | 90 in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA | ANDA211551 | 10/15/2019 | |

Labeler - Little Pharma, Inc. (074328189)

Revised: 7/2022

Little Pharma, Inc.