

**NASAL MIST CVS- oxymetazoline hydrochloride 0.05% liquid
CVS**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient	Purpose
Oxymetazoline Hydrochloride 0.05%	Nasal decongestant

Uses

- for the temporary relief of nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- shrinks swollen membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease• high blood pressure• thyroid disease
- diabetes• trouble urinating due to enlarged prostate gland

When using this product

- do not exceed recommended dosage • do not use for more than 3 days. Use only as directed. • may cause temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge • the use of this container by more than one person may spread infection • frequent or prolonged use may cause nasal congestion to recur or worsen

Stop use and ask a doctor if symptoms persist

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times.

To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses within any 24-hour period • children under 6 years of age: consult a doctor

Inactive ingredients

Benzalkonium Chloride
Chlorhexidine Gluconate

Citric Acid
 Disodium EDTA
 Fragrance
 Purified Water
 Sodium Citrate
 Sodium Hydroxide
 Tyloxapol

CVS Health
Sinus Relief
 OXYMETAZOLINE HCl 0.05%
 12 HOUR

CVS Health
 Compare to the active ingredient in Vicks® Sinex®*
Ultra Fine Mist

Sinus Relief
 OXYMETAZOLINE HCl 0.05%
 Nasal decongestant
FOR SINUS RELIEF

- Fast acting day/night relief
- Moisturizing
- Cold & allergy congestion
- Sinus pressure
- Ultra fine pump mist

Actual Product Size on Side Panel

0.5 FL OZ (15 mL)

Actual Size

CAP REMOVAL INSTRUCTIONS:
 To remove cap squeeze cap at base on opposite sides on the two smooth impressions with fingers. While squeezing, twist cap counterclockwise to remove. Remove cap and press down to use. Refer to directions on top of cap.
 To reapply cap turn cap on pump clockwise until it locks.

DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Drug Facts
Active ingredient **Purpose**
 Oxymetazoline Hydrochloride 0.05%...Nasal decongestant

Uses • for the temporary relief of nasal congestion due to the common cold, hay fever, or other upper respiratory allergies • shrinks swollen membranes so you can breathe more freely

Warnings
Ask a doctor before use if you have
 • heart disease • high blood pressure • thyroid disease
 • diabetes • trouble urinating due to enlarged prostate gland

When using this product
 • do not exceed recommended dosage
 • do not use for more than 3 days. Use only as directed.
 • may cause temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge
 • the use of this container by more than one person may spread infection
 • frequent or prolonged use may cause nasal congestion to recur or worsen

Stop use and ask a doctor if symptoms persist.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.
 • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses within any 24-hour period
 • children under 6 years of age: consult a doctor

Drug Facts (continued)
Inactive ingredients
 Benzalkonium Chloride, Chlorhexidine Gluconate, Citric Acid, Disodium EDTA, Fragrance, Purified Water, Sodium Citrate, Sodium Hydroxide, Tyloxapol.

Distributed by:
 CVS Pharmacy, Inc.
 One CVS Drive
 Woonsocket, RI 02895
 © 2015 CVS/pharmacy
 CVS.com®
 1-800-SHOP CVS

CVS Quality
 Money Back Guarantee

IMPORTANT: KEEP OUTER CARTON FOR FUTURE REFERENCE ON FULL LABELING

PLEASE RECYCLE

NASAL MIST CVS

oxymetazoline hydrochloride 0.05% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-435
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
Oxymetazoline Hydrochloride (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)		Oxymetazoline Hydrochloride	0.05 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
Benzalkonium Chloride (UNII: F5UM2KM3W7)				
Water (UNII: 059QF0K00R)				
Chlorhexidine Gluconate (UNII: MOR84MUD8E)				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)				
Sodium Citrate (UNII: 1Q73Q2JULR)				
Sodium Hydroxide (UNII: 55X04QC32I)				
Tyloxapol (UNII: Y27PUL9H56)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-435-01	1 in 1 CARTON	10/01/2015	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	10/01/2015		

Labeler - CVS (062312574)

Registrant - Product Quest Mfg, LLC (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg, LLC		927768135	manufacture(59779-435) , label(59779-435)

Revised: 6/2018

CVS