

**REXALL EARWAX REMOVAL- carbamide peroxide
Dolgenercorp LLC**

Rexall Earwax Removal Kit

Drug Facts

Active ingredient

Carbamide peroxide 6.5%

Purpose

Earwax removal aid

Uses

for occasional use as an aid to soften, loosen, and remove excessive earwax

Warnings

For use in the eay only

Ask a doctor before use if you have

- ear drainage or discharge
- ear pain
- irritation, or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

When using this product

avoid contact with the eyes

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive earwax remains after use of this product

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

FOR USE IN THE EAR ONLY

Adults and children over 12 years of age:

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe
- Children under 12 years: consult a doctor

Other information

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Keep cap on bottle when not in use
- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound
- Do not use if tamper-evident safety seal is broken or missing

Inactive ingredients

- anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions?

1-866-4-REXALL

Package Labeling:

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts

Active ingredient Carbamide peroxide 6.5%	Purpose Earwax removal aid
---	--------------------------------------

Uses for occasional use as an aid to soften, loosen, and remove excessive earwax

Warnings
For use in the ear only

Ask a doctor before use if you have

- ear drainage or discharge
- ear pain
- irritation, or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

When using this product avoid contact with the eyes

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive earwax remains after use of this product

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions
FOR USE IN THE EAR ONLY
Adults and children over 12 years of age:

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe

Children under 12 years: consult a doctor

Other information

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Keep cap on bottle when not in use
- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound
- Do not use if tamper-evident safety seal is broken or missing

Inactive ingredients

- anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions? 1-866-4-REXALL

REV 09/18



Ear Wax Removal Kit

Carbamide Peroxide 6.5%
Ear Wax Removal Aid

TAMPER-EVIDENT: DO NOT USE IF NECK SEAL ON BOTTLE IS BROKEN OR MISSING, TAMPERING MAY HAVE OCCURRED.

Visit us at: Rexall.com
or call 1-866-4-REXALL

PACKAGED FOR DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072 USA
MADE IN USA

Since 1903 Rexall™ is a trademark of Rexall Sundown, Inc.



Ear Wax Removal Kit

Carbamide Peroxide 6.5%
Ear Wax Removal Aid

• Safe, gentle, non-irritating

NDC 55910-835-33



Ear Wax Removal Kit

Carbamide Peroxide 6.5%
Ear Wax Removal Aid

• Safe, gentle, non-irritating



WASHER BULB INCLUDED

NET WT 0.5 FL OZ (15 mL)



Ear Wax Removal Kit

Carbamide Peroxide 6.5%
Ear Wax Removal Aid

• Safe, gentle, non-irritating



WASHER BULB INCLUDED

NET WT 0.5 FL OZ (15 mL)





RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts

Active ingredient	Purpose
Carbamide peroxide 6.5%.....	Earwax removal aid

Directions FOR USE IN THE EAR ONLY

Adults and children over 12 years of age:

- Tilt head sideways and place 5 to 10 drops into ear
 - Tip of applicator should not enter ear canal
 - Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
 - Use twice daily for up to 4 days if needed, or as directed by a doctor
 - Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe
- Children under 12 years:** consult a doctor

Inactive ingredients anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water.

Visit us at: Rexall.com or call 1-866-4-REXALL REV 09/18

PACKAGED FOR DOLGENCORP, LLC
100 MISSION RIDGE, GOODLETTSVILLE, TN 37072 U.S.A.

LOT:

EXP:

REXALL EARWAX REMOVAL

carbamide peroxide kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-835
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-835-33	1 in 1 BOX	01/01/2019	
1		1 in 1 KIT		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	15 mL

Part 1 of 1**REXALL EARWAX REMOVAL DROPS**

carbamide peroxide solution/ drops

Product Information

Item Code (Source)	NDC:55910-836
Route of Administration	AURICULAR (OTIC)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	CARBAMIDE PEROXIDE	65 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:55910-836-33	15 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		
----------	------------------	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	01/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	01/01/2019	

Labeler - Dolgencorp LLC (068331990)

Revised: 12/2023

Dolgencorp LLC