

HYDROGEN PEROXIDE LIL DRUG STORE PRODUCTS- hydrogen peroxide liquid Lil' Drug Store Products, Inc

Lil' Drug Store[®] Hydrogen Peroxide, 3%

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

First aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- if bandaged, let dry first
- apply small amount of product on affected area 1-3 times a day

- may be covered with a sterile bandage

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

Other information

- keep tightly closed and in a dark place at room temperature
- do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Questions?

1-877-507-6516
(M-F 8AM-4:30PM CST)

PRINCIPAL DISPLAY PANEL - 473 mL Bottle Label

**QUALITY
GUARANTEED**

**Hydrogen
Peroxide, 3% USP**

First Aid Antiseptic/Oral Debriding Agent

For treatment of

- **Minor Cuts & Scrapes**
- **Burns**

**For use as a rinse
of a Sore Mouth**

Product manufactured for:

Lil' Drug Store Products, Inc.
1201 Continental Place NE
Cedar Rapids, IA 52402
Questions? 1-877-507-6516
(M-F 8AM-4:30PM CST)

16 FL OZ


(1 PT) 473 mL

Lil'
DrugStore®

68460L-US-04-16

PLD-B220C

LB004023



QUALITY GUARANTEED

Hydrogen Peroxide, 3% USP

First Aid Antiseptic/Oral Debriding Agent

For treatment of

- Minor Cuts & Scrapes
- Burns


For use as a rinse of a Sore Mouth

Product manufactured for:
Lil' Drug Store Products, Inc.
1201 Continental Place NE
Cedar Rapids, IA 52402
Questions? 1-877-507-6516
(M-F 8AM-4:30PM CST)

68460L-US-04-16 PLD-B220C LB004023

3 66715 68460 8

16 FL OZ
(1 PT) 473 mL



Drug Facts

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Active ingredient

Hydrogen peroxide 3%....First aid antiseptic/oral debriding agent

Purpose

Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use ■ in the eyes or apply over large areas of the body
■ longer than one week

Ask a doctor before use if you have

■ deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if ■ swelling, rash, or fever

develops ■ the condition persists or gets worse

■ sore mouth symptoms do not improve in 7 days

■ irritation, pain, or redness persists or worsens

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

■ clean affected area ■ if bandaged, let dry first

■ apply small amount of product on affected area 1-3 times a day

■ may be covered with a sterile bandage

For use as an oral debriding agent (oral rinse):

■ adults and children 2 years of age and over:

■ mix with an equal amount of water

■ swish around in the mouth over affected area for at least 1

minute and then spit out. Do not swallow.

■ use up to 4 times daily after meals and at bedtime or as

directed by a dentist or doctor

■ children under 12 years should be supervised in the use of

this product

■ children under 2 years of age: consult a doctor or dentist

Other information

■ keep tightly closed and in a dark place at room temperature

■ do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

PLD-B220C LB002340

HYDROGEN PEROXIDE LIL DRUG STORE PRODUCTS

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6846
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6846-0	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/15/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/01/2014	

Labeler - Lil' Drug Store Products, Inc (093103646)

Revised: 12/2023

Lil' Drug Store Products, Inc