

**NIGHTTIME SLEEP AID- diphenhydramine hcl solution**  
**TOPCO ASSOCIATES LLC**

-----  
**TopCare 44-002A**

***Active ingredient (in each 30 mL)***

Diphenhydramine HCl 50 mg

***Purpose***

Nighttime sleep-aid

***Uses***

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

***Warnings***

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

avoid alcoholic beverages.

**Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

### ***Other information***

- **each 30 mL contains:** sodium 11 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

### ***Inactive ingredients***

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

### ***Questions or comments?***

**1-888-423-0139**

### **Principal Display Panel**

**TopCare®**  
health

NDC 76162-200-45

#### **NIGHTTIME**

\*COMPARE TO THE  
ACTIVE INGREDIENT  
IN VICKS® ZzzQUIL®  
NIGHTTIME SLEEP-AID

#### **Nighttime Sleep Aid**

DIPHENHYDRAMINE HCl 50 mg  
per 30 mL  
NIGHTTIME SLEEP-AID

- Non-Habit Forming
- Not for Colds or for Pain

Ages 12 Years  
and Over

**6 FL OZ (177 mL)**

**BERRY  
FLAVOR**

**TAMPER EVIDENT: DO NOT  
USE IF PRINTED NECK WRAP  
IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil® NIGHTTIME SLEEP-AID.

50844 ORG022600245

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ITASCA, IL 60143 ©TOPCO LNKA0326  
QUESTIONS? 1-888-423-0139

topcare@topco.com www.topcarebrand.com

**Visit here for more information: <http://topbrnds.com/CTNTSY>**

**TopCare**<sup>®</sup>  
health

**NIGHTTIME**

NDC 76162-200-45

\*COMPARE TO THE  
ACTIVE INGREDIENT  
IN VICKS<sup>®</sup> ZzzQUIL<sup>®</sup>  
NIGHTTIME SLEEP-AID

# Nighttime Sleep Aid

DIPHENHYDRAMINE HCl 50 mg  
per 30 mL

**NIGHTTIME SLEEP-AID**

- Non-Habit Forming
- Not for Colds or for Pain

Ages 12 Years  
and Over



**6 FL OZ (177 mL)**

**BERRY  
FLAVOR**

F-002A ORG

PEEL BACK FOR COMPLETE DRUG FACTS →

**TAMPER EVIDENT: DO NOT  
USE IF PRINTED NECK WRAP  
IS BROKEN OR MISSING**

## Drug Facts

### Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg ..... Nighttime sleep-aid

### Purpose

### Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

\*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS<sup>®</sup> ZzzQuil<sup>®</sup> NIGHTTIME SLEEP-AID.

50844 ORG022600245

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ITASCA, IL 60143 ©TOPCO LNKA0326

QUESTIONS? 1-888-423-0139

topcare@topco.com www.topcarebrand.com

Visit here for more information: <http://topbrnds.com/CTNTSY>



No Print/No Varnish  
Lot & EXP

## Drug Facts (continued)

### Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product avoid alcoholic

## Drug Facts (continued)

### Directions

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

### Other information

- each 30 mL contains: sodium 11 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

beverages.

**Stop use and ask a doctor if** sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. ▶

■ use by expiration date on package

### **Inactive ingredients**

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

### **Questions or comments?**

1-888-423-0139

**TopCare 44-002A**

## **NIGHTTIME SLEEP AID**

diphenhydramine hcl solution

### **Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76162-200
<b>Route of Administration</b>	ORAL		

### **Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

### **Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### **Product Characteristics**

<b>Color</b>	purple	<b>Score</b>	
--------------	--------	--------------	--

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-200-45	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/11/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	01/11/2023	

**Labeler** - TOPCO ASSOCIATES LLC (006935977)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(76162-200) , pack(76162-200)

Revised: 5/2026

TOPCO ASSOCIATES LLC