# COVER ALL PART A- lactic acid liquid **ProActive Solutions USA, LLC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

#### Cover All Part A

### Cover All Part A

Cover All™ is a concentrated two part stabilized chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover All™ keep teats soft and smooth. Cover All™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

### MIXING INSTRUCTIONS:

Cover All<sup>™</sup> is a two part concentrate that must be mixed prior to use. The mix ratio is 18:1:1. Mix enough Cover All™ to last for 24 hours. In a clean container add 18 parts water, 1 part Cover All™ Part A, and 1 part Cover All™ Part B. Mix gently until color is uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

### **USE INSTRUCTIONS:**

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover All™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All™ chlorine dioxide teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients when diluted:

Lactic Acid: 0.48% Glycerine: 4%

Caution:

Hazard statement(s):

May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary statement(s):

Do not eat, drink or smoke while using this product.

Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: Do not mix with chlorinated products as this will liberate toxic, corrosive chlorine gas.

#### First Aid:

External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Immediately move to fresh air. Get medical attention immediately.

Most important symptoms/effects, acute and delayed: Corrosive/Irritant Immediate medical attention and special treatment needed, if any: Emergency treatment for acid burns and corrosion to the skin.

#### Cover All Part A



# Cover All Part A™

Activator & Skin Conditioning Package For Use Only With Cover All Part BTM Stabilized Chlorine Dioxide



FOR FARM OR INDUSTRIAL USE ONLY - KEEP OUT OF REACH OF CHILDREN

Cover All \*\* is a concentrated two part stabilized chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover All \*\* keep teats soft and smooth. Cover All \*\* contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratoriss at the teat end.

## MIXING INSTRUCTIONS: Cover All™ is a two part of

MIXING INSTRUCTIONS:

Cover All™ is a two part concentrate that must be mixed prior to use. The mix ratio is 18:1:1. Mix enough Cover All™ to tast for 24 hours. In a clean container add 18 parts water, 1 part Cover All™ Part A, and 1 part Cover All™ Part B. Mix gently until color is uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxic within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.


USE INSTRUCTIONS: area away from direct s USE INSTRUCTIONS:

USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover All™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: immediately after milking, dip each teat with Cover All™ chlorine dioxide teat dip. Allow to air dry. Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution. If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients when diluted: Lactic Acid: 0.48%



Caution: Hazard statement(s):

May be corrosive to metals.

Hamful if swallower burns and eye damage.

Causes severe skin burns and eye damage.

Precautionary statement(s):

Do not eat, drink or smoke while using this product.

Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: Do not mix with chlorinated products as this will liberate toxic, corrosive chlorine gas.

WARNING

this will illerate toxic, corrosive cnionne gas.
First Aid:
External: Immediately flush skin with plenty of cool, running water for at least
15 minutes while removing contaminated clothing and shoes. Wash clothing
before reuse.
Eyes: Immediately flush with plenty of cool, running water. Remove contact
lenses; then continue flushing for at least 15 minutes, holding eyelids apart.
Internal: Call a physician immediately. If swallowed, do not induce vomiting.
Rinse mouth, then immediately drink one or two large glasses of water or milk.
Never give anything by mouth to an unconscious person.
Inhalation of vapors: Immediately move to fresh air. Get medical attention
immediately.

mediately, ost important symptoms/effects, acute and delayed: Corrosive/Irri mediate medical attention and special treatment needed, if any: nergency treatment for acid burns and corrosion to the skin.



#### FOR CHEMICAL EMERGENCIES: CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC - 301 Bridge Street - Green Bay, WI 54303 800.279.7761 www.proactivesolutionsusa.com

# **COVER ALL PART A**

lactic acid liquid

# **Product Information**

**Product Type** OTC ANIMAL DRUG Item Code (Source) NDC:63927-4122

**TOPICAL Route of Administration** 

# **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	9.6 kg in 100 kg

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63927- 4122-2	21.3 kg in 1 JUG			
2	NDC:63927- 4122-3	63.9 kg in 1 DRUM			
3	NDC:63927- 4122-4	234.2 kg in 1 DRUM			
4	NDC:63927- 4122-5	1171.4 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		11/29/2024			

# Labeler - ProActive Solutions USA, LLC (029368225)

# Registrant - ProActive Solutions USA, LLC (029368225)

Establishment					
Name	Address	ID/FEI	Business Operations		
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, label, pack, repack		

Revised: 11/2024 ProActive Solutions USA, LLC