

**MISSHA M PERFECT COVER BB NO 21- zinc oxide, titanium dioxide,
octinoxate cream
Able C&C Co., Ltd.**

MISSHA M perfect Cover BB No 21

Active Ingredient

Active Ingredients: Octinoxate 7.5%, Zinc Oxide 7%, Titanium Dioxide 4.19%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating

Sun protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

Other Information

protect the product in this container from excessive heat and direct sun.

Questions or comments?

visit www.misshaus.com or call 1-888-985-9887(Ext 104)

INACTIVE INGREDIENT

Water, Cyclopentasiloxane, Propylene Glycol, Caprylic/Capric Triglyceride, PEG-10 Dimethicone, Glycerin, Cetyl PEG/PPG-10/1 Dimethicone, Arbutin, Mineral Oil, Polyethylene, Talc, Phenyl Trimethicone, Beeswax (Cera Alba), Sodium Chloride, Ferric Oxide Yellow, Methylparaben, Dimethicone, Ferric Oxide Red, Propylparaben, Rosa

Canina Fruit Oil, Squalane, Macadamia Ternifolia Seed Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Cyclotetrasiloxane, Ferrosoferric oxide, Disodium EDTA, Adenosine, Algae Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Chamomilla Recutita (Matricaria) Flower Extract, Ceramide NP, Butylene Glycol, Fagus Sylvatica Bud Extract, Hydrolyzed collagen, Caprylyl Glycol, Benzyl Alcohol, 1,2-Hexanediol, Caprylhydroxamic Acid, Tocopherol, Benzoic Acid, Sodium Hyaluronate, Phenoxyethanol, Tropolone, Fragrance (Parfum), Butylphenyl Methylpropional, Benzyl Salicylate, Hydroxycitronellal, Alpha-Isomethyl Ionone, Hexyl Cinnamal, Linalool, Citronellol, Limonene

Warnings:

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to Remove.

Stop use and ask a doctor, if rash occurs.

Keep out of reach of children.

**MISSHA M
PERFECT COVER B.B CREAM
No.21
(Light Beige)**

M

**PERFECT COVER
B.B CREAM**

**SPF42 / PA+++
NO.21**

MISSHA M Perfect Cover BB Cream
innovatively pairs makeup and
skincare with a BB cream that
helps brighten skin tone, care
wrinkles, prevent signs of aging
and heal blemishes while
providing excellent coverage.

**MISSHA M
PERFECT COVER B.B CREAM**
SPF42 / PA+++
No.21 (Light Beige)
- Dermatologically Tested -

EN Multifunctional BB cream features UVA/UVB protection, brightening and wrinkle caring benefits, and high coverage
DIRECTIONS: After basic skin care, apply an appropriate amount along the skin texture and finish with powder. No additional sun protection is needed.

DE BB Cream für eine ebenmäßige und sehr natürliche Abdeckung, Feuchtigkeit und zuverlässigen Schutz gegen UV-Strahlen.
ANWENDUNGSWEISE: Geringe Menge der BB Cream gleichmäßig auf dem Gesicht verteilen und sanft einklopfen. Bei Bedarf zum Schluss abpudern.

ES BB Cream multifunción 3en1 anti-manchas, anti-arrugas y con protección solar que consigue una cobertura perfecta y un acabado ideal.
MODO DE USO: Después de los cuidados faciales básicos, aplicar una cantidad apropiada sobre la piel y extender. Para un mejor acabado, terminar con polvos. No es necesario aplicar protector solar.

PL Światowy bestseller wśród kremów BB. Silnie ujednina, nawilża oraz rozświetla skórę. Zapewnia intensywne i długotrwałe krycie.
STOSOWANIE: Nałożyć odpowiednią ilość kremu BB na twarz. Makijaz wykończyć pudrem.

FR BB Crème multifonctions qui bloque les UV et agit en effet soin éclaircissant et anti-rides pour un effet couvrant impeccable.
UTILISATION: Après votre routine de soins de base, appliquer la quantité appropriée sur la peau et terminez avec la poudre. Vous n'avez pas besoin d'appliquer une crème solaire en suite.

IT BB Cream è una crema multifunzione con effetto di blocco dei raggi UV, effetto sbiancante ed anti-rughe, crea un make up con una copertura perfetta.
ISTRUZIONI PER L'USO: Dopo il trattamento di base, applicare la giusta quantità di crema sulla pelle e incipriarsi. Non è necessario applicare crema solare.

EE Multifunktsionaalne BB kreem UV-kiirguse kaitsega, nahatoonni ühlistava ja kortsidevastase toimega. Loob täiusliku meigipõhja.
KASUTAMINE: Pärast peanist nahahoodlust kandke vajalik kogus nahale ja lõpetage puudriga. Ei ole vajalik kasutada päikesekreemi.

LV Daudzfunkcionāls BB krēms ar UV aizsardzības efektu, balināša un pretvecosianās iedarbība, rada ideālu pārklājumu.
LIETOSANA: Pēc pamata sejas kopšanas, uzklājiet nepieciešamo daudzumu uz sejas ādas, pabeidziet makijažu ar pudri. Nav nepieciešams uzklāt papildus UV aizsargdzelksus.

CZ Multifunkční BB krém s ochranným účinkem proti UV záření, rozjasňujícím účinkem a péčí proti vráskám vytváří perfektní krytí.
POUŽITÍ: Po základní péči o pleť aplikujte přiměřené množství podlé textury pleti a zakončte. Není potřeba navíc nanášet krém proti slunci.

MISSHA M PERFECT COVER BB CREAM (NO.21) [E19K3]

Drug Facts

| Active Ingredients | Purpose |
|--|-----------|
| Octinoxate 1.2%, Zinc Oxide 7%, Titanium Dioxide 4.19% | Sunscreen |

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging.
- Stop use and ask a doctor if rash occurs. Keep out of reach of children if product is swallowed, get medical help or contact a Poison Control Center right away.

Warnings

- For external use only.
- Do not use on damaged or broken skin. When using this product keep out of eyes, rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children if product is swallowed, get medical help or contact a Poison Control Center right away.

Directions


For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age - Ask a doctor

Inactive Ingredients
Water, Cyclohexanediol, Proxylene Glycol, Caprylic/Capric



MISSHA M PERFECT COVER BB NO 21

zinc oxide, titanium dioxide, octinoxate cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:13733-151 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 0.07 g in 1 g |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 0.0419 g in 1 g |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 0.075 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| MACADAMIA OIL (UNII: 515610SU8C) | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | |
| CERAMIDE 6 II (UNII: F1X8L2B00J) | |
| FAGUS SYLVATICA FLOWER BUD (UNII: 6D5V13045W) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0) | |
| TOCOPHEROL (UNII: ROZB2556P8) | |
| BENZOIC ACID (UNII: 8SKN0B0MIM) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| TROPOLONE (UNII: 7L6DL16P1T) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |

| |
|---|
| WATER (UNII: 059QF0KO0R) |
| CYCLOMETHICONE (UNII: NMQ347994Z) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| TALC (UNII: 7SEV7J4R1U) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| METHYLPARABEN (UNII: A2I8C7HI9T) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| SQUALANE (UNII: GW89575KF9) |
| ARBUTIN (UNII: C5INA23HXF) |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| ABRONIA VILLOSA LEAF (UNII: A138B5260A) |
| YELLOW WAX (UNII: 2ZA36H0S2V) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) |
| LAMINARIA HYPERBOREA (UNII: NXA595GQ1K) |
| ROSEMARY (UNII: IJ67X351P9) |
| BENZYL ALCOHOL (UNII: LKG8494WBH) |
| CYCLOMETHICONE 4 (UNII: CZ227117JE) |
| JOJOBA OIL (UNII: 724GKU717M) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| ADENOSINE (UNII: K72T3FS567) |
| CHAMOMILE FLOWER OIL (UNII: 60F80Z61A9) |
| MINERAL OIL (UNII: T5L8T28FGP) |
| TRIS(TRIMETHYLSILOXY)PHENYLSILANE (UNII: S3QIOZXT5X) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W) |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:13733-151-01 | 50 g in 1 TUBE; Type 0: Not a Combination Product | 10/01/2019 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 10/01/2019 | |

Labeler - Able C&C Co., Ltd. (689540284)

Registrant - Able C&C Co., Ltd. (689540284)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------|---------|-----------|------------------------|
| Hanacos Co., Ltd. | | 690177857 | manufacture(13733-151) |

Revised: 12/2024

Able C&C Co., Ltd.