

**VALENTINO VERY VALENTINO LIGHT LASTING PERFECTING FOUNDATION
BROAD SPECTRUM SPF 26 SUNSCREEN- octinoxate and titanium
dioxide lotion
SICOS ET CIE**

Drug Facts

Active ingredients

Octinoxate 6.7%

Titanium dioxide 1.8%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Do not use near fire, flame or heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, alcohol denat., trimethylsiloxysilicate, butylene glycol,, PEG-10 dimethicone, synthetic fluorphlogopite, phenyl trimethicone, glycerin, perlite, isopropyl lauroyl sarcosinate, diisopropyl sebacate, disteardimonium hectorite, HDI/trimethylol hexyllactone crosspolymer, bis-PEG/PPG-14/14 dimethicone, magnesium sulfate, phenoxyethanol, disodium stearyl glutamate, aluminum hydroxide, dipentaerythryl tetrahydroxystearate/tetraisostearate, hydrogen dimethicone, fragrance, silica silylate, magnesium silicate, silica, linalool, limonene, BHT, citrus aurantium bergamia (bergamot) fruit oil, tin oxide, citronellol, benzyl alcohol; may contain: titanium dioxide, iron oxides, bismuth oxychloride

VERY VALENTINO
MN 5
VALENTINO

SHAKE WELL BEFORE USE



Drug Facts (continued)

including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age. Ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, alcohol denat., trimethylsiloxysilicate, butylene glycol, FE9-10 dimethicone, synthetic fluorophlogopite, phenyl trimethicone, glycerin, perlite, isopropyl lauryl sarcosinate, diisopropyl sebacate, disteardimonium hectorite, HDI/trimethylol hexyllactone crosspolymer, bis-PEG/PPG-14/14 dimethicone, magnesium sulfate, phenoxyethanol, disodium stearyl glutamate, aluminum hydroxide, dipentaerythryl tetrahydroxystearate/tetraiso stearate, hydrogen dimethicone, fragrance, silica silylate, magnesium silicate, silica, linalool, limonene, BHT, citrus aurantium bergamia (bergamot) fruit oil, tin oxide, citronellol, benzyl alcohol, may contain: titanium dioxide, iron oxides, bismuth oxychloride

B251297/2

6993062

QUESTIONS OR COMMENTS? CONTACT:
VALENTINO BEAUTY
10 HUDSON YARDS, NEW YORK, NY 10001

THIS PRODUCT CAN BE SOLD ONLY
BY APPROVED DISTRIBUTORS VALENTINO BEAUTY
14 RUE ROYALE, 75008 PARIS

VALENTINO BEAUTY
UNDER LICENSE FROM VALENTINO S.p.A.
LUXURY PRODUCTS LLC, NEW YORK, N.Y. 10001
IMP. BY DESIGNER FRAGRANCES CANADA,
MONTREAL, H4T 1K5
TSA 75000 93 584 ST OUIEN CEDEX FR
MADE IN FRANCE

UP TO 24H
FINE FOUNDATION WEAR.
BUILDABLE COVERAGE.
LIGHT FEEL, AND FRESH STAY.
TESTED UNDER
DERMATOLOGICAL CONTROL.
SUITABLE FOR ALL SKIN TYPES.

VERY VALENTINO
SUNSCREEN
BROAD SPECTRUM SPF 26
LIGHT-LASTING™
PERFECTING FOUNDATION

CAUTION: FLAMMABLE UNTIL DRY.
DO NOT USE NEAR FIRE, FLAME OR HEAT.

2219387



GENCOD
361 427 321 9068
Seal Vector



e 20 ml

0.64 fl. oz.

Drug Facts

Active ingredients Purpose
Octinoxate 6.7%.....Sunscreen
Titanium dioxide 1.8%.....Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry. Do not use near fire, flame, or heat.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- shake well before use
 - apply generously 15 minutes before sun exposure
 - reapply at least every 2 hours
 - use a water resistant sunscreen if swimming or sweating
 - Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures



VERY VALENTINO
MN 5
VALENTINO

SHAKE WELL BEFORE USE



Drug Facts (continued)

including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age. Ask a doctor.

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, alcohol denat., trimethylsiloxysilicate, butylene glycol, FE9-10 dimethicone, synthetic fluorophlogopite, phenyl trimethicone, glycerin, perlite, isopropyl lauryl sarcosinate, diisopropyl sebacate, disteardimonium hectorite, HDI/trimethylol hexyllactone crosspolymer, bis-PEG/PPG-14/14 dimethicone, magnesium sulfate, phenoxyethanol, disodium stearyl glutamate, aluminum hydroxide, dipentaerythryl tetrahydroxystearate/tetraiso stearate, hydrogen dimethicone, fragrance, silica silylate, magnesium silicate, silica, linalool, limonene, BHT, citrus aurantium bergamia (bergamot) fruit oil, tin oxide, citronellol, benzyl alcohol, may contain: titanium dioxide, iron oxides, bismuth oxychloride

B251297/2

6993062

QUESTIONS OR COMMENTS? CONTACT:
VALENTINO BEAUTY
10 HUDSON YARDS, NEW YORK, NY 10001

THIS PRODUCT CAN BE SOLD ONLY
BY APPROVED DISTRIBUTORS VALENTINO BEAUTY
14 RUE ROYALE, 75008 PARIS

VALENTINO BEAUTY
UNDER LICENSE FROM VALENTINO S.p.A.
LUXURY PRODUCTS LLC, NEW YORK, N.Y. 10001
IMP. BY DESIGNER FRAGRANCES CANADA,
MONTREAL, H4T 1K5
TSA 75000 93 584 ST OUIEN CEDEX FR
MADE IN FRANCE

UP TO 24H
FINE FOUNDATION WEAR.
BUILDABLE COVERAGE.
LIGHT FEEL, AND FRESH STAY.
TESTED UNDER
DERMATOLOGICAL CONTROL.
SUITABLE FOR ALL SKIN TYPES.

VERY VALENTINO
SUNSCREEN
BROAD SPECTRUM SPF 26
LIGHT-LASTING™
PERFECTING FOUNDATION

Drug Facts

Active ingredients Purpose
Octinoxate 6.7%.....Sunscreen
Titanium dioxide 1.8%.....Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Flammable until dry. Do not use near fire, flame, or heat.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- shake well before use
- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures

CAUTION: FLAMMABLE UNTIL DRY.
DO NOT USE NEAR FIRE, FLAME OR HEAT.

2219387



GENCOD
361 427 321 9068
Seal Vector



e 20 ml 0.64 fl. oz.



to recycle, use responsibly

FOUNDATION BROAD SPECTRUM SPF 26 SUNSCREEN

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51150-180
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	67 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
ALCOHOL (UNII: 3K9958V90M)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PERLITE (UNII: 0SG101ZGK9)	
ISOPROPYL LAUROYL SARCOSINATE (UNII: LYR06W430J)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPENTAERYTHRITYL TETRAHYDROXYSTEARATE/TETRAISOSTEARATE (UNII: 230K0823CE)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
MAGNESIUM SILICATE (UNII: 9B9691B2N9)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BERGAMOT OIL (UNII: 39W1PKE3JI)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51150-180-01	1 in 1 CARTON	02/01/2021	
1		25 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:51150-180-02	1 mL in 1 PACKET; Type 0: Not a Combination Product	02/01/2021	
3	NDC:51150-180-03	1 in 1 CARTON	02/01/2021	
3		5 mL in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:51150-180-04	0.3 mL in 1 PACKAGE; Type 0: Not a Combination Product	02/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2021	

Labeler - SICOS ET CIE (276993581)

Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(51150-180) , pack(51150-180)

Establishment

Name	Address	ID/FEI	Business Operations
SOCOPLAN		276221405	pack(51150-180)

Revised: 12/2023

SICOS ET CIE