

**REGULAR STRENGTH PAIN RELIEVER- acetaminophen tablet, film coated  
Strategic Sourcing Services, LLC**

---

**Regular Strength Pain Reliever**

**Drug Facts**

**Active Ingredient (in each tablet)  
Acetaminophen 325 mg**

**Purpose** Pain reliever/fever reducer

**Uses** • temporarily relieves minor aches and pains due to:

- the common cold • headache
- backache • minor pain of arthritis
- toothache • muscular aches
- premenstrual and menstrual cramps • temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product.

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash.

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** • with any other drug containing acetaminophen (prescription or non prescription).

If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has liver disease**

**Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin**

**Stop use and ask a doctor if • pain gets worse or lasts more than 10 days • pain gets worse or lasts more than 5 days in children under 12 years • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition.**

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.**

**Overdose warning** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**Do not take more than directed**

**(see overdose warning) adults & children 12 years & over:** • take 2 tablets every 4 to 6 hours while symptoms last

• do not take more than 10 tablets in 24

**hours, unless directed by a doctor**

• do not use for more than 10 days unless

**directed by a doctor**

**children 6 years to under 12 years:** • take 1 tablet every 4 to 6 hours while symptoms last

• do not take more than 5 tablets in 24

**hours**

• do not use for more than 5 days unless

**directed by a doctor**

**children under 6 years:** ask a doctor

**Other information**

• store between 20-25°C (68-77°F)

**Inactive ingredients** hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl pyrrolidone, pre-gelatinized starch, stearic acid, talc, titanium dioxide

**Questions or comments?**

**833-358-6431**

**Principal Display Panel**



## REGULAR STRENGTH PAIN RELIEVER

acetaminophen tablet, film coated

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:70677-1243 |
| Route of Administration | ORAL           |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

**Inactive Ingredients**

| Ingredient Name  | Strength |
|--|----------|
| <b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)                    |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)               |          |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)       |          |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A) |          |
| <b>POVIDONE</b> (UNII: FZ989GH94E)                         |          |
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)                     |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                     |          |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                             |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                 |          |

**Product Characteristics**

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 10mm     |
| <b>Flavor</b>   |       | <b>Imprint Code</b> | S99      |
| <b>Contains</b> |       |                     |          |

**Packaging**

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:70677-1243-1 | 120 in 1 BOTTLE; Type 0: Not a Combination Product | 02/02/2024           |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013                                     | 02/02/2024           |                    |

**Labeler** - Strategic Sourcing Services, LLC (116956644)

Revised: 2/2024

Strategic Sourcing Services, LLC