

**CLARINS BROAD SPECTRUM SPF 50 SUNSCREEN BODY HYDRATION, COMFORT-  
avobenzone, homosalate, octinoxate, octisalate, octocrylene lotion**

**Laboratoires Clarins**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CLARINS - BROAD SPECTRUM SPF 50+ Sunscreen Body Lotion Spray Hydration, comfort**

***Drug facts***

**Active ingredients**

AVOBENZONE 3%

HOMOSALATE 10%

OCTINOXATE 7.5%

OCTISALATE 5%

OCTOCRYLENE 10%

***Purpose***

Sunscreen

***Uses:***

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings:***

**For external use only.**

**Do not use**

on damaged or broken skin.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions:***

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun

- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - reapply at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating

**Other information:**

- protect this product from excessive heat and direct sun

**Questions or comments?**

Call 1-866-252-7467 Monday-Friday, 8 a.m. to 5 p.m.

**Inactive ingredients**

AQUA/WATER/EAU . BUTYLOCTYL SALICYLATE . STYRENE/ACRYLATES COPOLYMER . BUTYLENE GLYCOL . POLYGLYCERYL-6 STEARATE . POLYESTER-7 . NEOPENTYL GLYCOL DIHEPTANOATE . ALOE BARBADENSIS LEAF JUICE . DIETHYLHEXYL SYRINGYLIDENEMALONATE . PARFUM/FRAGRANCE . POLYSILICONE-15 . MANNITOL . POTASSIUM CETYL PHOSPHATE . PHENOXYETHANOL . PEG-8 LAURATE . DIMETHICONE . GLYCERIN . POLYGLYCERYL- 6 BEHENATE . DISODIUM EDTA . ETHYLHEXYLGLYCERIN . TOCOPHERYL ACETATE . POLYACRYLATE CROSSPOLYMER-6 . SODIUM DEHYDROACETATE . CAPRYLIC/CAPRIC TRIGLYCERIDE . TOCOPHEROL . DIMETHICONOL . CYCLODEXTRIN . PISUM SATIVUM (PEA) EXTRACT . CASSIA ALATA LEAF EXTRACT . FAEX EXTRACT/YEAST EXTRACT/EXTRAIT DE LEVURE . DEXTRIN . HYDROLYZED ADANSONIA DIGITATA EXTRACT . BHT . OLEA EUROPAEA (OLIVE) LEAF EXTRACT . T-BUTYL ALCOHOL . PLATANUS OCCIDENTALIS BARK EXTRACT . CITRIC ACID . POTASSIUM SORBATE . SODIUM BENZOATE. [S2031C]

**Package Labeling: (58668-3330-0)**

www.clarins.com

SUN CARE  
MULTI CELLULAR PROTECTION

**CLARINS**  
PARIS

"Clarins: effective, serious treatments, ensuring maximum results with the highest quality ingredients."  
Jacques Courtin Clarins

"Clarins, un maximum d'efficacité par un maximum de principes actifs dans leur concentration la plus efficace."  
Jacques Courtin Clarins

Sunscreen Body Lotion Spray  
Broad Spectrum SPF 50+

Very high protection sun care for all skin types in all circumstances (whatever your destination or activity).

- Protects against the harmful effects of the sun to reveal a beautiful tan.
- Moisturizes.
- Fluid spray for ease of application.
- Leaves skin soft without any white marks.

**Clarins Exclusive Multi-Protection: two complexes to preserve the appearance of the skin's youth and beauty**

- [SunFilterComplex]: a combination of sun filters to provide optimal protection against UVA/UVB.

**Drug facts**

Active ingredients	Purpose
AVOBENZONE 3%	Sunscreen
HOMOSALATE 10%	Sunscreen
OCTINOXATE 7.5%	Sunscreen
OCTISALATE 5%	Sunscreen
OCTOCRYLENE 10%	Sunscreen

**Uses:**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Información sobre el producto**

Ingredientes activos	Función
AVOBENZONE 3%	Protección solar
HOMOSALATE 10%	Protección solar
OCTINOXATE 7.5%	Protección solar
OCTISALATE 5%	Protección solar
OCTOCRYLENE 10%	Protección solar

**Uso:**

- ayuda a prevenir los enrojecimientos
- si se utiliza como se recomienda, con otras medidas de protección (ver Instrucciones), disminuye el riesgo de cáncer de piel y de envejecimiento

• [SunPlantComplex]: six plant extracts to help prevent the visible signs of photoaging and dehydration.

Leche solar hidratante en spray cuerpo Broad Spectrum SPF 50+  
El tratamiento de muy alta protección para todas las pieles y todas las ocasiones (cualquiera que sea el destino y la actividad realizada).

- Protege de los efectos nocivos del sol para revelar el más bonito de los bronceados.
- Hidrata.
- Textura fluida que se extiende fácilmente gracias a su spray.
- Deja la piel suave, sin marcas blancas.

**Multi-Protección Exclusiva Clarins: dos complejos para preservar el aspecto de la juventud y de la belleza de la piel**

- [SunFilterComplex]: Una combinación de filtros solares para una protección óptima contra los rayos UVA/UVB.
- [SunPlantComplex]: Seis extractos de plantas para ayudar a prevenir los signos visibles del fotoenvejecimiento y la deshidratación.

**Drug facts (continued) / Información sobre el producto (continuación)**

**Inactive ingredients / Ingredientes inactivos:** AQUA/WATER/EAU · BUTYLOCTYL SALICYLATE · STYRENE/ACRYLATES COPOLYMER · BUTYLENE GLYCOL · POLYGLYCERYL-6 STEARATE · POLYESTER-7 · NEOPENTYL GLYCOL DIHEPTANOATE · ALOE BARBADENSIS LEAF JUICE · DIETHYLHEXYL SYRINGYLIDENEMALONATE · PARFUM/FRAGRANCE · POLYSILICONE-15 · MANNITOL · POTASSIUM CETYL PHOSPHATE · PHENOXYETHANOL ·

PEG-8 LAURATE · DIMETHICONE · GLYCERIN · POLYGLYCERYL-6 BEHENATE · DISODIUM EDTA · ETHYLHEXYLGLYCERIN · TOCOPHERYL ACETATE · POLYACRYLATE CROSSPOLYMER-6 · SODIUM DEHYDROACETATE · CAPRYLIC/CAPRIC TRIGLYCERIDE · TOCOPHEROL · DIMETHICONOL · CYCLODEXTRIN · PISUM SATIVUM (PEA) EXTRACT · CASSIA ALATA LEAF EXTRACT · FAEX EXTRACT/YEAST EXTRACT/EXTRAIT DE LEVURE · DEXTRIN · HYDROLYZED ADANSONIA DIGITATA EXTRACT · BHT · OLEA EUROPAEA (OLIVE) LEAF EXTRACT · T-BUTYL ALCOHOL · PLATANUS OCCIDENTALIS BARK EXTRACT · CITRIC ACID · POTASSIUM SORBATE · SODIUM BENZOATE. [S2031C]

CET ARTICLE NE PEUT ÊTRE VENDU QUE PAR LES DÉPOSITAIRES AGRÉÉS CLARINS  
EXCLUSIVE SALE THROUGH AUTHORIZED RETAILERS

**Warnings:**  
For external use only.

- Do not use**
- on damaged or broken skin.
- When using this product**
- keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if**
- rash occurs.
- Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

- Directions:**
- apply liberally 15 minutes before sun exposure
  - apply to all skin exposed to the sun
  - children under 6 months: Ask a doctor
  - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. – 2 p.m.
    - wear long-sleeved shirts, pants, hats and sunglasses
  - reapply at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating

- Other information:**
- protect this product from excessive heat and direct sun

**Questions or comments?**  
Call 1-866-252-7467  
Monday-Friday, 8 a.m. to 5 p.m.



[SUNPLANTCOMPLEX]  
ENRICHÉ EN EXTRAITS  
DE PLANTES  
ENRICHED  
WITH PLANT EXTRACTS



PACKAGINGS  
ECO-PENSÉS  
ECO-FRIENDLY  
PACKAGING

# 50+



**BROAD SPECTRUM  
SPF 50+**

**Lait-en-Spray  
Solaire Corps**  
Hydratation, confort

**Sunscreen  
Body Lotion Spray**  
Hydratation, confort

e 150 mL - 5 Fl. Oz.

prematureo de la piel ocasionado por el sol

**Advertencia:**  
Para uso externo únicamente.

- No utilizar**
- en la piel lastimada.
- Al utilizar este producto**
- evitar el contacto con los ojos. Enjuagar con agua para retirarlo.
- Interrumpir la utilización y consultar con un médico**
- en caso de irritación.
- Mantener fuera del alcance de los niños.** En caso de ingestión, acudir al médico o llamar al servicio nacional de información toxicológica de inmediato.

- Instrucciones:**
- aplicar generosamente 15 minutos antes de la exposición al sol
  - aplicar en toda la piel que va a ser expuesta al sol
  - para niños menores de 6 meses, consultar con un médico
  - **Recomendaciones sobre protección solar.** La exposición al sol incrementa el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, utilizar con regularidad un protector solar con SPF 15 o superior, así como otras medidas de protección tales como:
    - limitar el tiempo de la exposición, especialmente entre 10 a.m. y 2 p.m.
    - utilizar camiseta de manga larga, pantalón, gorra y gafas de sol
    - repetir la aplicación por lo menos cada 2 horas
    - utilizar un protector solar resistente al agua en caso de nadar o transpirar

**Información adicional:**

- proteger este producto del calor excesivo y del sol directo

**¿Preguntas o comentarios?**  
Llama al 1-866-252-7467  
de lunes a viernes de 8 a.m. a 5 p.m.

www.clarins.com

WITH PLANT EXTRACTS

AUX EXTRAITS DE PLANTES

WITH PLANT EXTRACTS

OC 504273

CLARINS - 92200 Neuilly-sur-Seine  
95300 Pontoise - France  
Made in France

12 M ref. 80050667



Emplacement Code Barres

Bar code space

Emplacement  
n° de lot

Join us at  
www.clubclarins.com  
Rejoignez-nous

Etui imprimé sur papier  
issu de forêts gérées  
durablement.

Carton printed on paper  
from sustainably  
managed forests.

Package Labeling: (58668-3330-1)

DÉMONSTRATION  
TESTER

**Drug facts (continued) / Información sobre el producto (continuación)**

**Inactive ingredients / Ingredientes inactivos:** AQUA/WATER/EAU · BUTYLOCTYL SALICYLATE · STYRENE/ACRYLATES COPOLYMER · BUTYLENE GLYCOL · POLYGLYCERYL-6 STEARATE · POLYESTER-7 · NEOPENTYL GLYCOL DIHEPTANOATE · ALOE BARBADENSIS LEAF JUICE · DIETHYLHEXYL SYRINGYLIDENEMALONATE · PARFUM/FRAGRANCE · POLYSILICONE-15 · MANNITOL · POTASSIUM CETYL PHOSPHATE · PHENOXYETHANOL · PEG-8 LAURATE · DIMETHICONE · GLYCERIN · POLYGLYCERYL-6 BEHENATE · DISODIUM EDTA · ETHYLHEXYLGLYCERIN · TOCOPHERYL ACETATE · POLYACRYLATE CROSSPOLYMER-6 · SODIUM DEHYDROACETATE · CAPRYLIC/CAPRIC TRIGLYCERIDE · TOCOPHEROL · DIMETHICONOL · CYCLODEXTRIN · PISUM SATIVUM (PEA) EXTRACT · CASSIA ALATA LEAF EXTRACT · FAEX EXTRACT/YEAST EXTRACT/EXTRAIT DE LEVURE · DEXTRIN · HYDROLYZED ADANSONIA DIGITATA EXTRACT · BHT · OLEA EUROPAEA (OLIVE) LEAF EXTRACT · T-BUTYL ALCOHOL · PLATANUS OCCIDENTALIS BARK EXTRACT · CITRIC ACID · POTASSIUM SORBATE · SODIUM BENZOATE. [S2031C]

**Drug facts**

Active ingredients	Purpose
AVOBENZONE 3%	Sunscreen
HOMOSALATE 10%	Sunscreen
OCTINOXATE 7.5%	Sunscreen
OCTISALATE 5%	Sunscreen
OCTOCRYLENE 10%	Sunscreen

**Uses:**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:**

**For external use only.**

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

**Other information:**

- protect this product from excessive heat and direct sun

**Questions or comments?**

Call 1-866-252-7467  
Monday-Friday, 8 a.m. to 5 p.m.

SUN CARE  
MULTI CELLULAR PROTECTION

CLARINS  
PARIS

50+



BROAD SPECTRUM  
SPF 50+

Lait-en-Spray  
Solaire Corps  
Hydratation, confort

Sunscreen  
Body Lotion Spray  
Hydratation, confort

e 150 mL - 5 Fl. Oz.

**Información sobre el producto**

Ingredientes activos	Función
AVOBENZONE 3%	Protección solar
HOMOSALATE 10%	Protección solar
OCTINOXATE 7.5%	Protección solar
OCTISALATE 5%	Protección solar
OCTOCRYLENE 10%	Protección solar

**Uso:**

- ayuda a prevenir los enrojecimientos
- si se utiliza como se recomienda, con otras medidas de protección (ver Instrucciones), disminuye el riesgo de cáncer de piel y de envejecimiento prematuro de la piel ocasionado por el sol

**Advertencia:**

**Para uso externo únicamente.**

**No utilizar**

- en la piel lastimada.

**Al utilizar este producto**

- evitar el contacto con los ojos. Enjuagar con agua para retirarlo.

**Interrumpir la utilización y consultar con un médico**

- en caso de irritación.

**Mantener fuera del alcance de los niños.** En caso de ingestión, acudir al médico o llamar al servicio nacional de información toxicológica de inmediato.

**Instrucciones:**

- aplicar generosamente 15 minutos antes de la exposición al sol
- aplicar en toda la piel que va a ser expuesta al sol
- para niños menores de 6 meses, consultar con un médico
- **Recomendaciones sobre protección solar.** La exposición al sol incrementa el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, utilizar con regularidad un protector solar con SPF 15 o superior, así como otras medidas de protección tales como:
  - limitar el tiempo de la exposición, especialmente entre 10 a.m. y 2 p.m.
  - utilizar camiseta de manga larga, pantalón, gorra y gafas de sol
- repetir la aplicación por lo menos cada 2 horas
- utilizar un protector solar resistente al agua en caso de nadar o transpirar

**Información adicional:**

- proteger este producto del calor excesivo y del sol directo

**¿Preguntas o comentarios?**

Llama al 1-866-252-7467  
de lunes a viernes de 8 a.m. a 5 p.m.

www.clarins.com

WITH PLANT EXTRACTS

AUX EXTRAITS DE PLANTES

WITH PLANT EXTRACTS

OC 504277

CLARINS - 92200 Neuilly-sur-Seine  
95300 Pontoise - France  
Made in France



ref. 80050668



Emplacement Code Barres

Bar code space



n° de lot  
sous le code-barres

# CLARINS BROAD SPECTRUM SPF 50 SUNSCREEN BODY HYDRATION, COMFORT

avobenzone, homosalate, octinoxate, octisalate, octocrylene lotion

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58668-3330
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-6 STEARATE (UNII: ETY9Q81E2T)	
POLYESTER-7 (UNII: 0841698D2F)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
MANNITOL (UNII: 3OWL53L36A)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-6 BEHENATE (UNII: 4T2L7QIB13)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PEA (UNII: W4X7H8GYFM)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
OLEA EUROPAEA LEAF (UNII: MJ95C3OH47)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)

SODIUM BENZOATE (UNII: OJ245FE5EU)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58668-3330-0	1 in 1 CARTON	02/01/2019	
1		150 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
2	NDC:58668-3330-1	1 in 1 CARTON	02/01/2019	
2		150 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2019	

**Labeler** - Laboratoires Clarins (266317555)

Revised: 1/2019

Laboratoires Clarins