

**DG HEALTH ACID REDUCER COMPLETE- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable**  
**Dolgenercorp, LLC**

-----  
**Dolgenercorp, LLC Acid Reducer Complete Drug Facts**

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purposes**

Acid reducer

Antacid

**Use**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens

- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

**Inactive ingredients**

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrans, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?**

**1-888-309-9030**

**Principal Display Panel**

Compare to the active ingredients of Pepcid Complete®

Dual Action

Acid Reducer Complete

Famotidine 10 mg/Calcium Carbonate 800 mg/Magnesium Hydroxide 165 mg Tablets (Chewable)

Acid Reducer + Antacid

Just One Tablet Relieves Heartburn Due to Acid Indigestion


25 Chewable Tablets

Berry Flavor

**DG™ health**

**Dual Action**  
**Acid Reducer Complete**

Famotidine 10 mg/Calcium Carbonate 800 mg/  
Magnesium Hydroxide 165 mg Tablets (Chewable)  
Acid Reducer + Antacid  
Just One Tablet: Relieves Heartburn Due to Acid Indigestion



**25 Chewable Tablets**

Berry Flavor  
Actual Tablet Size

Compare to the active ingredients of Pepcid Complete®\*

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

No Copy Area

DISTRIBUTED BY  
DOLGEN CORP. LLC  
100 MISSION RIDGE  
GOODLETTSVILLE,  
TN 37072 USA

**100%**  
Satisfaction  
Guarantee!  
(888) 309-9030

*Drug Facts* (continued)

**Inactive ingredients** anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, polyethylene glycol, sodium starch glycolate, talc

**Questions or comments?** 1-888-309-9030


\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid Complete®.

ADHESIVE BAR - NO COPY

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

Drug Facts	Purposes
<b>Active ingredients (in each chewable tablet)</b>	
Famotidine 10 mg.....	Acid reducer
Calcium carbonate 800 mg.....	Antacid
Magnesium hydroxide 165 mg.....	Antacid
<b>Use</b> relieves heartburn associated with acid indigestion and sour stomach	
<b>Warnings</b>	
<b>Allergy alert:</b> Do not use if you are allergic to famotidine or other acid reducers	
<b>Do not use</b> <ul style="list-style-type: none"> <li>■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.</li> <li>■ with other acid reducers</li> </ul>	
<b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>■ had heartburn over 3 months. This may be a sign of a more serious condition.</li> <li>■ heartburn with lightheadedness, sweating, or dizziness</li> <li>■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness</li> <li>■ frequent chest pain</li> <li>■ frequent wheezing, particularly with heartburn</li> <li>■ unexplained weight loss</li> <li>■ nausea or vomiting</li> <li>■ stomach pain</li> </ul>	
<b>Ask a doctor or pharmacist before use if you are presently taking a prescription drug.</b> Antacids may interact with certain prescription drugs.	
<b>Stop use and ask a doctor if</b> <ul style="list-style-type: none"> <li>■ your heartburn continues or worsens</li> <li>■ you need to take this product for more than 14 days</li> </ul>	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	

A0823



3 70030 65829 9

PEEL BACK HERE ▶

<b>DG HEALTH ACID REDUCER COMPLETE</b> famotidine, calcium carbonate and magnesium hydroxide tablet, chewable			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-808

<b>Route of Administration</b>	ORAL
--------------------------------	------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	800 mg

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
ASPARTAME (UNII: Z0H242BBR1)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
DEXTRATES (UNII: G263MI44RU)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

### Product Characteristics

<b>Color</b>	PINK (mottled)	<b>Score</b>	no score
<b>Shape</b>	ROUND (bi-layered)	<b>Size</b>	17mm
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	L321
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-808-63	25 in 1 BOTTLE; Type 0: Not a Combination Product	12/27/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	12/27/2018	

**Labeler** - Dolgencorp, LLC (068331990)

