

POVIDINE IODINE SCRUB- povidone iodine scrub liquid

Aspen Veterinary

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Povidine Iodine Scrub

Antiseptic Sudsing Skin Cleanser

For Veterinary Use Only

For External Use Only

Keep Out of Reach of Children

INDICATIONS:

A germicidal cleanser for preoperative and postoperative skin washing, and shampoo for bacterial and fungal skin infections in animals. Used routinely, it also helps prevent infection in cuts, scratches, abrasions, and burns. Non-staining to skin, hair, and natural fabrics.

DIRECTIONS FOR USE:

Surgical hand scrub:

- Wet hands with water.
- Spread about 5 cc (1 teaspoonful) of scrub over both hands and forearms.
- Without adding more water, scrub thoroughly for 2½ –3 minutes.
- Use a sponge, if desired. Clean thoroughly under fingernails.
- Add a little water and develop copious suds.
- Rinse thoroughly under running water.
- Repeat entire procedure using another 5 cc of scrub.

Antiseptic hand wash:

- Wet hands with water and pour about 5 cc of scrub on hands.
- Rub hands vigorously together for at least 15 seconds, covering all surfaces.
- Rinse and dry with a disposable towel.

Preoperative skin preparation:

- After the surgical area is clipped, wet it with water.
- Apply scrub (1 cc is sufficient to cover an area of 20–30 square inches), develop lather, and scrub thoroughly for about 5 minutes.
- Rinse using sterile gauze saturated with water.
- The area may then be painted with Povidine Iodine Scrub and allowed to dry.

ACTIVE INGREDIENT:

Povidone Iodine (0.75% Titratable Iodine)

INACTIVE INGREDIENTS

Purified Water, Ammonium Nitroxynol-(n) Sulfate, Disodium Phosphate, Hydroxyethyl Cellulose, Citric Acid, Glycerin.

STORAGE:

Store at controlled room temperature between 15° - 30° C (59°-86°F). Keep container tightly closed when not in use.

AVOID STORING AT EXCESSIVE HEAT.

WARNINGS:

For external use only. Do not use this product in the eyes or on food-producing animals.

When using this product, prolonged exposure to wet solution may cause irritation or, rarely, severe skin reactions. In preoperative prepping, avoid “pooling” beneath the animal.

Stop use and ask a doctor or veterinarian if irritation and redness develops or in rare instances of local irritation or sensitivity.

If swallowed, get medical help or contact a Poison Control Center right away.



NET CONTENTS:

1 Gallon (128 fl oz) (3.785 L)

Manufactured for:

Aspen Veterinary Resources®, Ltd.


Liberty, MO 64068, USA

www.aspenveterinaryresources.com

A343FP 10/18

1 Gallon (3.785 L)

NDC 46066-420-01



Povidine Iodine Scrub

Antiseptic Sudsing Skin Cleanser

FOR VETERINARY USE ONLY
FOR EXTERNAL ANIMAL USE ONLY
Keep Out of Reach of Children

NET CONTENTS:
1 Gallon (128 fl oz)
(3.785 L)

INDICATIONS: A germicidal cleanser for preoperative and postoperative skin washing, and shampoo for bacterial and fungal skin infections in animals. Used routinely, it also helps prevent infection in cuts, scratches, abrasions, and burns. Non-staining to skin, hair, and natural fabrics.

DIRECTIONS FOR USE:
Surgical hand scrub:

- Wet hands with water.
- Spread about 5 cc (1 teaspoonful) of scrub over both hands and forearms.
- Without adding more water, scrub thoroughly for 2½ – 3 minutes.
- Use a sponge, if desired. Clean thoroughly under fingernails.
- Add a little water and develop copious suds.
- Rinse thoroughly under running water.
- Repeat entire procedure using another 5 cc of scrub.

Antiseptic hand wash:

- Wet hands with water and pour about 5 cc of scrub on hands.
- Rub hands vigorously together for at least 15 seconds, covering all surfaces.
- Rinse and dry with a disposable towel.

Preoperative skin preparation:

- After the surgical area is clipped, wet it with water.
- Apply scrub (1 cc is sufficient to cover an area of 20–30 square inches), develop lather, and scrub thoroughly for about 5 minutes.
- Rinse using sterile gauze saturated with water.
- The area may then be painted with Povidine Iodine Scrub and allowed to dry.

Manufactured for:
Aspen Veterinary Resources®, Ltd.
Liberty, MO 64068, USA
www.aspenveterinaryresources.com

Lot No. Exp. Date

No Varnish

ACTIVE INGREDIENT: Povidone Iodine (0.75% Titratable Iodine)
INACTIVE INGREDIENTS: Purified Water, Ammonium Nonoxynol-(n) Sulfate, Disodium Phosphate, Hydroxyethyl Cellulose, Citric Acid, Glycerin.

STORAGE: Store at controlled room temperature between 15° - 30°C (59° - 86°F). Keep container tightly closed when not in use.


AVOID STORING AT EXCESSIVE HEAT.


WARNINGS:
For external use only. Do not use this product in the eyes or on food-producing animals.

When using this product, prolonged exposure to wet solution may cause irritation or, rarely, severe skin reactions. In preoperative prepping, avoid “pooling” beneath the animal.

Stop use and ask a doctor or veterinarian if irritation and redness develops or in rare instances of local irritation or sensitivity.

If swallowed, get medical help or contact a Poison Control Center right away.

TAKE TIME  OBSERVE LABEL DIRECTIONS



0 99355 00316 3

POVIDINE IODINE SCRUB

povidone iodine scrub liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-420
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	5.1 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-420-01	4 in 1 CASE		
1		3.785 L in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/08/2019	

Labeler - Aspen Veterinary (627265361)

Establishment

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture, label

Revised: 1/2019

Aspen Veterinary