

ROC MULTI CORREXION 5 IN 1 DAILY MOISTURIZER SUNSCREEN BROAD SPECTRUM SPF30- avobenzone, homosalate, octisalate, octocrylene lotion
ROC Skincare

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ROC MULTI CORREXION 5 IN 1 DAILY MOISTURIZER SUNSCREEN BROAD SPECTRUM SPF30

PACKAGE LABEL PRINCIPAL DISPLAY PANEL



WITH
SUNSCREEN
BROAD SPECTRUM SPF 30

Improves the look of
discoloration, sagging, dryness,
dull tone, and wrinkles

HEXINOL™ Technology

Rendering is 84% of actual size

1.7 fl oz (50 mL)



About HEXINOL™ Technology: After 7 years of research, scientists for the RoC® brand made a breakthrough discovery in anti-aging: HEXINOL™ technology. This innovative, multi-benefit compound targets the 5 signs of aging that cause skin to lose its youthful look: discoloration, sagging, moisture loss, dull skin tone, and wrinkles. It's designed to deliver powerful age-fighting results, while being gentle enough for everyday use.

RESULTS:
The RoC® MULTI CORREXION® 5 in 1 Daily Moisturizer fights multiple signs of aging in one complete solution to help your skin look more youthful and radiant. In a clinical study, women

RoC® MULTI CORREXION® 5 IN 1 DAILY MOISTURIZER

DRUG FACTS

Active ingredients	Purpose
Avobenzone (2%)	Sunscreen
Homosalate (4%)	Sunscreen
Octisalate (4%)	Sunscreen
Octocrylene (2%)	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.



87518

1017

© 2017 L'ORÉAL PARISSÉ

saw noticeable improvements in the 5 main signs of aging in as little as 4 weeks:

- Discolorations appeared visibly improved
- Helped restore elasticity and firmness to sagging skin
- Hydrated thirsty, dry skin
- Improved overall radiance of skin
- Smoothed out the appearance of fine lines and wrinkles

RoC® Division of
Johnson & Johnson
Santé Beauté France 92130
Issy-les-Moulineaux-France /
F-27100 Val de Reuil

©RoC 2013
Made in France

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:

- Apply generously and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10a.m. – 2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

- Protect this product from excessive heat and direct sun
- May stain some fabrics

Inactive Ingredients: Water, Propylene Glycol, Glycerin, Isononyl Isononanoate, Dimethicone, Steareth-2, Ascorbyl Glucoside, Ethylhexyl Palmitate, Styrene/Acrylates Copolymer, Butyrospermum Parkii (Shea) Butter, Methyl Methacrylate Crosspolymer, Hexylresorcinol, Steareth-21, Behenyl Alcohol, Dimethicone Crosspolymer, Phenoxyethanol, Ammonium Acryloyldimethyltaurate/VP Copolymer, Sodium Hydroxide, Caprylyl Glycol, Sclerotium Gum, Fragrance, Mica, Titanium Dioxide, Methylparaben, Disodium EDTA, Ethylparaben, Propylparaben

Questions or comments?
Call toll free **800-762-1964** or **215-273-8755** (collect) or visit www.rocskincare.com

ACTUAL SIZE

C186599107
www.roc.com
C186599107
www.roc.com

S.2 319783A
Red, 0.03 CARTONDRUCK®

OTC - PURPOSE

Active ingredients Purpose
Avobenzone (2%) Sunscreen
Homosalate (4%) Sunscreen
Octisalate (4%) Sunscreen
Octocrylene (2%) Sunscreen

RoC
MULTI CORREXION®
5 IN 1
DAILY MOISTURIZER

The RoC® skincare brand was created in France in 1937 by a pharmacist

Jean-Charles Lissarrague. His original formulas were made by hand and customized based on years of anti-aging skincare expertise. Today, the RoC® brand applies its unique heritage and understanding of the skin aging process to develop clinically proven and highly effective skin care solutions, suitable for all skin types.

Create the ultimate beauty regimen by pairing this product with the RoC® MULTI CORREXION® 5 in 1 Eye Cream and RoC® MULTI CORREXION® 5 in 1 Restoring Night Cream.

RoC

WE KEEP OUR PROMISES®

NEW

MULTI CORREXION®
— 5 IN 1 —
DAILY MOISTURIZER


WITH
SUNSCREEN
BROAD SPECTRUM SPF 30

Improves the look of
discoloration, sagging, dryness,
dull tone, and wrinkles

HEXINOL™ Technology

Rendering is 84% of actual size

1.7 fl oz (50 mL)



About HEXINOL™

Technology: After 7 years of research, scientists for the RoC® brand made a breakthrough discovery in anti aging, HEXINOL™ technology. This innovative, multi-benefit compound targets the 5 signs of aging that cause skin to lose its youthful look: discoloration, sagging, moisture loss, dull skin tone, and wrinkles. It's designed to deliver powerful age-fighting results, while being gentle enough for everyday use.

RESULTS:

The RoC® MULTI CORREXION® 5 in 1 Daily Moisturizer fights multiple signs of aging in one complete solution to help your skin look more youthful and radiant. In a clinical study, women saw noticeable improvements in the 5 main signs of aging in as little as 4 weeks:

- Discolorations appeared visibly improved
- Helped restore elasticity and firmness to sagging skin
- Hydrated thirsty, dry skin
- Improved overall radiance of skin
- Smoothed out the appearance of fine lines and wrinkles

RoC® Division of
Johnson & Johnson
Santé Beauté France 92130
Issy-les-Moulineaux-France /
F-27100 Val de Reuil

©RoC 2013
Made in France

RoC® MULTI CORREXION® 5 IN 1 DAILY MOISTURIZER

DRUG FACTS

Active ingredients	Purpose
Avobenzone (2%)	Sunscreen
Homosalate (4%)	Sunscreen
Octisalate (4%)	Sunscreen
Octocrylene (2%)	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- Apply generously and evenly 15 minutes before sun exposure
 - Reapply at least every 2 hours
 - Use a water resistant sunscreen if swimming or sweating
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10a.m. – 2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- Protect this product from excessive heat and direct sun
- May stain some fabrics

Inactive Ingredients: Water, Propylene Glycol, Glycerin, Isononyl Isononanoate, Dimethicone, Steareth-2, Ascorbyl Glucoside, Ethylhexyl Palmitate, Styrene/Acrylates Copolymer, Butyrospermum Parkii (Shea) Butter, Methyl Methacrylate Crosspolymer, Hexylresorcinol, Steareth-21, Behenyl Alcohol, Dimethicone Crosspolymer, Phenoxyethanol, Ammonium Acryloyldimethyltaurate/VP Copolymer, Sodium Hydroxide, Caprylyl Glycol, Sclerotium Gum, Fragrance, Mica, Titanium Dioxide, Methylparaben, Disodium EDTA, Ethylparaben, Propylparaben

Questions or comments?

Call toll free **800-762-1964** or **215-273-8755** (collect) or visit www.rocskincare.com

ACTUAL SIZE



87518

C186599007

RoC Gold (Nurell) www.RoC.com

C186599107

esthétique • www.RoC.com

S.2 319783A

CARTONDRUCK®

Red, 0,03

OTC - KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

USES

Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

DIRECTIONS

For sunscreen use: apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor

INACTIVE INGREDIENTS

Water, Propylene Glycol, Glycerin, Isononyl Isononanoate, Dimethicone, Steareth-2, Ascorbyl Glucoside, Ethylhexyl Palmitate, Styrene/Acrylates Copolymer, Butyrospermum Parkii (Shea) Butter, Methyl Methacrylate Crosspolymer, Hexylresorcinol, Steareth-21, Behenyl Alcohol, Dimethicone Crosspolymer, Phenoxyethanol, Ammonium Acryloyldimethyltaurate/VP Copolymer, Sodium Hydroxide, Caprylyl Glycol, Sclerotium Gum, Fragrance, Mica, Titanium Dioxide, Methylparaben, Disodium EDTA, Ethylparaben, Propylparaben

QUESTIONS?

Call 1-800-RoC-1964 (1-800-762-1964); Outside US, dial collect 215-273-8755, or visit www.rocskincare.com

ROC MULTI CORREXION 5 IN 1 DAILY MOISTURIZER SUNSCREEN BROAD SPECTRUM SPF30

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73496-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	20 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	40 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	40 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
STEARETH-2 (UNII: V56DFE46J5)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
SHEA BUTTER (UNII: K49155WL9Y)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
HEXYLRESORCINOL (UNII: R9QTB5E82N)	
STEARETH-21 (UNII: 53J3F32P58)	
DOCOSANOL (UNII: 9G1OE216XY)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
AMMONIUM ACRYLOYLDIMETHYLAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
SODIUM HYDRIDE (UNII: 23J3BHR95O)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
BETASIZOFIRAN (UNII: 2X51AD1X3T)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ETHYLPARABEN (UNII: 14255EXE39)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73496-002-01	1 in 1 CARTON	03/01/2013	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2013	

Labeler - ROC Skincare (117157981)

Registrant - ROC Skincare (117157981)

Establishment

Name	Address	ID/FEI	Business Operations
Janssen Cilag		265148168	manufacture(73496-002)

Revised: 12/2019

ROC Skincare