

ACETAMINOPHEN- acetaminophen tablet, coated
HARRIS TEETER

HTE-1004-2019-0927

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	<ul style="list-style-type: none">• ask a doctor

Other information

- store between 20-25°C (68-77°F)
- retain carton for complete product information

Inactive ingredients

hypromellose, mineral oil, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

1-844-705-4384

PRINCIPAL DISPLAY PANEL

Acetaminophen

†Compare to the Active Ingredient in Tylenol® Extra Strength Caplets

Extra Strength, 500 mg

PAIN RELIEVER / FEVER REDUCER

Contains No Aspirin | For Adults

24 CAPLETS

Actual Size

INK AND COATING FREE
FOR LOT AND
EXPIRATION STAMPING



DO NOT USE IF IMPROPER SEAL
UNDER CAP IS BROKEN OR MISSING



Consumer Information: This product is not for use in children under 12 years of age. For more information, see the Patient Information Leaflet (PIL) that comes with this product. © 2014 Harris Teeter, Inc. All rights reserved.

Drug Facts

Active ingredient
(in each caplet)
Acetaminophen 500 mg, Pain reliever/fever reducer

Purpose

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - backache
 - toothache
 - premenstrual and menstrual cramps
- the common cold
- minor pain of arthritis
- muscular aches
- temporarily reduces fever

Warnings

- Liver warnings:** This product contains acetaminophen. Severe liver damage may occur if you take
 - more than 4,000 mg of acetaminophen in 24 hours
 - with other drugs containing acetaminophen
 - 3 or more alcoholic drinks every day while using this product.
- Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:
 - skin reddening
 - skin peeling
 - skin redness
 - blisters
 - itching
 - rash
- If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued)

- Do not use**
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 - if you are allergic to acetaminophen or any of the inactive ingredients in this product.
- Ask a doctor before use if you have liver disease.**
- Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**
- Stop use and ask a doctor if**
- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition.
- If pregnant or breast-feeding, ask a health professional before use.**
- Keep out of reach of children.**
- Overdose warnings:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

- Directions** do not take more than directed (see overdose warning)
- take 2 caplets every 6 hours while symptoms last
 - do not take more than 6 caplets in 24 hours, unless directed by a doctor
 - do not use for more than 10 days unless directed by a doctor
- children under 12 years
- ask a doctor

Other information

- store between 20-25°C (68-77°F)
- retain carton for complete product information

Inactive ingredients

hypromellose, mineral oil, polyethylene glycol, polyacrylate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

1-844-705-4384

PROUDLY DISTRIBUTED BY:

HARRIS TEETER, LLC, MATTHEWS, NC 28105

yourplusguarantee.

1-800-432-6111 or harris-teeter.com

24 CAPLETS

PAIN RELIEVER / FEVER REDUCER

Extra Strength, 500 mg

Acetaminophen



Acetaminophen

Extra Strength, 500 mg

PAIN RELIEVER / FEVER REDUCER

- Contains No Aspirin
- For Adults

24 CAPLETS



Actual Size



†Compare to the Active Ingredient in Tylenol® Extra Strength Caplets

ACETAMINOPHEN

acetaminophen tablet, coated

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:72036-104

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	M2A4;57344
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72036-104-01	1 in 1 CARTON	12/01/2011	
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:72036-104-02	1 in 1 CARTON	12/01/2011	
2		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:72036-104-04	1 in 1 CARTON	12/01/2011	
3		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:72036-104-06	500 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2012	06/30/2023
5	NDC:72036-104-08	150 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/01/2011	

Labeler - HARRIS TEETER (047279351)

Revised: 12/2025

HARRIS TEETER