

**DEGREE SHEER POWDER ANTIPERSPIRANT- aluminum chlorohydrate aerosol, spray
Conopco Inc. d/b/a Unilever**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Degree Sheer Powder Antiperspirant

Active Ingredient:

Aluminum Chlorohydrate (23.3%)

Purpose:

anti-perspirant

Uses:

• reduces underarm wetness

**WARNINGS:• FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING.
CAN CAUSE SERIOUS INJURY OR DEATH.**

- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120 ° F/50° C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.** Help stop inhalation abuse. For information visit www.inhalant.org

• **KEEP OUT OF REACH OF CHILDREN**

Directions:

For underarm use only.

Inactive Ingredients: Butane, Cyclopentasiloxane, Hydrofluorocarbon 152a, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Distearidimonium Hectorite, Propane, BHT, Propylene Carbonate, Caprylic/Capric Triglyceride, Sodium Starch Octenylsuccinate, Maltodextrin, Hydrated Silica, Hydrolyzed Corn Starch, Gelatin Crosspolymer, Silica, Cellulose Gum, Sodium Benzoate.

Questions? Call toll-free 1-866-334-7331

Packaging

TO UNLOCK PUSH FORWARD WITH THUMB

✓ Degree[®] MOTIONsense[®] | GOES ON INSTANTLY DRY

• Shake well before every use

• Hold 6 inches from skin

• Spray on to underarm and feel the freshness

48H antiperspirant
NET WT 3.80Z/107g
ALUMINUM CHLOROHYDRATE

Drug Facts

Active ingredient Aluminum Chlorohydrate (23.3%)	Purpose antiperspirant
Uses • reduces underarm wetness	
Warnings • FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING, CAN CAUSE SERIOUS INJURY OR DEATH. • Keep away from face and mouth to avoid breathing in. • Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat. • Do not use on broken skin. Stop use if rash or irritation occurs. • Ask a doctor before using if you have kidney disease. • KEEP OUT OF REACH OF CHILDREN. • USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit www.inhalant.org .	
Directions For underarm use only.	
Inactive ingredients Butane, Cyclopentasiloxane, Hydrofluorcarbon 152a, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Disteardimonium Hectorite, Propane, BHT, Propylene Carbonate, Caprylic/Capric Triglyceride, Sodium Starch Octenylsuccinate, Maltodextrin, Hydrolyzed Silica, Hydrolyzed Corn Starch, Gelatin Crosspolymer, Silica, Cellulose Gum, Sodium Benzoate.	
Questions? Call toll-free 1-866-334-7331	

0 794001343621

U
Unilever

Dist. by ©Unilever
Trumbull, CT 06611
Made in Mexico
83342966
83343583
DOT 2P M5655

DEGREE SHEER POWDER ANTIPERSPIRANT

aluminum chlorohydrate aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64942-1378
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLOROHYDRATE (UNII: HPN8MZW13M) (ALUMINUM CHLOROHYDRATE -	ALUMINUM	23.3 g

UNII:HPN8 MZW13M)		CHLOROHYDRATE	in 100 g	
Inactive Ingredients				
Ingredient Name				Strength
BUTANE (UNII: 6LV4FOR43R)				
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)				
1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0)				
ISOBUTANE (UNII: BXR49TP611)				
PPG-14 BUTYL ETHER (UNII: R199TJT95T)				
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)				
PROPANE (UNII: T75W9911L6)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
PROPYLENE CARBONATE (UNII: 8D08K3S51E)				
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
HYDRATED SILICA (UNII: Y6O7T4G8P9)				
STARCH, CORN (UNII: O8232NY3SJ)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-1378-1	107 g in 1 CAN; Type 0: Not a Combination Product	11/01/2014	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part350	11/01/2014		

Labeler - Conopco Inc. d/b/a Unilever (001375088)

Revised: 9/2020

Conopco Inc. d/b/a Unilever