

**CRANE SAFETY XS NON-ASPIRIN- acetaminophen 500 mg tablet, film coated**  
**Crane Safety LLC**

-----  
**Crane Safety XS Non-Aspirin**

***Drug Facts***

***Active ingredient***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

**For the temporary relief of minor aches and pains associated with**

- headache
- toothache
- minor arthritis pain
- muscular aches
- common cold
- menstrual cramps

**For the reduction of fever.**

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug

contains acetaminophen, ask a doctor or pharmacist.

- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

### **Ask a doctor before use if you have**

- liver disease

### **Ask a doctor or pharmacist before use if**

- you are taking the blood thinning drug warfarin

### **Stop using and ask a doctor if**

- symptoms do not improve
- pain or fever persists or gets worse
- new symptoms occur
- redness or swelling is present

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not use more than directed**

### **Adults and children: (12 years and older)**

Take 2 tablets every 4 to 6 hours as needed. Do not take more than 8 tablets in 24 hours.

### **Children under 12 years:**

Do not give this adult strength product to children under 12 years of age;

this will provide more than the recommended dose (overdose) and may cause liver damage.

### ***Other information***

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

### Inactive ingredients

corn starch, hypromellose, maltodextrin\*, microcrystalline cellulose\*, polyethylene glycol, povidone\*, pregelatinized corn starch\*, sodium starch glycolate\*, stearic acid, titanium dioxide\*

\* may contain

### Questions or comments?

877.506.4291

## Crane Safety XS Non-Aspirin Label

Extra Strength

Non-Aspirin

Pain Reliever/Fever Reducer

CRANE Safety®

Pull To Open

This Package Is For Households without Young Children.

Aches, Fever

Acetaminophen 500 MG

100 Tablets

Tamper Evident

Sealed Packets

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> Acetaminophen 500mg</p> <p><b>Purpose</b> Pain reliever/fever reducer</p> <p><b>Uses</b> For the temporary relief of minor aches and pains associated with:  <ul style="list-style-type: none"> <li>Headache</li> <li>Muscular aches</li> <li>Minor arthritis pain</li> <li>Common cold</li> <li>Toothache</li> <li>Menstrual cramps</li> </ul> </p> <p>For the reduction of fever.</p> <p><b>Warnings</b>  <ul style="list-style-type: none"> <li>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: <ul style="list-style-type: none"> <li>more than 8 tablets in 24 hours, which is the maximum daily amount.</li> <li>with other drugs containing acetaminophen.</li> <li>3 or more alcoholic drinks every day while using this product.</li> </ul> </li> <li>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.</li> <li>Do not use: <ul style="list-style-type: none"> <li>with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</li> <li>for more than 10 days for pain unless directed by a doctor.</li> <li>for more than 3 days for fever unless directed by a doctor.</li> </ul> </li> </ul> </p> <p>Ask a doctor before use if you have: liver disease</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin</p> <p>Retain carton for complete product information</p>	<p><b>EXTRA STRENGTH NON-ASPIRIN</b></p> <p>PAIN RELIEVER/FEVER REDUCER</p> <p><b>CRANE Safety</b></p> <p>Pull to Open</p> <p>THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.</p> <p>ACHES, FEVER ACETAMINOPHEN 500 MG</p> <p>100 Tablets TAMPER EVIDENT SEALED PACKETS</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Stop using and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>symptoms do not improve</li> <li>new symptoms occur</li> <li>pain or fever persists or gets worse</li> <li>nausea or swelling is present</li> </ul> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>do not use more than directed</li> </ul> <p><b>Adults and children (12 years and older)</b> Take 2 tablets every 4 to 6 hours as needed. Do not take more than 8 tablets in 24 hours.</p> <p><b>Children under 12 years:</b> Do not give this adult strength product to children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>store at room temperature 59°-86°F (15°-30°C)</li> <li>tamper-evident sealed packets</li> <li>do not use any opened or torn packets</li> </ul> <p><b>Inactive ingredients</b> corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized starch*, sodium starch glycolate*, stearic acid, titanium dioxide*</p> <p>* may contain</p> <p>Questions or comments? 877.506.4291</p> <p>Retain carton for complete product information</p>	<p><b>EXTRA STRENGTH NON-ASPIRIN</b></p> <p>PAIN RELIEVER/FEVER REDUCER</p> <p><b>CRANE Safety</b></p> <p>Reorder C590433</p> <p>Distributed by Crane Safety Houston, TX 77073 877.506.4291 www.cranesafetyco.com</p>
--	--	---	---

## Crane Safety XS Non-Aspirin

Extra Strength

Non-Aspirin

Pain Reliever/Fever Reducer

CRANE Safety®

Pull To Open

This Package Is For Households without Young Children.

Aches, Fever

Acetaminophen 500 MG

100 Tablets

Tamper Evident

Sealed Packets

**Drug Facts**  
Active ingredient (in each tablet): Acetaminophen 500 mg. Purpose: Pain reliever/fever reducer.

**Uses**  
For the temporary relief of minor aches and pains associated with:  
■ headache ■ muscular aches ■ minor arthritis pain ■ common cold ■ toothache ■ menstrual cramps

**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 8 tablets in 24 hours, which is the maximum daily amount  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product

**Directions**  
Adults and children (12 years and older): Take 2 tablets every 4 to 6 hours as needed. Do not take more than 8 tablets in 24 hours.  
Children under 12 years: Do not give this adult strength product to children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.

**Other information**  
■ store at room temperature 59°-86°F (15°-30°C)  
■ tamper-evident sealed packets  
■ do not use any opened or torn packets

**Inactive ingredients**  
corn starch, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide.  
\*may contain

**Questions or comments?** 877.506.4291

Retain carton for complete product information

## CRANE SAFETY XS NON-ASPIRIN

acetaminophen 500 mg tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73408-904
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;235
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73408-904-33	50 in 1 BOX	01/17/2020	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/17/2020	

## CRANE SAFETY XS NON-ASPIRIN

acetaminophen 500 mg tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73408-127
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	FR;33
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73408-127-33	50 in 1 BOX	01/17/2020	06/01/2023
1		2 in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/17/2020	06/01/2023

**Labeler** - Crane Safety LLC (080998015)**Registrant** - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Crane Safety LLC