#### SINUS AND ALLERGY PE MAXIMUM STRENGTH- chlorpheniramine maleate and phenylephrine hcl tablet Best Choice (Valu Merchandisers Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

# Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg Phenylephrine HCl 10 mg

# Purpose

Antihistamine

Nasal decongestant

# Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itching of the nose or throat
  - itchy, watery eyes
  - sinus congestion and pressure
  - nasal congestion

# Warnings

#### Do not use

• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

# Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

#### When using this product

- do not exceed recommended dose
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

#### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use this product in children under 12 years of age

Other information

- each tablet contains: calcium 10 mg
- store at 20°-25°C (68°-77°F)

#### **Inactive ingredients**

colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized corn starch, sodium starch glycolate, stearic acid

# Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

# **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENT IN SUDAFED PE® SINUS + ALLERGY\*

# Maximum Strength Sinus & Allergy PE

For Sinus & Allergy Relief:

Sinus Pressure & Congestion,

Sneezing, Itchy Eyes & Runny Nose

Phenylephrine HCl 10 mg

Chlorpheniramine maleate 4 mg

Tablets

Does not contain Pseudoephedrine

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Sudafed PE® Sinus + Allergy.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

www.bestchoicebrand.com

#### TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**Product Label** 

**Best Choice Sinus and Allergy Relief Tablet** 

PLD-D66K FC001694

TAMPER EVIDENT: DO NOT USE IF CARTON UNIT IS TORN, BROKEN OR SHOWS ANY

IS OPENED SIGNS 윾

TAMPERING. **OR IF BLISTER** 

UNIT IS

TORN

WARNINGS AND PRODUCT INFORMATION **KEEP OUTER CARTON FOR COMPLETE** 

> PROUDLY DISTRIBUTED BY: 5000 KANSAS AVE KANSAS CITY, KS 66106

Does not contain Pseudoephedrine

DLOWSINGSS MBY OCCUL SVOID SICODOLIC DUINS

Best Choice, 100% Guaranteed

VALU MERCHANDISERS, CO.

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Sudafed PE® Sinus + Allerov

Phenylephrine HCI 10 mg Chlorpheniramine maleate 4 mg

For Sinus & Allergy Relief: Sinus Pressure & Congestion, Sneezing, Itchy Eyes & Runny Nose

# MAXIMUM STRENGTH Sinus & Allergy PE

IN SUDAFED PE<sup>®</sup> SINUS + ALLERGY\*

COMPARE TO THE ACTIVE INGREDIENTS

**Maximum Strength** Sinus & Allergy PE

T23 M92-MA9 ysbir3-ysbnoM 3595-537-778-1 lls0

Stnammos to anoiteau excitability may occur, especially in children When using this product 🔳 do not exceed recommended dose gcid cranquilizers. cellulose, mineral oil, pregelatinized starch, sodium starch glycolate, stearic no sevitsbes gnikes are use if you are taking sedatives or phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline trouble unnating due to an enlarged prostate gland Inactive ingredients colloidal silicon dioxide, dibasic calcium a breathing problem such as emphysema or chronic bronchills store at 20°-25°C (68°-77°F) emoousig glaucoma thyroid disease Ask a doctor before use if you have 🛛 high blood pressure each tablet contains: calcium 10 mg Uther information doctor or pharmacist before taking this product. a kes, IOAM na antisino dunb notitineary nov h wony ton ob uov th. gunb years of age CONDITIONS, OF Parkinson's disease), or for 2 weeks after stopping the MAOI children under 12 years: do not use this product in children under 12 inhibitor (MAM) (certain drugs for depression, psychiatric or emotional take more than 6 tablets in 24 hours. Do not use if you are now taking a prescription monoamine oxidase adults and children 12 years and over: take 1 tablet every 4 hours. Do not sbujujem SUOIDODII nasal congestion sinus congestion and pressure contact a Poison Control Center right away. Iccny, watery eyes Itching of the nose of throat Keep out of reach of children. In case of overdose, get medical help or ôuizeeus ∎ other upper respiratory allergies: Innny nose If pregnant or breast-feeding, ask a health professional before use. temporarily relieves these symptoms due to hay tever (allergic rhinitis) or symptoms do not improve within 7 days or occur with a fever SƏSN uervousness, dizziness, or sleeplessness occur Phenylephrine HCI 10 mg. Instagnoob laseN. Stop use and ask a doctor if AnimistainitnA Chlorpheniramine maleate 4 mg. De caretul when driving a motor vehicle or operating machinery Purpose (təldat dəsə ni) ztnəibərgni əvitəA alcohol, sedatives, and tranquilizers may increase drowsiness (panuituoo) **2126-1 burd** stor7 pund

4



Best

Best



chlorpheniramine ma	ileate an	d phenylephrine h	cl tablet					
Product Informa	tion							
Product T ype		HUMAN OTC DRUG Item Code (Source)			ource)	NDC:63941-890		
Route of Administra	tion	ORAL						
Active Ingredien	t/Active	Moiety						
Ingredient Name Basis of Stre							Strengt	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII:3U6I01965U)CHLORPHENIRAMINE MALEATE						/IINE	4 mg	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - PHENYLEPHRINE   UNII: 1WS297W6 MV) HYDRO CHLO RIDE							10 mg	
Inactive Ingredie	nts							
Ingredient Name							Strength	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)							onengui	
CALCIUM PHO SPHAT			NII: O7TSZ97GEP	)				
HYPROMELLOSES (U				,				
MAGNESIUM STEAR								
CELLULOSE, MICRO			2D6 1U)					
MINERAL OIL (UNII: 7			,					
STARCH, CORN (UNII								
SO DIUM STARCH GL			INII: AG9B65PV6E	3)				
STEARIC ACID (UNII:				,				
		,						
Product Characte	ristics							
Color WHIT		WHITE	Score			2 pieces		
Shape ROUND		ROUND	Size	Size		7mm		
Flavor			Imprint Co	Imprint Code		T127		
Contains								
Packaging								
# Item Code		Package De	escription	Ma	rketing Start Dat	ate Marketing End Dat		
1 NDC:63941-890-24	1 in 1 CAF	RTON		07/2	22/2010	07/22/2020		
1	24 in 1 BL	in 1 BLISTER PACK; Type 0: Not a Combination Produc						
Marketing Inf	ormati	ion						
		1'	au Managuan b	Citation Ma	rketing Start Date	Markati	ng End Date	
Marketing Catego	ry Ap	plication Number	or Monograph		i ke ting Start Date	Wiai Ke u	ng Enu Dau	

Revised: 7/2019

Best Choice (Valu Merchandisers Company)