

TOPICLEAR PARIS - hydroquinone cream
International Beauty Exchange

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Hydroquinone 2%

Ethylhexyl Methoxycinnamate (Octyl Methoxycinnamate) 0.5%

For external use only

On children under 12 years of age unless directed by a doctor

Avoid contact with eyes.

Skin Lightener

For the gradual fading of dark areas in the skin such as freckles, age and liver spots

Apply a small amount as a thin layer on the affected area twice daily, or use as directed by a doctor

If swallowed, get medical help or contact a Poison Control Center right away

WATER, GLYCERYL STEARATE CITRATE, CETOSTEARYL ALCOHOL, GLYCERIN, ISOPROPYL MYRISTATE, ALLANTOIN, ASCORBIC ACID, SODIUM METABISULFITE, SODIUM LAURYL SULFATE, DISODIUM EDTA, DISODIUM METHYLPARABEN, PROPYL PARABEN, CHLOROCRESOL

Drug Facts		If skin irritation becomes severe, stop use and consult a doctor. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Active Ingredients:	Purpose	
Hydroquinone 2%.....	Skin Lightener	Directions: Adults: Apply a small amount as a thin layer on the affected area twice daily, or use as directed by a doctor. If no improvement is seen after 3 months of treatment, use of this product should be discontinued. Lightening effect of this product may not be noticeable when used on very dark skin. Children under 12 years of age: Do not use unless directed by a doctor. Sun exposure should be limited by using a sunscreen agent, a sun blocking agent or protective clothing to cover bleached skin after treatment is complete in order to prevent darkening from reoccurring.
Octyl Methoxycinnamate 0.5%.....	Sun Screen	
Uses: For the gradual fading of dark (brownish) areas in the skin such as freckles, age and liver spots.		Inactive Ingredients: Water (Aqua), Glyceril Stearate, Cetearyl Alcohol, Glycerin, Isopropyl Myristate, Fragrance (Parfum), Allantoin, Ascorbic Acid, Sodium Lauryl Sulfate, Sodium Metabisulfite, Disodium EDTA, Sodium Citrate, Methylparaben, Propylparaben, p-Chloro-m-Cresol.
Warnings: - For external use only. - This product is not for use in the prevention of sunburn.		
Do not use: On children under 12 years of age unless directed by a doctor.		
When using this product: Avoid contact with eyes. Some users of this product may experience a mild skin irritation.		

TOPICLEAR PARIS
hydroquinone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66129-810
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	1 g in 50 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	.25 g in 50 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7H9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CHLOROCRESOL (UNII: 36W53O7109)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66129-810-31	50 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part358A	01/01/2012	

Establishment

Name	Address	ID/FEI	Business Operations
JABONES PARDO SA		4620 18250	manufacture

Revised: 5/2012

International Beauty Exchange