

ROBITUSSIN MAXIMUM STRENGTH 12 HOUR COUGH AND MUCUS RELIEF-
dextromethorphan hydrobromide, guaifenesin tablet, extended release
Wyeth Consumer Healthcare LLC

Robitussin® Maximum Strength 12 Hour Cough and Mucus Relief Extended-Release

Drug Facts

<i>Active ingredients (in each extended-release tablet)</i>	<i>Purposes</i>
Dextromethorphan HBr 60 mg	Cough suppressant
Guaifenesin 1200 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours

- children under 12 years of age: do not use

Other information

- **each tablet contains:** magnesium 25 mg
- store between 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B, copovidone, D&C yellow #10 aluminum lake, hypromellose, magnesium hydroxide, magnesium stearate, microcrystalline cellulose, silicon dioxide

Questions?

call weekdays from 9 AM to 5 PM EST at **1-800-762-4675**

Distributed by: Pfizer, Madison, NJ 07940 USA

PRINCIPAL DISPLAY PANEL - 1200 mg/60 mg Tablet Blister Pack


PUSH TABLET THROUGH FOIL

Robitussin® Maximum Strength
12 Hour Cough & Mucus Relief
Extended-Release Tablet

Guaifenesin 1200 mg
Dextromethorphan HBr 60 mg
Extended-Release Tablet

Dist. by: Pfizer, Madison, NJ 07940 USA
©2019 Pfizer Inc.

LOT
EXP



PRINCIPAL DISPLAY PANEL - 8 Tablet Blister Pack Carton

NEW!

Robitussin®

MAXIMUM STRENGTH

12 Hour

Cough & Mucus Relief

EXTENDED-RELEASE TABLETS

GUAIFENESIN & DEXTROMETHORPHAN HYDROBROMIDE

1200 mg/60 mg EXTENDED-RELEASE TABLETS

Expectorant & Cough Suppressant

Actual Size

☐ Controls Cough

☐ Thins & Loosens Mucus

7305162C1

For Position Only

NEW!

Robitussin®

MAXIMUM STRENGTH

12 Hour Cough & Mucus Relief

EXTENDED-RELEASE TABLETS

GUAIFENESIN & DEXTROMETHORPHAN HYDROBROMIDE
1200 mg/60 mg EXTENDED-RELEASE TABLETS
Expectorant & Cough Suppressant

Actual Size

- ✓ Controls Cough
- ✓ Thins & Loosens Mucus



8

EXTENDED-RELEASE TABLETS

MAXIMUM STRENGTH

12 Hour
Cough & Mucus Relief

EXTENDED-RELEASE TABLETS

Robitussin®

For Position Only

7305162C1

Do not use if blister
unit is broken or torn.

Robitussin
12 Hour
Cough & Mucus Relief

MAXIMUM STRENGTH

EXTENDED-RELEASE
TABLETS

Drug Facts

Active ingredients

Purpose

Drug Facts (continued)

If pregnant or breast-feeding, ask a health

Keep th
Distrib
© 2015
For mo
PAA12

Active ingredients
(in each extended-release tablet)
 Dextromethorphan HBr 60 mg Cough suppressant
 Guaifenesin 1200 mg.....Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings
Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- each tablet contains: magnesium 25 mg
- store between 20-25°C (68-77°F)

Inactive ingredients
 carbomer homopolymer type B, copovidone, D&C yellow #10 aluminum lake, hypromellose, magnesium hydroxide, magnesium stearate, microcrystalline cellulose, silicon dioxide

Questions? call weekdays from 9 AM to 5 PM EST at 1-800-762-4675

PARENTS:
 Learn about teen medicine abuse
www.StopMedicineAbuse.org

2834
 et recent product information, visit www.robitussin.com
 Pizer Inc.
 031-8765-081
 81% For Position Only
 0031 8765 08
 1

LOT:
 EXP:
 73D51 6Z C1

CODE AREA

ROBITUSSIN MAXIMUM STRENGTH 12 HOUR COUGH AND MUCUS RELIEF

dextromethorphan hydrobromide, guaifenesin tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0031-8765
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	60 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	1200 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMO POLYMER TYPE B (ALLYL PENTAERYTHRITOL OR ALLYL SUCROSE CROSSLINKED) (UNII: K6MOM3T5YL)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	YELLOW	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	2424
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0031-8765-04	1 in 1 CARTON	06/14/2019	
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0031-8765-08	1 in 1 CARTON	06/14/2019	
2		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0031-8765-16	2 in 1 CARTON	06/14/2019	
3		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA207602	06/14/2019	

Labeler - Wyeth Consumer Healthcare LLC (828831730)

Revised: 6/2019

Wyeth Consumer Healthcare LLC