SUNSCREEN SPF 50- avobenzone 3%, homosalate 10%,octisalate 5% spray Rocky Mountain

Rocky Mountain Sunscreen SPF 50 Spray

Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	.Sunscreen

Uses

 \blacksquare helps prevent sunburn \blacksquare if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only

Flammable: Do not use white smoking or near heat or flame.

Do not useon damaged or broken skin.

When using this product keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor ifrash occurs.

Keep out of reach of children.

Iswallowed, get medical help or contact a Polson Control Center right away.

Directions

■ apply liberally 15 minutes before sun exposure.

Reapply: ■ after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ at least every 2 hours. **Sun protection**measures: Spending time In the sun Increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures Including: ■ limit time In the sun, especially from 10am to 2pm ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: ask a doctor ■ do not spray directly Into face. Spray on hands then apply to face ■ use In well-ventilated area.

Other information

protect this product from excessive

Inactive Ingredients

Butyloctyi Sallcylate, Ethyl Alcohol Denatured, Polyester-8, Oryza Sativa (Rice Bran) Oil, VA/Butyl Maleate/Isobomyl Acrylate Copolymer.



REEF FRIENDLY

Broad Spectrum SPF 50



Water Resistant (80 Minutes)

SUNSCREEN SPRAY REFILL

DERMATOLOGIST RECOMMENDED

FREE OF:

Oxybenzone, Octinoxate, Fragrance, Gluten, Parabens

NFT WT 12807 (3629a)

Drug Facts

Active ingredients Purpose
Avobenzone 3% Sunscreen
Homoralate 10% Sunscreen
Octisalate 5% Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Do not use while smoking or near heat or flame.

Do not use on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
apply liberally 15 minutes before sun exposure.

Reapply:
after 80 minutes of swimming or sweating
immediately after towel drying
after towel
swimsizes
sour risk of skin
cancer and early skin aging. To decrease risk, regularly use a
sunscreen with broad spectrum SPF of 15 or higher and other sun
protection measures including:
after time in the sun, especially
from 10am to 2pm
wear long-sleeved shirts, pants, hats, and
sunglasses
children under 6 months: ask a doctor
one of the one of the sun
one of the sun
and
sunglasses
children under 6 months: ask a doctor
one of the one of the sun
one of the sun

Other information ■ protect this product from excessive heat and direct sun ■ may stain fabrics.

Inactive ingredients Butyloctyl Salicylate, Ethyl Akohol Denatured, Polyester-8, Oryza Sativa (Rice Bran) Oil, VA/Butyl Maleate/Isobornyl Acrylate Copolymer.

Questions or Comments? Call: 1-888-356-8899

Reef Friendly | Gluten Free | UVA/UVB Paraben Free | Vegan | Fragrance Free



Dist. by: Rocky Mountain Sunscreen, Lafayette CO 80026

Product of
Rocky Mountain Sunscreen
Since 1992

coralisles.com

E

SUNSCREEN SPF 50

avobenzone 3%, homosalate 10%, octisalate 5% spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49757-010

Route	of A	\d mi	nisti	ration

TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	3 g in 100 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g	
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g	

Inactive Ingredients			
Ingredient Name	Strength		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)			
ALCOHOL (UNII: 3K9958V90M)			
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)			
ORYZA SATIVA (RICE) SEED OIL (UNII: ACU8G2V809)			

P	Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:49757- 010-06	170 g in 1 CONTAINER; Type 0: Not a Combination Product	08/21/2027		
2	NDC:49757- 010-12	907 g in 1 CONTAINER; Type 0: Not a Combination Product	08/21/2027		
3	NDC:49757- 010-22	3629 g in 1 CONTAINER; Type 0: Not a Combination Product	08/21/2027		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M20	08/21/2025	

Labeler - Rocky Mountain (032180460)

Registrant - Inspec Solutions LLC (081030372)

Establishment					
Name	Address	ID/FEI	Business Operations		
Inspec Solutions LLC		081030372	manufacture(49757-010)		

Revised: 8/2025 Rocky Mountain