

## **STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium and sennosides tablet H E B**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

#### **Purpose**

Stool softener

Stimulant laxative

#### **Uses**

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

#### **Warnings**

##### **Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

##### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

##### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.
-

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose\*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate\*, stearic acid, talc\*, titanium dioxide

\*contains one or more of these ingredients

### Questions or comments?

Call toll free: **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### Principal Display Panel

Compare to Colace® 2-IN1 Tablets active ingredients\*\*

Stool Softener & Stimulant Laxative

Docusate sodium 50 mg

Sennosides 8.6 mg

Stool Softener & Stimulant Laxative

Relief of Occasional Constipation

Effective, Reliable & Comfortable

TABLETS

\*\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

MADE WITH PRIDE AND CARE FOR H-E-B® SAN ANTONIO, TX 78204

### Product Label

Compare to Colace® 2-IN-1 Tablets active ingredients\*\*

**H-E-B** NDC 37808-729-12

## Stool Softener & Stimulant Laxative

Docusate Sodium, 50 mg  
Sennosides, 8.6 mg

Stool Softener & Stimulant Laxative

Relief of Occasional Constipation

Effective, Reliable & Comfortable



actual size

**120 TABLETS**

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**Drug Facts**

**Active ingredients (in each tablet) Purpose**  
 Docusate sodium 50 mg.....Stool softener  
 Sennosides 8.6 mg.....Stimulant laxative

**Uses**  
 ■ for overnight relief from occasional constipation (irregularity)  
 ■ generally produces bowel movement in 6 to 12 hours

**Warnings**  
 Do not use  
 ■ laxative products for longer than 1 week unless directed by a doctor  
 ■ if you are now taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**  
 ■ stomach pain ■ nausea ■ vomiting  
 ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Drug Facts (continued under label)**

MADE WITH PRIDE & CARE FOR H-E-B®  
 SAN ANTONIO, TX 78204

This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

PLD-097 8587-1808



0 4 1220 56935 9

Lot No.: Exp. Date:

PEEL HERE →

**Drug Facts (continued)**

**Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.**

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.**

**Directions** ■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

**Other information**  
 ■ each tablet contains: calcium 30 mg  
 ■ each tablet contains: sodium 6 mg VERY LOW SODIUM  
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake\*, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate\*, stearic acid\*, talc\*, titanium dioxide

\*contains one or more of these ingredients

**Questions or comments?** Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

**H-E-B Stool Softener & Stimulant Laxative**

**STOOL SOFTENER PLUS STIMULANT LAXATIVE**

docusate sodium and sennosides tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-729
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0JXX) (SENNOSIDES - UNII:3FYP5M0JXX)	SENNOSIDES	8.6 mg

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D6IU)	

**POLYETHYLENE GLYCOL, UNSPECIFIED** (UNII: 3WJQ0SDW1A)

**SILICON DIOXIDE** (UNII: ETJ7Z6XBU4)

**SODIUM BENZOATE** (UNII: OJ245FE5EU)

**STEARIC ACID** (UNII: 4ELV7Z65AP)

**TALC** (UNII: 7SEV7J4R1U)

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP)

**FD&C BLUE NO. 2** (UNII: L06K8R7DQK)

### Product Characteristics

<b>Color</b>	RED	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL097;PSD21;S44
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-729-12	120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/30/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	09/30/2018	

**Labeler - HEB** (007924756)