

TARGET ANTACID - ANTI-GAS RELIEF CHEWS- calcium carbonate tablet, chewable

Target

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Calcium carbonate 750 mg

Simethicone 80 mg

Active ingredient (in each chewable tablet)

Calcium carbonate 750 mg

Simethicone 80 mg

Purpose

Antacid

Anti-gas

Uses Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

Other information

- **Each chewable tablet contains:** calcium 300mg
- Contains sly
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients: Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

Questions? Call **1-800-245-2898** Monday - Friday, 9AM to 4PM EST

Drug Facts (continued)

Other information ■ Each chewable tablet contains: calcium 300mg
 ■ Contains soy ■ Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural & artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

Questions? Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

*This product is not manufactured or distributed by Bayer, owner of the registered trademark Alka-Seltzer® or any of its affiliates.
 245 05 6408 R01 C-001227-01-007

GLUTEN FREE



0 70312 67043 7

Dist. by Target Corporation
 Minneapolis, MN 55403
Made in U.S.A. of U.S. and imported ingredients
 TM & ©2020 Target Brands, Inc.

Compare to active ingredients in
Alka-Seltzer® Heartburn + Gas ReliefChews™ NDC:11673-046-54

extra strength
heartburn and gas chews

750 mg calcium carbonate/antacid
 80 mg simethicone/anti-gas

digestive relief of:
 heartburn
 sour stomach
 gas, pressure and bloating




54 CHEWABLE TABLETS

Drug Facts

Active ingredients (in each chewable tablet) Purpose
 Calcium carbonate 750 mg.....Antacid
 Simethicone 80 mg.....Anti-gas

Uses Relieves ■ Heartburn ■ Sour stomach ■ Acid indigestion
 ■ Upset stomach due to these symptoms ■ Bloating, pressure or
 stuffed feeling commonly referred to as gas

Warnings
Do not use if you have ever had an allergic reaction to this product or
 any of its ingredients
Ask a doctor or pharmacist before use if you are now taking a
 prescription drug. Antacids may interact with certain prescription drugs.
 Do not take more than 5 chewable tablets in a 24-hour period, or use the
 maximum dosage for more than 2 weeks, except under the advice and
 supervision of a physician.
When using this product constipation may occur
if pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions Adults and children 12 years and older chew and swallow
 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5
 chewable tablets in 24 hours. Children under 12 years consult a doctor.

**TAMPER EVIDENT; DO NOT USE IF IMPRINTED SAFETY SEAL UNDER
 CAP IS BROKEN OR MISSING.**

PN-218736

TARGET ANTACID - ANTI-GAS RELIEF CHEWS

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-052
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	pink (Dark Pink or Mauve)	Score	no score
Shape	ROUND	Size	14mm
Flavor	BERRY	Imprint Code	DR
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-052-54	54 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2019	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	11/01/2019	

Labeler - Target (006961700)

Registrant - Bestco LLC (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco LLC		002149136	manufacture(11673-052)