

4141 FIRST AID KIT- 4141 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

4141 First Aid Kit (Eye Wash, Hand Sanitizer, FABC, Neomycin, alcohol wipe- FAKREFU-B)

Active ingredient

Sterile Water 99%

Purpose

Eyewash

Uses

- For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water

Warnings

For external use only- Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive Ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions?

Call **1-800-430-5490**

Honeywell Safety Products USA, Inc. Smithfield, RI 02917

First Aid Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream

Purpose

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream

Directions

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

Questions

1-800-430-5490

Neomycin Antibiotic Ointment**Active ingredient**

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin Antibiotic Ointment**Purpose**

First aid antibiotic

Neomycin Antibiotic Ointment**Uses**

first aid to help prevent infection in - minor cuts - scrapes - burns

Neomycin Antibiotic Ointment**Warnings****For external use only****Do not use**

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Neomycin Antibiotic Ointment

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin Antibiotic Ointment

Other information

store at 15 ° to 25 °C (59 ° to 77 °F)

Neomycin Antibiotic Ointment

Inactive ingredient

petrolatum

Neomycin Antibiotic Ointment

Questions

1-800-430-5490

Hand Sanitizer

Active ingredient

Ethyl alcohol 62%

Hand Sanitizer

Purpose

Antiseptic handwash

Hand Sanitizer

Uses

- for hand washing to decrease bacteria on skin
- recommended for repeated use

Hand Sanitizer

Warnings

For external use only

Flammable, keep away from fire or flame

When using this product

- do not use in the eyes
- discontinue use if irritation and redness develops
- If condition persists for more than 72 hours consult a doctor.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hand Sanitizer

Directions

- wet hands thoroughly with product and allow to dry without wiping

Hand Santitizer

Other information

- place a quarter size amount into one hand, spread over both hands to wrist and rub into skin until dry
- store at 15 ° to 25 ° C (59 ° to 77 ° F)

Hand Sanitizer

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, dl-alpha tocopheryl acetate, fragrance, PEG-60 almond glycerides, propylene glycol, purified water .

Hand Sanitizer

Questions or Comments

1-800-275-3433 info@waterjel.com

Alcohol Wipe

Active ingredient

Isopropyl alcohol 70%

Alcohol Wipe

Purpose

First aid antiseptic

Alcohol Wipe

Uses

first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol Wipe

Warnings

For external use only

Flammable, keep away from fire and flame

Do not use

- in or near eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than 1 week unless directed by a doctor

Stop use and consult a doctor if

- condition persists or gets worse

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control center right away

Alcohol Wipe

Directions

- store at room temperature 15 o to 25 o C (59 o to 77 oF)
- do not use if packet is torn or opened

Alcohol Wipe

Inactive ingredient

water

Alcohol Wipe

Questions

1-800-430-5490

4141

FAKREFU-B Kit Contents

- 1 HAND SANITIZER 10/PER
- 1 NEOMYCIN OINT 0.9 GM , UNTZD 25/BX
- 1 EYE DRESS PKT W/4 ADH STRIPS
- 1 GAUZE BANDAGE, 4" X 6 YD
- 1 TOURNIQUET
- 2 TRIANGULAR BDG, NON-STERILE
- 1 WIRE SPLINT 1 PER
- 1 GAUZE PADS, 3" X 3", 4 PER
- 1 ADH TAPE, .5" X 2.5 YD, 2 PER
- 2 BANDAGE COMP 24" X 72", UNTZD 2/BX
- 1 FORCEPS & SCISSORS, 1 EA
- 1 GAUZE BANDAGE, 2" X 6 YD,2 PER
- 2 INSTANT COLD PACK 4" X 6"
- 1 1" X 3" PLAS STRIP BAN, UNITZD 50/BX
- 1 BURN CREAM POUCHES 25/EA
- 2 BURN-STOP BURN DRESSING 4 X 4
- 1 ALCOHOL WIPES, UNITIZED 50/BX
- 2 NITRILE GLOVES 2PR BBP

- 1 FIRST AID GUIDE ASHI
- 1 CPR MICROSHIELD DOUBLE UNIT
- 1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
- LBL STOCK 6-3/8"X4"
- 1 LBL STOCK 3"x1-7/8"
- 1 ZIP LOCK BAG 14 X 20 1.5 MIL

Eye Wash Package label

#32-004513 Rev. H

Visible top when label is closed

Hinge Area	<p>Drug Facts</p> <p>Active ingredient Sterile water 99% <i>Purpose</i> Eyewash</p> <p>Uses For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.</p> <p>Warnings For external use only Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.</p> <p>Do not use</p> <ul style="list-style-type: none"> if solution changes color or becomes cloudy if you have open wounds in or near the eyes, get medical help right away. <p>Stop use and consult a doctor if</p> <ul style="list-style-type: none"> you experience eye pain changes in vision continued redness or irritation of the eye condition worsens or persists 	<p>Drug Facts (continued)</p> <p>Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> Flush the affected area as needed control the rate of flow of solution by pressure on the bottle if necessary, continue flushing with emergency eyewash or shower <p>Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic</p> <p>Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p> <p>eyesaline Honeywell EYEWASH Sterile Isotonic Solution 1 fl. oz. (30 mL) PEEL PELAR PELEL</p> <p style="font-size: small;">LABEL #32-004513 Rev. H REORDER #32-004513-0000</p>
------------	--	---

Top Panel
3/32" from die edges

<p>Datos de medicamento</p> <p>Ingrediente Activo Agua esteril 99%</p> <p>Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, contaminantes aéreos, o agua de cloruro.</p> <p>Advertencias Solo para el uso externo Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Una vez abierto,</p> <p>No se use</p> <ul style="list-style-type: none"> si la solución se enturbia o cambia de color si tiene heridas abiertas en o cerca de los ojos, obtenga ayuda médica de inmediato. <p>Deje de usar y consulte a un médico si usted</p> <ul style="list-style-type: none"> experimenta dolor de ojo cambio de visión rojez continuo o irritación en el ojo la condición empeora o persiste 	<p>Datos de medicamento (continuado)</p> <p>Propósito Lavajos</p> <p>Instrucciones</p> <ul style="list-style-type: none"> enjuague el área afectada según se necesite controle el chorro haciendo presión en la botella si es necesario, sigue enjuagado con un lavajos o ducto de emergencia <p>Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico</p> <p>Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p> <p>eyesaline Honeywell LAVAJOS Solución Isotónica Esteril 30 mL (1 fl. oz.)</p> <p style="font-size: small;">ENQUETTES #32-004513 Rev. H INSTRUCCIONES #32-004513-0000</p>
--	---

Back
1/8" from die edges



Label Patent Number
Can be anywhere on
the label at 3.5pt minimum
(use any dark color on that layer)

<p>Information</p> <p>Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.</p> <p>Advertissements Pour usage externe seulement Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.</p> <p>Ne pas utiliser</p> <ul style="list-style-type: none"> si la solution a changé de couleur ou si elle est brouillée si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin <p>Cesser d'utiliser la solution et consulter un médecin</p> <ul style="list-style-type: none"> vous ressentirez une douleur oculaire si votre vision change rougeur ou irritation persistante des yeux condition empire ou persiste <p style="font-size: small;">Label Patent #32-004513</p>	<p>Information (suite)</p> <p>Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.</p> <p>Mode d'emploi</p> <ul style="list-style-type: none"> rincer la zone touchée selon les besoins ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche <p>Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium</p> <p>Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p> <p>eyesaline Honeywell LAVAGE OCULAIRE La Solution Isotonique Stérile</p> <p style="font-size: small;">ENQUETTES #32-004513 Rev. H REPRODUCTION #32-004513-0000</p>
--	--

Base
3/32" from die edges

Printable Text Area

**First Aid Burn Cream
Principal Display Panel**



Principal Display Panel

822568-25

Neomycin First aid antibiotic

020126-25

Neomycin
First aid antibiotic
Neomycin sulfate
First aid antibiotic

Distributed by:
Honeywell Safety Products
USA, Inc. Smithfield,
RI 02917

25 Packets, Net Wt 1/32 oz (0.9 g) each

822568-25

Neomycin First aid antibiotic

Drug Facts	
Active ingredient (in each gram)	Purpose
Neomycin sulfate (equivalent to 3.5 mg neomycin)	First aid antibiotic
Use first aid to help prevent infection in minor • cuts • scrapes • burns	
Warnings	
<i>For external use only</i>	
Allergy alert • do not use if you are allergic to any of the ingredients	
Do not use • in the eyes • over large areas of the body	
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns	
Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops • you need to use longer than one week	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • clean the affected area	
• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily	
• may be covered with a sterile bandage	
Other information store at 15° to 25°C (59° to 77°F)	
Inactive ingredient petrolatum	
Questions or comments? 1-800-430-5490	

Hand Sanitizer
Principal Display Panel



INSTANT

Hand Sanitizer


**Antiseptic Gel
With Vitamin E & Aloe**

Kills 99.9% of Germs

**Kills 99.9% of Germs
Without Water**

240mL - (8 fl oz)

**Alcohol Wipe
Principal Display Panel**



**4141 Kit Label
FAKREFU-B**

46001363 Rev.C
Prints 3 colors
Black, Red (PMS 186) and Blue (PMS 072)

Refill Information

US Poison Control 1-800-222-1222



Contact your authorized Honeywell Safety Products
Distributor with your refill orders.

Honeywell

www.honeywellsafety.com

USA	CANADA	EUROPE
1-401-943-4400	1-514-351-7233	+31 (0) 118 656400
1-800-430-4110	1-888-212-7233	

46001363 Rev. C

4141 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4141
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4141-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	50 POUCH	20 mL
Part 3	25 PACKET	22.5 g
Part 4	25 PACKET	22.5 g
Part 5	10 PACKET	9 mL

Part 1 of 5**EYESALINE EMERGENCY EYEWASH**

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
---------------------------	---------------

Route of Administration	OPHTHALMIC
--------------------------------	------------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 2 of 5

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/11/2018	

Part 3 of 5

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source) NDC:0498-0903

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0K00R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYL PARABEN (UNII: A2I8C7H9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/20/2017	

Part 4 of 5

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
--------------------	---------------

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/31/2010	

Part 5 of 5**INSTANT HAND SANITIZER**

alcohol liquid

Product Information

Item Code (Source)	NDC:59898-420
--------------------	---------------

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	

TRISOPRO PANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-420-36	0.9 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	04/15/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4141)

Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0903, 0498-0730, 59898-420)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc		167518617	manufacture(0498-0100)

Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0143)