

MEDI-FIRST SINUS DECONGESTANT- phenylephrine hydrochloride tablet, film coated

MEDI-FIRST PLUS SINUS DECONGESTANT- phenylephrine hydrochloride tablet, film coated

Unifirst First Aid Corporation

Medi-First Sinus Decongestant

Drug Facts

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

Temporarily relieves

■ nasal congestion due to the common cold, hay fever or other upper respiratory allergies

■ sinus congestion and pressure

Warnings

Do not use

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not exceed recommended dosage**

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast feeding, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not use more than directed

Adults and children: (12 years and older) Take 1 tablet every 4 hours. Do not take more than 6 doses in 24 hours.

Children under 12 years: Ask a doctor

Other information

- store at room temperature 59°-86° F (15°-30° C)
- tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

croscarmellose sodium, FD&C red #40, FD&C yellow # 6, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, propylene glycol, silicon dioxide, titanium dioxide

Medi-First Sinus Decongestant Label

100 Tablets

(100 x 1)

Medi-First®

Sinus Decongestant

Compare active ingredients to:

Sudafed® PE

Registered Trademark of Pfizer Consumer

Nasal Decongestant ● Phenylephrine HCl 10mg

Tamper Evident Unit Dose Packets

<p>Drug Facts</p> <p>Active ingredient (in each tablet) Phenylephrine HCl, 10 mg</p> <p>Purpose Nasal Decongestant</p> <p>Uses Temporarily relieves: ● nasal congestion due to the common cold, hay fever or other upper respiratory allergies ● sinus congestion and pressure</p> <p>Warnings Do not use: ● if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or anesthesia conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. From the use of these 2 types of prescription drug together an MAOI, ask a doctor or pharmacist before using this product.</p> <p>Ask a doctor before use if you have: ● heart disease ● high blood pressure ● trouble urinating due to an enlarged prostate gland ● thyroid disease ● diabetes</p> <p>When using this product ● do not exceed recommended dosage</p> <p>Stop use and ask a doctor if: ● you get a headache, dizziness or drowsiness ● symptoms do not improve within 7 days or are accompanied by fever</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-232-0229).</p> <p>Directions ● do not use more than directed</p> <p>Adults and children (12 years and older): Take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours. Children under 12 years: Ask a doctor</p> <p>Other information ● store at room temperature 59°-86° F (15°-30° C) ● keep out of reach of children ● do not use any opened or torn packets</p> <p>Active ingredients croscarmellose sodium, FD&C Red #40, FD&C Yellow #6, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, propylene glycol, silicon dioxide, titanium dioxide</p> <p>Questions or comments? 1-800-634-7660</p>	<p>100 Tablets (500 x 1)</p> <p>MEDI-FIRST®</p> <p>Sinus Decongestant</p> <p>✓ Nasal Decongestant- Phenylephrine HCl 10 mg Descongestivo nasal - Hidrocloruro de fenilefrina 10 mg</p> <p>Pseudoephedrine Free Sinus Relief Descongestivo de los senos nasales sin pseudoefedrina</p> <p>Compare active ingredients to: Sudafed® PE Descongestivo de los senos nasales sin pseudoefedrina</p> <p>Tamper Evident Unit Dose Packets Empaquetado con Sellado Evidente en Dosis Unitarias</p>	<p>Información del Medicamento</p> <p>Ingredientes activos (en cada tableta) fenilefrina HCl 10 mg</p> <p>Propiedad Descongestivo nasal</p> <p>Usos ● aliviar temporalmente: ● la congestión y la presión sinusales ● la congestión y la presión sinusales</p> <p>Advertencias ● No use este medicamento si está tomando o ha tomado recientemente un inhibidor de la monoaminoxidasa (IMAO) (ciertos medicamentos para la depresión, para trastornos conductuales y anestésicos, o la enfermedad de Parkinson) o por 2 semanas después de dejar de tomar la medicina IMAO. Si usted lo hace con seguridad o si su condición no mejora, consulte a su médico o farmacéutico antes de continuar con este producto.</p> <p>Consulte a su médico si usted tiene: ● hipertensión de la sangre ● presión sanguínea alta ● enfermedad de la tiroides ● diabetes</p> <p>Contraindicaciones ● no se debe usar más de la dosis de consumo recomendada ● no se debe usar este medicamento si está tomando o ha tomado recientemente un inhibidor de la monoaminoxidasa (IMAO) (ciertos medicamentos para la depresión, para trastornos conductuales y anestésicos, o la enfermedad de Parkinson) o por 2 semanas después de dejar de tomar la medicina IMAO. Si usted lo hace con seguridad o si su condición no mejora, consulte a su médico o farmacéutico antes de continuar con este producto.</p> <p>Precauciones ● no exceda la dosis de consumo recomendada ● no se debe usar este medicamento si está tomando o ha tomado recientemente un inhibidor de la monoaminoxidasa (IMAO) (ciertos medicamentos para la depresión, para trastornos conductuales y anestésicos, o la enfermedad de Parkinson) o por 2 semanas después de dejar de tomar la medicina IMAO. Si usted lo hace con seguridad o si su condición no mejora, consulte a su médico o farmacéutico antes de continuar con este producto.</p> <p>Señales de alarma o síntomas de alarma ● si los síntomas no mejoran o empeoran dentro de 7 días o si están acompañados por fiebre</p> <p>Evite la exposición a temperaturas altas o a la luz solar directa. Mantenga fuera del alcance de los niños. En caso de sobredosis, obtenga ayuda médica o contacte a un Centro de Control de Venenos inmediatamente (1-800-232-0229).</p> <p>Indicaciones ● no exceda más de lo que se indica</p> <p>Adultos y niños (12 años y mayores): Tome 1 tableta cada 4 horas. No consuma más de 6 tablets en 24 horas. Niños menores de 12 años: Consulte a su médico</p> <p>Otra información ● almacenar a temperatura ambiente 59°-86° F (15°-30° C) ● mantener fuera del alcance de los niños ● no usar ningún paquete abierto o roto</p> <p>Ingredientes inactivos croscarmellose sodium, FD&C Red #40, FD&C Yellow #6, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, propylene glycol, silicon dioxide, titanium dioxide</p> <p>¿Tiene alguna pregunta o comentario? Llame al 1-800-634-7660</p>	<p>MEDI-FIRST®</p> <p>Sinus Decongestant</p> <p>Pseudoephedrine Free Sinus Relief Descongestivo de los senos nasales sin pseudoefedrina</p> <p>Reorder #R80913</p> <p>MEDI-FIRST Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7660 www.mediqueproducts.com</p>
---	---	---	--

Medi-First Plus Sinus Decongestant Label

100 Tablets

(100 x 1's)

Medi-First® Plus

Sinus Decongestant

Phenylephrine HCl 10mg

Pull To Open

Pseudoephedrine Free

Sinus Relief

Compare active ingredient to:

Sudafed PE®

Registered Trademark of McNeil Consumer Healthcare

Tamper Evident Unit Dose Packets

Drug Facts
Active ingredient (in each tablet) Phenylephrine HCl 10 mg **Purpose** Nasal decongestant

Uses
 Temporarily relieves:
 ■ nasal congestion due to the common cold, hay fever or other upper respiratory allergies
 ■ sinus congestion and pressure

Warnings
 Do not use:
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 Ask a doctor before use if you have:
 ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes
 ■ trouble urinating due to an enlarged prostate gland

When using this product ■ do not exceed recommended dosage

Stop use and ask a doctor if
 ■ you get nervous, dizzy, or sleepless
 ■ symptoms do not improve within 7 days or are accompanied by fever

Directions
 ■ do not use more than directed
 Adults and children: (12 years and older) Take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
 Children under 12 years: Ask a doctor

Other Information
 ■ store at room temperature 59°-86° F (15°-30° C)
 ■ tamper evident sealed packets
 ■ do not use any opened or torn packets

Inactive Ingredients
 croscarmellose sodium, FD&C Red #40, FD&C Yellow #6, hydroxypropyl methylcellulose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, propylene glycol, silicon dioxide, titanium dioxide

Questions or comments? 1-800-634-7680

Compare active ingredient to:
Sudafed PE®
 Registered Trademark of McNeil Consumer Healthcare

Retain carton for complete product information

MEDI-FIRST SINUS DECONGESTANT			
phenylephrine hydrochloride tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-809
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	10 mg
Inactive Ingredients			
Ingredient Name			Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			

CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red (red)	Score	no score
Shape	ROUND (ROUND)	Size	7mm
Flavor		Imprint Code	272
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-809-64	24 in 1 BOX	12/30/2008	
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-809-33	100 in 1 BOX	12/30/2008	
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-809-48	250 in 1 BOX	12/30/2008	
3		1 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-809-13	500 in 1 BOX	12/30/2008	
4	NDC:47682-809-46	1 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-809-46	1 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

MEDI-FIRST PLUS SINUS DECONGESTANT

phenylephrine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-990
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red (red)	Score	no score
Shape	ROUND (ROUND)	Size	7mm
Flavor		Imprint Code	272
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-990-33	100 in 1 BOX	04/18/2019	
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-990-48	250 in 1 BOX	04/18/2019	
2		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/18/2019	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 11/2024

Unifirst First Aid Corporation