

**MEDI-FIRST PLUS SINUS DECONGESTANT- phenylephrine hydrochloride tablet, film coated**

**MEDI-FIRST SINUS DECONGESTANT- phenylephrine hydrochloride tablet, film coated**

**Unifirst First Aid Corporation**

-----

## **Medi-First Sinus Decongestant**

### ***Drug Facts***

#### ***Active ingredient (in each tablet)***

Phenylephrine HCl 10 mg

#### ***Purpose***

Nasal decongestant

#### ***Uses***

Temporarily relieves

■ nasal congestion due to the common cold, hay fever or other upper respiratory allergies

■ sinus congestion and pressure

#### ***Warnings***

##### **Do not use**

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

##### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

##### **When using this product**

- **do not exceed recommended dosage**

##### **Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast feeding,** ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

- do not use more than directed

**Adults and children: (12 years and older)** Take 1 tablet every 4 hours. Do not take more than 6 doses in 24 hours.

**Children under 12 years:** Ask a doctor

## Other information

- store at room temperature 59°-86° F (15°-30° C)
- tamper evident sealed packets
- do not use any opened or torn packets

## Inactive ingredients

croscarmellose sodium, FD&C red #40, FD&C yellow # 6, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, propylene glycol, silicon dioxide, titanium dioxide

## Medi-First Sinus Decongestant Label

100 Tablets

(100 x 1)

Medi-First®

Sinus Decongestant

Compare active ingredients to:

Sudafed® PE

Registered Trademark of Pfizer Consumer

Nasal Decongestant ● Phenylephrine HCl 10mg

Tamper Evident Unit Dose Packets

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> Phenylephrine HCl, 10mg</p> <p><b>Purpose</b> Nasal Decongestant</p> <p><b>Uses</b> Temporarily relieves: • nasal congestion due to the common cold, hay fever or other upper respiratory allergies • sinus congestion and pressure</p> <p><b>Warnings</b> Do not use: • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or anesthesia use, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. From the use of these 2 types of prescription drug together an MAOI, ask a doctor or pharmacist before using this product.</p> <p><b>Ask a doctor before use if you have:</b> • heart disease • high blood pressure • trouble urinating due to an enlarged prostate gland • thyroid disease • diabetes</p> <p><b>When using this product</b> • do not exceed recommended dosage</p> <p><b>Stop use and ask a doctor if:</b> • you get nervous, dizzy or dizzy • symptoms do not improve within 7 days or are accompanied by fever</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-235-0223).</p> <p><b>Directions</b> • do not use more than directed</p> <p><b>Adults and children (12 years and older):</b> Take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours. Children under 12 years: Ask a doctor</p> <p><b>Other information</b> • store at room temperature 59°-86° F (15°-30° C) • keep out of reach of children • do not use any opened or torn packets</p> <p><b>Inactive ingredients</b> croscarmellose sodium, FD&amp;C Red #40, FD&amp;C Yellow #6, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, propylene glycol, silicon dioxide, titanium dioxide</p> <p><b>Questions or comments?</b> 1-800-634-7660</p>	<p>100 Tablets (500 x 1)</p> <p><b>MEDI-FIRST®</b></p> <p><b>Sinus Decongestant</b></p> <p>✓ <b>Nasal Decongestant- Phenylephrine HCl 10mg</b> Descongestivo nasal - Hidrocloruro de fenilefrina 10 mg</p> <p><b>Pseudoephedrine Free Sinus Relief</b> Descongestivo de los senos nasales sin pseudoefedrina</p> <p>Compare active ingredients to: <b>Sudafed® PE</b> Registered Trademark of Pfizer Consumer Marketed by Medi-First®</p> <p><b>Tamper Evident Unit Dose Packets</b> Empaquetado con Sellado Evidente en Dosis Unitarias</p>	<p><b>Información del Medicamento</b></p> <p><b>Ingredientes activos (en cada tableta)</b> fenilefrina 10 mg</p> <p><b>Propiedad</b> Descongestivo nasal</p> <p><b>Usos</b> • aliviar temporalmente: • congestión y presión sinusales</p> <p><b>Advertencias</b> • no use este medicamento si está tomando o ha tomado recientemente un inhibidor selectivo de la recaptación de serotonina (ISRS) (cualquier medicamento para la depresión, para tratar condiciones psicológicas o emocionales, o la enfermedad de Parkinson) o por 2 semanas después de dejar de tomar la medicina ISRS. Si usted no sabe con seguridad si su condición es un inhibidor selectivo de la recaptación de serotonina (ISRS), pregúntele a su médico farmacéutico antes de comenzar este producto.</p> <p><b>Consulte a su médico si usted tiene:</b> • hipertensión de la sangre • presión sanguínea alta • enfermedad de la tiroides • diabetes</p> <p><b>Contraindicaciones de este producto</b> • no se debe usar este producto si usted tiene: • problemas de urinar, como un agrandamiento de la próstata • problemas de la vejiga • diabetes • problemas de la tiroides • hipertensión de la sangre • problemas de la presión arterial • problemas de la circulación de la sangre</p> <p><b>Si está embarazada o planea quedar embarazada, consulte a su médico antes de consumir este producto.</b> Mantenga este y todos los demás medicamentos fuera del alcance de los niños. Si usted sufre envenenamiento, consulte a su médico o llame al centro de control de envenenamientos (1-800-235-0223).</p> <p><b>Precauciones</b> • no consuma este fármaco que se indica: • antes y durante los 12 meses antes de quedar embarazada • durante el embarazo • durante los 12 meses después de haber estado embarazada</p> <p><b>Otra información</b> • almacenar a temperatura ambiente 59°-86° F (15°-30° C) • mantener fuera del alcance de los niños</p> <p><b>Ingredientes Inactivos</b> croscarmellose sodium, FD&amp;C Red #40, FD&amp;C Yellow #6, hypromellose, lactose, stearate de magnesio, lactose microcristalina, polietilenglicol, propilenglicol, dióxido de silicio, dióxido de titanio</p> <p>¿Tiene alguna pregunta o comentario? Llame al 1-800-634-7660</p>	<p><b>MEDI-FIRST®</b></p> <p><b>Sinus Decongestant</b></p> <p><b>Pseudoephedrine Free Sinus Relief</b> Descongestivo de los senos nasales sin pseudoefedrina</p> <p>Reorder #F80913</p> <p><b>MEDI-FIRST</b> Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7660 www.mediqueproducts.com</p>
---	--	---	--

# Medi-First Plus Sinus Decongestant Label

100 Tablets

(100 x 1's)

Medi-First® Plus

Sinus Decongestant

Phenylephrine HCl 10mg

Pull To Open

Pseudoephedrine Free

Sinus Relief

Compare active ingredient to:

Sudafed PE®

Registered Trademark of McNeil Consumer Healthcare

Tamper Evident Unit Dose Packets

**Drug Facts**  
**Active ingredient (in each tablet)** Phenylephrine HCl 10 mg **Purpose** Nasal decongestant

**Uses**  
 Temporarily relieves:  
 ■ nasal congestion due to the common cold, hay fever or other upper respiratory allergies  
 ■ sinus congestion and pressure

**Warnings**  
 Do not use:  
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
 Ask a doctor before use if you have:  
 ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes  
 ■ trouble urinating due to an enlarged prostate gland

**When using this product** ■ do not exceed recommended dosage

**Stop use and ask a doctor if**  
 ■ you get nervous, dizzy, or sleepless  
 ■ symptoms do not improve within 7 days or are accompanied by fever

**Directions**  
 ■ do not use more than directed  
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Adults and children (12 years and older)** Take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.

**Children under 12 years:** Ask a doctor

**Other information**  
 ■ store at room temperature 59°-86° F (15°-30° C)  
 ■ tamper evident sealed packets  
 ■ do not use any opened or torn packets

**Inactive ingredients**  
 croscarmellose sodium, FD&C Red #40, FD&C Yellow #6, hydroxypropyl methylcellulose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, propylene glycol, silicon dioxide, titanium dioxide

**Questions or comments?** 1-800-634-7680

**Compare active ingredient to:**  
 Sudafed PE®  
 Registered Trademark of McNeil Consumer Healthcare

**Retain carton for complete product information**

MEDI-FIRST PLUS SINUS DECONGESTANT			
phenylephrine hydrochloride tablet, film coated			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-990
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name		Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	10 mg
<b>Inactive Ingredients</b>			
Ingredient Name			Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			

<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	

### Product Characteristics

<b>Color</b>	red (red)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	272
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-990-33	100 in 1 BOX	04/18/2019	
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-990-48	250 in 1 BOX	04/18/2019	
2		1 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/18/2019	

## MEDI-FIRST SINUS DECONGESTANT

phenylephrine hydrochloride tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-809
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	red (red)	Score	no score
Shape	ROUND (ROUND)	Size	7mm
Flavor		Imprint Code	272
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-809-64	24 in 1 BOX	12/30/2008	
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-809-33	100 in 1 BOX	12/30/2008	
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-809-48	250 in 1 BOX	12/30/2008	
3		1 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-809-13	500 in 1 BOX	12/30/2008	
4	NDC:47682-809-46	1 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-809-46	1 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/30/2008	

---

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation