

**MAXIUM STRENGTH DM MAX- dextromethorphan hydrobromide,
guaifenesin liquid
Discount Drug Mart**

Drug Facts

**Active ingredients
(in each 20 mL)**

Dextromethorphan HBr, USP 20 mg

Guaifenesin 400 mg

Purpose

Cough Suppressant

Expectorant

Keep out of reach of children.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
- cough due to minor throat and bronchial irritation

Warning

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product

- **do not use more than directed**

Stop use and ask a doctor if

- cough lasts for more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast feeding,

ask a health professional before use.

Directions

- take only as recommended
- use dosage cup
- mL= milliliter
- do not take more than 6 doses in any 24-hour period

Age	Dose
Adults & children 12 years and older	20 mL every 4 hours
Children under 12 years of age	Do not use

Other information

- each 20 mL contains: sodium 12 mg
- dosage cup provided
- store between 15-30°C (59-86°F)
- do not refrigerate

Inactive ingredients

anhydrous citric acid, dextrose, D&C Red # 33, FD&C Red # 40, flavors, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, Xanthan gum

Questions?

Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

DISCOUNT drug mart FOOD FAIR MAXIMUM STRENGTH DM MAX product label

*COMPARE TO THE ACTIVE INGREDIENTS IN MUCINEX® FAST-MAX™ -DM MAX

LF-010

DISCOUNT

drug mart

FOOD FAIR

MAXIUM STRENGTH DM MAX

Dextromethorphan HBr/ Guaifenesin

COUGH SUPPRESSANT/

EXPECTORANT

Controls Cough

Thins & Loosens mucus

Relieves Chest Congestion

Adults

For Ages 12 & Over

6 FL OZ (177 mL)

* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of MUCINEX® FAST-MAX™ DM MAX

LB - 010 LOT: EXP:

Peel Corner to Read Complete Drug Facts and Information

SATISFACTION GUARANTEED

IF DISSASIFIED , RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256



*COMPARE TO THE
ACTIVE INGREDIENTS IN
MUCINEX®
FAST-MAX™ DM MAX
LF-010

MAXIMUM STRENGTH
DM MAX

Dextromethorphan HBr /
Guaifenesin

COUGH SUPPRESSANT /
EXPECTORANT

Controls Cough
Thins & Loosens Mucus
Relieves Chest Congestion

Adults
For Ages 12 & Over

6 FL OZ (177 mL)

Peel Corner to Read Complete
Drug Facts and Information



DO NOT USE IF PRINTED SEAL
UNDER CAP IS TORN OR MISSING

LB-010



Lot:
Exp:

Drug Facts

Active ingredients	Purpose
(in each 20 mL)	

Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
 - cough due to minor throat and bronchial irritation

Warnings

- Do not use ■ for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a

Drug Facts (continued)

doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.
- cough that occurs with too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts for more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast

feeding, ask a health professional before use.

Keep out of reach of

children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)**Directions**

- take only as recommended
- use dosage cup
- mL = milliliter
- do not take more than 6 doses in any 24-hour period

Age	Dose
Adults & children 12 years and older	20 mL every 4 hours
Children under 12 Years of age	Do not use

Other information

- each 20 mL contains: sodium 12 mg
- dosage cup provided
- store between 15-30°C (59-86°F)
- do not refrigerate

Inactive ingredients

anhydrous citric acid, dextrose, D&C Red # 33, FD&C Red #40, flavors, glycerin, maltitol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucralose, Xanthan gum ▶

Drug Facts (continued)

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at **1-877-798-5944**

* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Mucinex® FAST-MAX™ DM MAX

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO:
DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

res

MAXIUM STRENGTH DM MAX

dextromethorphan hydrobromide, guaifenesin liquid

Product Information**Product Type**

HUMAN OTC DRUG

Item Code (Source)

NDC:53943-518

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
DEXTROSE (UNII: IY9XDZ35W2)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MALTITOL (UNII: D65DG142WK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-518-25	117 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/10/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/10/2013	

Labeler - Discount Drug Mart (047741335)

Revised: 12/2025

Discount Drug Mart