

**SALICYLIC ACID- liquid corn and callus remover liquid**  
**Foodhold USA**

-----  
**CareOne Liquid Corn & Callus Remover**

**Active ingredient**

Salicylic acid 17%w/w

**Purpose**

Corn and callus remover

**Uses**

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

**Warnings**

**For external use only.**

**Flammable**

- keep away from fire or flame
- cap bottle tightly and store at room temperature away heat

**Do not use**

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**When using this product**

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

**Stop and ask a doctor if**

discomfort persists, see your doctor or podiatrist

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area and dry thoroughly

- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

### **Other information**

store between 20°C to 30°C (68°F to 86°F)

### **Inactive ingredients**

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

### **Questions?**

Call 1-888-423-0139

### **Principal Display Panel**

**CAREONE**

**LIQUID CORN & CALLUS REMOVER**


Salicylic Acid

REMOVES CORNS AND CALLUSES SAFELY

SOFT FOAM CUSHIONS AND PROTECTS

**NET WT 0.31 FL OZ (9.8 mL)**

**3 CUSHIONS**



**CAREone™**      **LIQUID CORN & CALLUS REMOVER**

<b>Drug Facts</b>	
<b>Active ingredient</b> Salicylic acid 17% w/w.....	<b>Purpose</b> Corn and callus remover
<b>Uses</b> <ul style="list-style-type: none"> <li>■ for the removal of corns and calluses</li> <li>■ relieves pain by removing corns and calluses</li> </ul>	
<b>Warnings</b> For external use only.	
<b>Flammable</b> <ul style="list-style-type: none"> <li>■ keep away from fire or flame</li> <li>■ <b>cap bottle tightly</b> and store at room temperature away from heat</li> </ul>	
<b>Do not use</b> <ul style="list-style-type: none"> <li>■ on irritated skin</li> <li>■ on any area that is infected or reddened</li> <li>■ if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist</li> </ul>	
<b>When using this product</b> <ul style="list-style-type: none"> <li>■ avoid contact with eyes</li> <li>■ avoid inhaling vapors</li> <li>■ if product gets into the eye, flush with water for 15 minutes</li> </ul>	
<b>Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist.</b>	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <ul style="list-style-type: none"> <li>■ wash the affected area and dry thoroughly</li> <li>■ apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry</li> <li>■ use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)</li> <li>■ repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)</li> </ul>	
<b>Other information</b> <ul style="list-style-type: none"> <li>■ store between 20°–25°C (68°–77°F)</li> <li>■ close lightly to prevent solidification</li> <li>■ store in a cool place</li> </ul>	
<b>Inactive ingredients</b> camphor, castor oil, ethanol, ethyl ether, nitrocellulose	
<b>Questions?</b> Call 1-866-964-0939	

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Dr. Scholl's®.

DISTRIBUTED BY FOODHOLD U.S.A., LLC  
LANDOVER, MD 20785 1-877-846-9949  
© 2017 Ahold Licensing Sarl  
MADE IN USA WITH U.S. AND IMPORTED PARTS  
Quality guaranteed or your money back.

41-030CO-01

CARE: WIPE TOP OF BOTTLE  
CLEAN AFTER EACH USE

## SALICYLIC ACID

liquid corn and callus remover liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41520-569
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9.8 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-569-03	9.8 g in 1 PACKAGE; Type 0: Not a Combination Product	10/20/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	10/20/2017	

**Labeler** - Foodhold USA (809183973)

Revised: 10/2025

Foodhold USA