

**IFEREX 150- polysaccharide-iron complex capsule**  
**Nnodum Pharmaceuticals**

-----  
**iFEREX 150**

**Statement of identity**

iFEREX 150 is an easily assimilated source of iron for treatment of uncomplicated iron deficiency anemia.

**Healthn Claims**

iFerex 150 is indicated for the prevention and treatment of iron deficiency anemia and/or nutritional megaloblastic anemias.

**Warning**

Accidental overdose of iron-containing products is a leading cause in fatal poisoning of children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

**Dosage and Administration**

Adults: One or two capsules daily or as directed by a physician.

**Precautions**

General: The type of anemia and underlying cause or causes should be determined before starting therapy with iFerex 150. Since the

anemia may be a result of systemic disturbance, such as recurrent blood loss, the underlying cause or causes should be corrected, if possible.

**Safe Handling Warning**

KEEP THIS AND ALL DRUGS OUT OF REACH OF CHILDREN.

DISPENSE IN A TIGHT, LIGHT-RESISTANT CONTAINER WITH A RESISTANT CLOSURE.

STORAGE: Store at 20oC-25oC (68o- 77oF); excursions to 15oC-30oC (59o-86oF)

**Principal Display Panel - IFEREX 150**

**ZIKs 63044-0203-01**

**iFEREX 150**

**Polysaccharide Iron**

## **Complex Hematinic**

### **100 Capsules**

#### **EACH CAPSULE CONTAINS:**

Iron (elemental).....150 mg

(polysaccharide iron complex 326.1 mg)

**INACTIVE INGREDIENTS:** Black Iron oxide, FD&C Red #28, FD&C Yellow # 10, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, magnesium stearate, microcrystalline cellulose, Red Iron Oxide, and Titanium Dioxide

**DESCRIPTION:** iFerex 150 is a brown and orange capsule with marking "ziks 0203".

It is a product of ferric iron complexed to a low molecular weight polysaccharide.

**INDICATIONS AND USAGE:** iFerex 150 is indicated for the prevention and treatment of iron deficiency anemia and/or nutritional megaloblastic anemias.

**CONTRAINDICATIONS:** iFerex 150 is indicated in patients with a known hypersensitivity

to any of the components of this product. Hemochromatosis and hemosiderosis are contraindications to iron therapy.

**ADVERSE REACTIONS:** Adverse reactions with iron therapy may include constipation, diarrhea, nausea, vomiting, dark stools, and abdominal pain. Adverse reactions with iron therapy are usually transient.

**WARNING:** Accidental overdose of iron-containing products is a leading cause in fatal poisoning of children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

**PRECAUTIONS:** General: The type of anemia and underlying cause or causes should be determined before starting therapy with iFerex 150. Since the anemia may be a result of systemic disturbance, such as recurrent blood loss, the underlying cause or causes should be corrected, if possible.

**DOSAGE AND ADMINISTRATION:** Adults: One or two capsules daily or as directed by a physician.

**KEEP THIS AND ALL DRUGS OUT OF REACH OF CHILDREN.**

**DISPENSE IN A TIGHT, LIGHT-RESISTANT CONTAINER WITH A RESISTANT CLOSURE.**

**STORAGE:** Store at 20°C-25°C (68°- 77°F); excursions to 15°C-30°C (59°-86°F)


**HOW SUPPLIED:** iFerex 150 capsules are supplied in 100 capsule per bottle.

Distributed by Nnodum Pharmaceuticals, Cincinnati, OH 45229

NP 6/18/09

LC-10872

3 63044 20301 2



Black  
Pantone 3278 CV

**DESCRIPTION:** iFerex 150 capsules is a brown and orange capsule with marking "zik: 0203". It is a product of ferric iron complexed to a low molecular weight polysaccharide.

**INDICATIONS AND USAGE:** iFerex 150 is indicated for the prevention and treatment of iron deficiency anemia and/or nutritional megaloblastic anemias.

**CONTRAINDICATIONS:** iFerex 150 is contraindicated in patients with a known hypersensitivity to any of the components of this product. Hemochromatosis and hemosiderosis are contraindications to iron therapy.

**DOSAGE AND ADMINISTRATION:** Adults: 1 capsule daily or as directed by your physician.

**ADVERSE EVENTS:** You should call your doctor for medical advice about adverse events. To report a serious adverse event, contact Nnodum Pharmaceuticals, 483 Northland Blvd., Cincinnati, OH, 45240.

63044-0203-01

**ZIK&S**

**iFerex 150**

Iron Supplement

**WARNING:** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control immediately.

**100 Capsules**

**Supplement Facts**

Serving Size 1 capsule    Servings Per Container 100

	Amount Per Serving	% Daily Value*
Iron (elemental) (polysaccharide iron complex 326.1 mg)	150 mg	833%

\*Percent Daily Values based on a 2,000 calorie diet.

*Other ingredients: Gelatin, Microcrystalline Cellulose, Magnesium Stearate, Titanium Dioxide, FDA/E172 Red Iron Oxide, D&C Yellow #10, FDA/E172 Black Iron Oxide, D&C Red #28, D&C Red #40, FD&C Blue #1.*

**KEEP THIS PRODUCT AND ALL DRUGS OUT OF REACH OF CHILDREN. DISPENSE IN A TIGHT, LIGHT-RESISTANT CONTAINER WITH A CHILD RESISTANT CLOSURE.**

**STORAGE:** Store at 20°C-25°C (68°-77° F); excursions permitted to 15°C-30°C (59°-86° F).

Distributed by Nnodum Pharmaceuticals, Cincinnati, OH 45240

NP 8/05/13    Rev. 08/13    LC-10872

reg

**IFEREX 150**  
polysaccharide-iron complex capsule

## Product Information

<b>Product Type</b>	DIETARY SUPPLEMENT	<b>Item Code (Source)</b>	NHRIC:63044-203
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>IRON</b> (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	150 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NHRIC:63044-203-61	10 in 1 BOX, UNIT-DOSE		
1		10 in 1 BLISTER PACK		
2	NHRIC:63044-203-01	100 in 1 BOTTLE		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
dietary supplement		03/01/2018	

## Supplement Facts

**Serving Size :** \_\_\_\_\_ **Serving per Container :** \_\_\_\_\_

<b>Amount Per Serving</b>	<b>% Daily Value</b>
color	
color	
imprint	
shape	

size (solid drugs)	7 mm
scoring	1

**Labeler** - Nnodum Pharmaceuticals (960457273)

### Establishment

Name	Address	ID/FEI	Business Operations
Contract Pharmacal Corporation		057795122	manufacture

Revised: 12/2025

Nnodum Pharmaceuticals