ICHTHAMMOL 20% - ichthammol ointment TRIFECTA PHARMACEUTICALS USA LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ichthammol Ointment 20%

Drug Facts

Active ingredient

Ichthammol 20%

Purpose

Drawing Salve

Keep out of reach of children.

Suggested Use

• Treating insect bites and stings from mosquitoes, spider, and bees • Removing splinters and silvers • Treating plant irritations, such as nettles or poison ivy • Treating minor skin infections such as an ingrown toenail • Soothing skin relief • Apply to minor skin irritations

Warnings

• For external use only • Do not use in eyes • Ask a doctor before use if you have deep puncture wounds or serious burns • Stop use and ask doctor if redness, irritation, swelling or pain persists

If swallowed, get medical help or contact a Poison Control Center immediately.

Before using any medication, read all label directions.

Keep this carton, it contains important information.

Directions

Cleanse affected area. Apply on gauze bandage once or twice a day. Repeat as necessary. Do not rub or massage affected area.

Inactive Ingredients

Lanolin, Petrolatum

Distributed by:

Trifecta Pharmaceuticals USA TM

101 NE Third Avenue, Suite 1500

Ft. Lauderdale, FL 33301 USA

1-888-296-9067





PHARMACEUTICAL GRADE

NDC: 69396-004-20

Ichthammol Ointment

*For external use only.

ADVANCED DRAWING SALVE

Pharmacist Recommended for:

Treating plant irritations, such as nettles or poison ivy •
Treating insect bites and stings from mosquitoes, spider, and bees •
Removing splinters and slivers •
Treating minor skin infections such as an ingrown toenail •

reating minor skin infections such as an ingrown toenall Soothing skin relief • Apply to minor skin irritations

Ichthammol Ointment


Net Wt. 1 oz. (28.3g)

DRAWING SALVE

Ichthammol Ointment

ADVANCED DRAWING SALVE





DRUG FACTS

Active ingredient

Purpose

Inactive Ingredients

Lanolin, Petrolatum.

Uses

- . Treating insect bites and stings from mosquitoes, spiders, and bees.
- · Removing splinters and slivers.
- . Treating plant irritations, such as nettles or poison ivy.
- Treating minor skin infections such as an ingrown toenail.
- · Soothing skin relief.
- · Apply to minor skin irritations.

Warning

For external use only

Do not use in eyes

Ask a doctor before use if you have deep puncture wounds or serious burns.

Stop use and ask doctor if redness, irritation, swelling or pain persists.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- · Cleanse affected area.
- · Apply on gauze bandage once or twice a day. Repeat as necessary. Do not rub or massage affected area.

Other Information

- Before using any medication, read all label directions.
- Keep this carton, it contains important information.



Distributed by: Trifecta Pharmaceuticals USA™ 101 NE Third Avenue, Suite 1500 Ft. Lauderdale, FL 33301 USA Product of PRC www.trifecta-pharma.com



ICHTHAMMOL 20%

ichthammol ointment

D ₁	'n	d	116	+	In:	fn	rn	na	tio	n
				_				16		

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69396-004

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ICHTHAMMOL (UNII: NQ14646378) (ICHTHAMMOL - UNII:NQ14646378)	ICHTHAMMOL	20 g in 100 g

Inactive Ingredients				
Ing	redient Name	Strength		
PETROLATUM (UNII: 4T6H12BN9U)				

l	Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1 NDC:69396-004-20	1 in 1 BOX	05/25/2016			
	1	28.3 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		07/12/2015			

Labeler - TRIFECTA PHARMACEUTICALS USA LLC (079424163)

Registrant - Trifecta Pharmaceuticals USA (079424163)

Revised: 11/2017 TRIFECTA PHARMACEUTICALS USA LLC