DIPHENHYDRAMINE HYDROCHLORIDE- diphenhydramine hydrochloride capsule, liquid filled Strive Pharmaceuticals Inc.

Sleep-Aid Diphenhydramine HCl 25mg (Purple Softgel)

Diphenhydramine HCl 25mg

Sleep-aid

polyethylene glycol, propylene glycol, FD&C blue # 1, FD&C red # 40, gelatin, glycerin, sorbitol 70%, povidone, purified water.

- do not take more than directed (see overdose warning)
- adults and children 12 years of age and over: take 2 softgels at bedtime if needed or as directed by doctor
- children under 12 years of age: do not use
- helps fall asleep faster
- for relief of occasional sleeplessness

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and night-time cold/flu products

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as asthma, emphysema or chronic bronchitis
- heart disease

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers or any other sleep-aid

When using this product

- drowsiness may occur
- avoid alcoholic drinks and other drugs that cause drowsiness

Stop use and ask a doctor if

- sleeplessness persist continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

- store at room temperature between 20-25°C (68-77°F).
- avoid excessive heat, cold and humidity.
- TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.



DIPHENHYDRAMINE HYDROCHLORIDE diphenhydramine hydrochloride capsule, liquid filled Product Information Product Type HUMAN OTC DRUG Item Code (Source) Route of Administration Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength

DIPHENHYDRAMINE HYDROCHLORIDE

25 mg

Ingredient Name WATER (UNII: 059QF0KO0R) FD&C BLUE NO. 1 (UNII: H3R47K3TBD) SORBITAN (UNII: 6092ICV9RU) POLYETHYLENE GLYCOL 400 (UNII: B697894SGO)	Inactive Ingredients			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD) SORBITAN (UNII: 6092ICV9RU)	Ingredient Name	Strength		
SORBITAN (UNII: 6092ICV9RU)	WATER (UNII: 059QF0KO0R)			
	FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGO)	SORBITAN (UNII: 6092ICV9RU)			
	POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
SORBITOL (UNII: 506T60A25R)	SORBITOL (UNII: 506T60A25R)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
GLYCERIN (UNII: PDC6A3C0OX)	GLYCERIN (UNII: PDC6A3C0OX)			
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	GELATIN, UNSPECIFIED (UNII: 2G86QN327L)			
POVIDONE K30 (UNII: U725QWY32X)	POVIDONE K30 (UNII: U725QWY32X)			
FD&C RED NO. 40 (UNII: WZB9127XOA)	FD&C RED NO. 40 (UNII: WZB9127XOA)			

Product Characteristics					
Color	purple	Score	no score		
Shape	OVAL (Oblong)	Size	14mm		
Flavor		Imprint Code	784		
Contains					

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:70692- 784-02	20 in 1 BLISTER PACK; Type 0: Not a Combination Product	08/20/2018	

Marketing In	larketing Information		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	08/20/2018	

Labeler - Strive Pharmaceuticals Inc. (080028013)

Revised: 1/2024 Strive Pharmaceuticals Inc.