

DIMETAPP NIGHTTIME COLD AND CONGESTION- diphenhydramine hydrochloride and phenylephrine hydrochloride solution
Foundation Consumer Brands

Dimetapp[®]
Nighttime Cold and Congestion

Drug Facts

<i>Active ingredients (in each 10 mL)</i>	<i>Purposes</i>
Diphenhydramine HCl, 12.5 mg	Antihistamine/cough suppressant
Phenylephrine HCl, 5 mg	Nasal decongestant

Uses

- temporarily relieves:
 - nasal congestion
 - runny nose
 - cough
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes due to hay fever
- temporarily restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occurs
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- each 10 mL contains: **sodium 8 mg**
- store at 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

anhydrous citric acid, artificial flavor, FD&C blue no.1, FD&C red no. 40, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

Questions or comments?

Call **1-888-594-0828** weekdays 9 AM to 5 PM EST

Distributed by:
Foundation Consumer Brands, LLC
Pittsburgh, PA 15212

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

CHILDREN'S
Dimetapp[®]

DIPHENHYDRAMINE HCl (Antihistamine/Cough Suppressant)
PHENYLEPHRINE HCl (Nasal Decongestant)

PHARMACIST
RECOMMENDED

Nighttime
Cold &
Congestion

Relieves + comforts:

- Stuffy, runny nose
- Itchy, watery eyes
- Sneezing
- Cough

6+
YRS

4 FL OZ
(118 mL)

Grape Flavor • Alcohol Free



DIMETAPP NIGHTTIME COLD AND CONGESTION

diphenhydramine hydrochloride and phenylephrine hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80070-340
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)	DIPHENHYDRAMINE	6.25 mg

(DIPHENHYDRAMINE - UNII:8GTS82S83M)	HYDROCHLORIDE	in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80070-340-04	1 in 1 CARTON	09/15/2021	12/31/2026
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/15/2021	12/31/2026

Labeler - Foundation Consumer Brands (117603632)