

## **ARNICARE ARNICA- arnica montana tablet**

### **Laboratoires Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

### **Arnicare Tablets**

#### **Active ingredient\*\* (in each tablet)**

Arnica Montana 9C HPUS (2.5 mg)

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

#### **Purpose\***

Arnica montana 9C HPUS (2.5 mg) ... Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.

#### **Uses\***

temporarily relieves muscle pain and stiffness due to:

- minor injuries
- overexertion
- falls
- reduces symptoms of bruising such as:
  - pain
  - swelling
  - discoloration

**Stop use and ask a doctor if** symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

Adults and children 6 years of age or older - At the onset of symptoms, dissolve 2 tablets under the tongue and repeat every hour for 2 more hours. Then, dissolve 2 tablets under the tongue every 6 hours until symptoms are relieved.

Children 2 to 5 years of age - Dissolve 2 tablets in 1 tablespoon for easier intake. Follow directions above.

Children under 2 years of age - Ask a doctor.

croscarmellose sodium, lactose, magnesium, stearate

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

No known drug interactions

Non-drowsy

No Acetaminophen

No Ibuprofen

Meltaway Tablets Require No Food or Water

Paid Relief\*

Swelling & Bruise from Injuries Muscle Pain\*

Gentle on the Stomach

NSAID-Free

60 Meltaway Tablets unflavored

120 Meltaway Tablets unflavored

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C,K,CK, and X are homeopathic dilutions: see [BoironUSA.com/info](http://BoironUSA.com/info) for details.

### **Questions or Comments?**

[Arnicare.com](http://Arnicare.com)

[BoironUSA.com](http://BoironUSA.com)

[Info@Boiron.com](mailto:Info@Boiron.com)

1-800-BOIRON-1  
(1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Made in France

## Drug Facts

### Active ingredient\* (in each tablet)

Arnica montana 9C HPUS (2.5 mg)

### Purpose\*

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

### Uses\*

- temporarily relieves muscle pain and stiffness due to:
  - minor injuries
  - overexertion
  - falls
- reduces symptoms of bruising such as:
  - pain
  - swelling
  - discoloration

### Warnings

**Stop use and ask a doctor** if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition. **If pregnant or breastfeeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

Adults and children 6 years of age and older	At the onset of symptoms, dissolve 2 tablets under the tongue and repeat every hour for 2 more hours. Then, dissolve 2 tablets under the tongue every 6 hours until symptoms are relieved.
Children 2 to 5 years of age	Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.
Children under 2 years of age	Ask a doctor.

### Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. \*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

### Drug Facts (continued)

### Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

### Questions or comments?

Amicare.com  
BoironUSA.com  
Info@Boiron.com  
1-800-BOIRON-1  
(1-800-264-7661)

- No Known Drug Interactions
- Non-Drowsy
- No Acetaminophen
- No Ibuprofen
- Meltaway Tablets Require No Food or Water

Made in France  
Distributed by Boiron Inc.  
Newtown Square, PA 19073

NDC 0220-9059-29

## PAIN RELIEF\*

### Swelling & Bruises from Injuries Muscle Pain\*



# Arnicare®

ARNICA MONTANA  
— MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Gentle on the Stomach
- NSAID-Free

BOIRON®

World Leader in  
Homeopathic Medicines

120  
MELTAWAY  
TABLETS  
Unflavored

## Drug Facts

### Active ingredient\* (in each tablet)

Arnica montana 9C HPUS (2.5 mg)

### Purpose\*

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

### Uses\*

- temporarily relieves muscle pain and stiffness due to:
  - minor injuries
  - overexertion
  - falls
- reduces symptoms of bruising such as:
  - pain
  - swelling
  - discoloration

### Warnings

**Stop use and ask a doctor** if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition. **If pregnant or breastfeeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

Adults and children 6 years of age and older	At the onset of symptoms, dissolve 2 tablets under the tongue and repeat every hour for 2 more hours. Then, dissolve 2 tablets under the tongue every 6 hours until symptoms are relieved.
Children 2 to 5 years of age	Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.
Children under 2 years of age	Ask a doctor.

### Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. \*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

### Drug Facts (continued)

### Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

### Questions or comments?

Amicare.com  
BoironUSA.com  
Info@Boiron.com  
1-800-BOIRON-1  
(1-800-264-7661)

- No Known Drug Interactions
- Non-Drowsy
- No Acetaminophen
- No Ibuprofen
- Meltaway Tablets Require No Food or Water

Made in France  
Distributed by Boiron Inc.  
Newtown Square, PA 19073

NDC 0220-9059-04

## PAIN RELIEF\*

### Swelling & Bruises from Injuries Muscle Pain\*



# Arnicare®

ARNICA MONTANA  
— MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Gentle on the Stomach
- NSAID-Free

BOIRON®

World Leader in  
Homeopathic Medicines

60  
MELTAWAY  
TABLETS  
Unflavored

**Drug Facts**

**Active ingredient\*\***  
Arnica montana 9C HPUS

**Purpose\***  
Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

**Uses\***

- temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls
- reduces pain, swelling and discoloration from bruises

**Warnings**

Ask a doctor before use in children under 2 years of age.  
Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, if new symptoms occur, or if redness or swelling is present because these could be signs of a serious illness.  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.

**Directions**

- Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue and repeat every hour for 2 more hours. Then, dissolve 2 tablets under the tongue every 6 hours until symptoms are relieved.
- Children 2 to 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

**Other information**

- do not use if glued carton end flaps are open or if the blister seal is broken
- store at 68°F/20°C

\*\*These "Uses" have not been evaluated by the Food and Drug Administration. \*C, K, CK, and X are homeopathic dilutions; see www.boironusa.com for details.

♻️ please recycle

**Arnicare®  
Tablets**

**Drug Facts (continued)**

**Inactive ingredients**  
croscarmellose sodium, lactose, magnesium stearate

**Questions or comments?**  
www.arnicacare.com  
www.boironusa.com  
info@boiron.com  
1-800-BOIRON®  
(1-800-464-7661)  
Distributed by Boiron Inc.,  
6 Campus Boulevard  
Newtown Square, PA  
19073-3297

Made in France

0694905904

NDC 0220-9059-04

**PAIN RELIEF\***

Muscle Pain & Stiffness  
Swelling from Injuries  
Bruising\*

**Arnicare®  
Tablets**

HOMEOPATHIC MEDICINE

- Non-Drowsy
- No Drug Interactions
- Works Naturally with Your Body

arnica natural active ingredient

**60**  
QUICK-DISSOLVING TABLETS

**BOIRON®**  
World Leader in Homeopathic Medicines

**arnica natural active ingredient**

**Take Arnicare at the First Sign of Pain**

**The Boiron Promise**  
At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing safe, natural medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

## ARNICARE ARNICA

arnica montana tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-9059
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	9 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6130)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND (BOIRON)	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	;
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

<b>1</b>	NDC:0220-9059-04	60 in 1 BLISTER PACK; Type 0: Not a Combination Product	07/11/2011	
<b>2</b>	NDC:0220-9059-29	120 in 1 BLISTER PACK; Type 0: Not a Combination Product	04/09/2021	
<b>Marketing Information</b>				
	<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
	unapproved homeopathic		07/11/2011	

**Labeler** - Laboratoires Boiron (282560473)

**Registrant** - Boiron Inc. (014892269)

**Establishment**

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9059)

Revised: 7/2023

Laboratoires Boiron