

ARNICARE ARNICA- arnica montana tablet

Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Tablets

Active ingredient (in each tablet)**

Arnica Montana 9C HPUS (2.5 mg)

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Arnica montana 9C HPUS (2.5 mg) ... Relieves minor muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses*

temporarily relieves minor muscle pain and stiffness due to:

- minor injuries
- overexertion
- falls
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age or older - At the onset of symptoms, dissolve 2 tablets under the tongue and repeat every hour for 2 more hours. Then, dissolve 2 tablets under the tongue every 6 hours until symptoms are relieved.

Children 2 to 5 years of age - Dissolve 2 tablets in 1 tablespoon for easier intake. Follow directions above.

Children under 2 years of age - Ask a doctor.

croscarmellose sodium, lactose, magnesium, stearate

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

No known drug interactions

Pain Relief*

Swelling & Bruise from Injuries Muscle Pain*

Gentle on the Stomach

NSAID-Free

60 Meltaway Tablets unflavored

100 Meltaway Tablets unflavored

120 Meltaway Tablets unflavored

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Questions or Comments?

Arnicare.com

BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1
(1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Made in France

Drug Facts

Active ingredients* (in each tablet)

Arnica montana 9C HPUS (2.5 mg)..... Relieves minor muscle pain & stiffness, swelling from injuries, discoloration from bruises

Purpose*

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves minor muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as: ■ pain ■ swelling ■ discoloration

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older	At the onset of symptoms, dissolve 2 tablets under the tongue and repeat every hour for 2 more hours. Then, dissolve 2 tablets under the tongue every 6 hours until symptoms are relieved.
Children 2 to 5 years of age	Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.
Children under 2 years of age	Ask a doctor.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts (continued)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

Arnicare.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
♻️ please recycle



X004JMJJQR
New Arnicare Tablets 100 Count
UPC: 306909059920

NDC 0220-9059-92

PAIN RELIEF*

Swelling & Bruises from Injuries Muscle Pain*



Arnicare®

ARNICA MONTANA — MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Gentle on the Stomach
- NSAID-Free

BOIRON®

World Leader in
Homeopathic Medicines

100
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active ingredient* (in each tablet)

Arnica montana 9C HPUS (2.5 mg)..... Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Purpose*

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as: ■ pain ■ swelling ■ discoloration

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older	At the onset of symptoms, dissolve 2 tablets under the tongue and repeat every hour for 2 more hours. Then, dissolve 2 tablets under the tongue every 6 hours until symptoms are relieved.
Children 2 to 5 years of age	Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.
Children under 2 years of age	Ask a doctor.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts (continued)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

Arnicare.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

- ⊖ No Known Drug Interactions
- ⊖ Non-Drowsy
- ⊖ No Acetaminophen
- ⊖ No Ibuprofen
- ⊖ Meltaway Tablets Require No Food or Water

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

NDC 0220-9059-29

PAIN RELIEF*

Swelling & Bruises from Injuries Muscle Pain*



Arnicare®

ARNICA MONTANA — MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Gentle on the Stomach
- NSAID-Free

BOIRON®

World Leader in
Homeopathic Medicines

120
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active ingredient* (in each tablet) **Purpose***
 Arnica montana 9C HPUS (2.5 mg)..... Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition. If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older	At the onset of symptoms, dissolve 2 tablets under the tongue and repeat every hour for 2 more hours. Then, dissolve 2 tablets under the tongue every 6 hours until symptoms are relieved.
Children 2 to 5 years of age	Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.
Children under 2 years of age	Ask a doctor.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
 *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Inactive ingredients
 croscarmellose sodium, lactose, magnesium stearate

Questions or comments?
 Arnicare.com
 BoironUSA.com
 Info@Boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)

- No Known Drug Interactions
- Non-Drowsy
- No Acetaminophen
- No Ibuprofen
- Meltaway Tablets Require No Food or Water

Made in France
 Distributed by Boiron Inc.
 Newtown Square, PA 19073

NDC 0220-9059-04

PAIN RELIEF*
 Swelling & Bruises from Injuries
 Muscle Pain*

#1 HOMEOPATHIC ARNICA PAIN RELIEVER

Arnicare®
 ARNICA MONTANA
 MELTAWAY TABLETS
 HOMEOPATHIC MEDICINE

- Gentle on the Stomach
- NSAID-Free

BOIRON®
 World Leader in Homeopathic Medicines

60 MELTAWAY TABLETS
 Unflavored

Drug Facts

Active ingredient* **Purpose***
 Arnica montana 9C HPUS..... Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls
- reduces pain, swelling and discoloration from bruises

Warnings

Ask a doctor before use in children under 2 years of age. Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, if new symptoms occur, or if redness or swelling is present because these could be signs of a serious illness. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions

- Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue and repeat every hour for 2 more hours. Then, dissolve 2 tablets under the tongue every 6 hours until symptoms are relieved.
- Children 2 to 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store at 86°F (30-35°C)

*These "Uses" have not been evaluated by the Food and Drug Administration. *C, K, CK, and X are homeopathic dilutions: see www.boironusa.com for details.

♻️ please recycle

Arnicare®
 Tablets

Drug Facts (continued)

Inactive ingredients
 croscarmellose sodium, lactose, magnesium stearate

Questions or comments?
 www.arnicare.com
 www.boironusa.com
 Info@Boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)
 Distributed by Boiron Inc.
 6 Campus Boulevard
 Newtown Square, PA 19073-8287

Made in France

06969 05904 3

NDC 0220-9059-04

PAIN RELIEF*
 Muscle Pain & Stiffness
 Swelling from Injuries
 Bruising*

Arnicare®
 Tablets
 HOMEOPATHIC MEDICINE

- Non-Drowsy
- No Drug Interactions
- Works Naturally with Your Body

arnica natural
 ACTIVE INGREDIENT

BOIRON®
 World Leader in Homeopathic Medicines

60 QUICK DISSOLVING TABLETS

arnica natural
 active ingredient

Take Arnicare at the First Sign of Pain

The Boiron Promise
 At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing safe, natural medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

ARNICARE ARNICA			
arnica montana tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9059
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND (BOIRON)	Size	9mm
Flavor		Imprint Code	;
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9059-04	60 in 1 BLISTER PACK; Type 0: Not a Combination Product	07/11/2011	
2	NDC:0220-9059-29	120 in 1 BLISTER PACK; Type 0: Not a Combination Product	04/09/2021	
3	NDC:0220-9059-92	100 in 1 BLISTER PACK; Type 0: Not a Combination Product	03/20/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/11/2011	

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9059)