#### SLEEP AID- doxylamine succinate tablet Meijer Distribution Inc

-----

Meijer 44-386

#### Active ingredient (in each tablet)

Doxylamine succinate 25 mg

#### **Purpose**

Nighttime sleep-aid

#### Use

helps to reduce difficulty in falling asleep

#### Warnings

#### Do not use

- in children under 12 years of age
- with any other product containing doxylamine
- unless you have time for a full night's sleep

#### Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

#### Ask a doctor or pharmacist before use if you are

#### taking

- sedatives or any other sleep-aid
- tranquilizers
- any other antihistamines
- any other drugs

#### When using this product

- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery
- take only at bedtime

#### Stop use and ask a doctor if

 sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor
- children under 12 years of age: do not use

#### Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at controlled room temperature 20°-25°C (68°-77°F)
- see end flap for expiration date and lot number

#### Inactive ingredients

dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

#### Questions or comments?

Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

#### Principal display panel

NDC 41250-986-22

Compare to Unisom® SleepTabs® active ingredient\*

**Meijer**®

Sleep Aid

DOXYLAMINE SUCCINATE TABLETS 25 mg
NIGHTTIME SLEEP-AID

Helps to reduce difficulty falling asleep one tablet per dose

48 Tablets

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS

## OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

\*This product is not manufactured or distributed by Chattem, Inc., owner of the registered trademark Unisom® SleepTabs®. 50844 REV0123F38622

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com



#### www.meijer.com GRAND RAPIDS, MI 49544 **DISTRIBUTION, INC.** DIST. BY MEIJER

20844 REV0123F38622

Other information

Drug Facts (continued)

DIRECTIONS

Purpose

owner of the registered trademark Unisoma Sleep labsa.

microcrystall ine cellulose, sodium starch glycolate

see end flap for expiration date and lot number

■ children under 12 years of age: do not use

help or contact a Poison Control Center right away.

( Questions or comments?

\*This product is not manufactured or distributed by Chattem, Inc.,

Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

dihydrate, FD&C blue#1 aluminum lake, magnesium stearate,

Inactive ingredients dibasic calcium phosphate

■ store at controlled room temperature 20°-25°C (68°-77°F) OPENED OR BLISTER IS TORN OR BROKEN

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS

30 minutes before going to bed; take once daily or as directed

adults and children 12 years of age and over: take one tablet

Keepout of reach of children. In case of overdose, get medical

If pregnant or breast-feeding, ask a health professional before



- Insomnia may be a symptom of serious underlying medical sleeplessness persists continuously for more than two weeks. Stop use and ask a doctor if
  - take only at bedfime
  - do not drive a motor vehicle or operate machinery
    - avoid alcoholic beverages When using this product
    - any other anthistamines any other drugs
      - suazijinbujen =
  - sedatives or any other sleep-aid Aska doctor or pharmacist before use if you are taking
    - trouble uninating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchibs Aska doctor before use if you have
  - unless you have time for a full night's sleep
  - with any other product containing doxylamine Do not use ■ in children under 12 years of age **Mamings**

USE In helps to reduce difficulty in falling asleep

Doxylamine succinate 25 mg. Mighttime sleep-aid

(in each tablet)

Active ingredient

Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

meijer

# **Sleep Aid**

3-1214-386-22-RR REV0123F38622

meijer

**COMPARE TO** UNISOM® SLEEPTABS® ACTIVE INGREDIENT

NDC 41250-986-22

Sleep Aid

DOXYLAMINE SUCCINATE TABLETS 25 mg **NIGHTTIME SLEEP-AID** 

Helps to reduce difficulty falling asleep one tablet per dose



TABLETS

#### **SLEEP AID**

doxylamine succinate tablet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41250-986

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL) DOXYLAMINE SUCCINATE 25 mg

#### **Inactive Ingredients**

mactive migredients				
Ingredient Name	Strength			
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)				
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				

Product Characteristics				
Color	blue	Score	no score	
Shape	OVAL	Size	10mm	
Flavor		Imprint Code	44;386	

Contains

#### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250- 986-22	3 in 1 CARTON	05/06/2019	
1		16 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA040564	05/06/2019		

### Labeler - Meijer Distribution Inc (006959555)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(41250-986)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41250-986), pack(41250-986)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(41250-986)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(41250-986)

Revised: 3/2025 Meijer Distribution Inc