

PLEO REC- bacillus firmus suppository
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo™ Rec
SUPPOSITORIES 6X

Homeopathic Fever Reducer Medicine
10 SUPPOSITORIES

Indications

For temporary relief of fever and minor inflammation.

ACTIVE INGREDIENT PER DOSE

0.2 g Bacillus firmus 6X.

Inactive ingredients

hydrogenated palm kernel glycerides, lactose.

DOSAGE

1–3 times weekly, insert one suppository rectally at bedtime.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

Keep this and all other medications out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Tamper Evident

Use this product only if inner blister pack is intact.

Made in Germany.

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:
Sanum-Kehlbeck

GmbH & Co. KG

Rev. 10/2002

PRINCIPAL DISPLAY PANEL - 10 Suppository Carton

Pleo™ Rec

SUPPOSITORIES 6X

Homeopathic Fever

Reducer Medicine

Indications: For temporary relief
of fever and minor inflammation.

10 SUPPOSITORIES



3104-1

Pleo™ Rec
SUPPOSITORIES 6X
Homeopathic Fever
Reducer Medicine

Indications: For temporary relief
of fever and minor inflammation.

10 SUPPOSITORIES

Rev. 10/2002

ACTIVE INGREDIENT PER DOSE:

0.2 g Bacillus firmus 6X.

Inactive ingredients: hydrogenated
palm kernel glycerides, lactose.

DOSAGE: 1-3 times weekly, insert one
suppository rectally at bedtime.

WARNING: If symptoms persist more
than a few days, contact a licensed prac-
titioner. As with any drug, if you are preg-
nant or nursing a baby, seek the advice of
a health care professional before using
this product. Keep this and all other
medications out of the reach of children.
In case of accidental ingestion, seek
professional assistance or contact a Poison
Control Center immediately. Protect from
light and heat.

Tamper Evident: Use this product only if
inner blister pack is intact.

Lot #: Made in Germany.

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:
Sanum-Kehlbeck
GmbH & Co. KG

3104-1

PLEO REC

bacillus firmus suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-3104
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
bacillus firmus (UNII: D6U864H4DT) (bacillus firmus - UNII:D6U864H4DT)	bacillus firmus	6 [HP_X]

Inactive Ingredients

Ingredient Name	Strength
lactose (UNII: J2B2A4N98G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-3104-1	1 in 1 CARTON		
1		10 in 1 DOSE PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		03/19/1996	

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 10/2009

Sanum Kehlbeck GmbH & Co. KG