

MAX ALLERGY KIDS- diphenhydramine hcl solution
Akron Pharma Inc.

MAX Allergy Kids
Childrens Allergy
Antihistamine

Diphenhydramine Hydrochloride
12.5mg/5ml Orol Solution
DYE-FREE

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - runny nose
 - itchy, watery eyes
 - itchy of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	Do not use unless directed by a doctor
children under 2 years	Do not use

Other information

- **each 5 mL contains:**sodium 8 mg
- store between 20°- 25°C (68°-77°F). Do not refrigerate
- protect from light

Inactive ingredients

anhydrous citric acid, bubble gum flavor, purified water, sodium benzoate, sodium citrate, saccharin sodium, sorbitol solution, sucrose.

Questions or comments?

Please Call 1(877) 225-6999

Manufactured for:

Akron Pharma, Inc,
Fairfield, NJ 07004
Manufactured in U.S.A

MAX Allergy Kids

NDC 71399-0023-4

Children's ALLERGY Antihistamine

Diphenhydramine Hydrochloride
12.5mg/5ml Oral Solution

ALLERGY

DYE-FREE

Relieves:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat



For ages 6-11 years

Bubble Gum

Akron Pharma

4 FL. OZ. (118 mL)

Drug Facts

Active Ingredient (in each 5 mL)
Diphenhydramine HCl 12.5 mg.....Antihistamine

Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies. ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itchy nose or throat

Warnings Do not use ■ with any other product containing diphenhydramine, even one used on the skin ■ to make a child sleepy

Ask a doctor before use if the child has ■ a breathing problem such as chronic bronchitis ■ glaucoma ■ a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product ■ marked drowsiness may occur ■ sedatives and tranquilizers may increase drowsiness ■ excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ do not take more than 6 doses in any 24 hours ■ take every 4 to 6 hours, or as directed by a doctor ■ measure only with dosing cup provided. Do not use any other dosing device.
■ mL = milliliter. ■ keep dosing cup with product ■ find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	Do not use unless directed by a doctor
children under 2 years	Do not use

Other Information ■ each 5 mL contains: sodium 8 mg ■ store between 20°- 25°C (68°-77°F). Do not refrigerate ■ protect from light

Inactive Ingredients anhydrous citric acid, bubble gum flavor, purified water, sodium benzoate, sodium citrate, saccharin sodium, sorbitol solution, sucrose.

Questions or comments? 1-877-225-6999, www.akronpharma.com

*This Product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.
TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Akron Pharma
Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004



MAX Allergy Kids
Children's ALLERGY Antihistamine
Diphenhydramine Hydrochloride
12.5mg/5ml Oral Solution

MAX Allergy Kids

NDC 71399-0023-4

Children's ALLERGY Antihistamine

Diphenhydramine Hydrochloride
12.5mg/5ml Oral Solution

ALLERGY

DYE-FREE

Relieves:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat



For ages 6-11 years

Bubble Gum

Akron Pharma

4 FL. OZ. (118 mL)

Drug Facts

Active ingredient (in each 5 mL)
Diphenhydramine HCl 12.5 mg.....Antihistamine

Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies.
■ sneezing
■ runny nose
■ itchy, watery eyes
■ itchy nose or throat

Warnings Do not use ■ with any other product containing diphenhydramine, even one used on the skin ■ to make a child sleepy

Ask a doctor before use if the child has ■ a breathing problem such as chronic bronchitis ■ glaucoma ■ a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product ■ marked drowsiness may occur ■ sedatives and tranquilizers may increase drowsiness ■ excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ do not take more than 6 doses in any 24 hours ■ take every 4 to 6 hours, or as directed by a doctor ■ measure only with dosing cup provided. Do not use any other dosing device.
■ mL = milliliter. ■ keep dosing cup with product ■ find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	Do not use unless directed by a doctor
children under 2 years	Do not use

MAX Allergy Kids

NDC 71399-0023-4

Children's ALLERGY Antihistamine

Diphenhydramine Hydrochloride
12.5mg/5ml Oral Solution

ALLERGY

DYE-FREE

Relieves:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat



For ages 6-11 years

Bubble Gum

Akron Pharma

4 FL. OZ. (118 mL)

Drug Facts (continued)

Other Information
■ each 5 mL contains: sodium 8 mg
■ store between 20°- 25°C (68°-77°F).
Do not refrigerate
■ protect from light

Inactive Ingredients
anhydrous citric acid, bubble gum flavor, purified water, sodium benzoate, sodium citrate, saccharin sodium, sorbitol solution, sucrose.

Questions or comments? 1-877-225-6999

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

Akron Pharma
Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004
www.akronpharma.com



MAX Allergy Kids

NDC 71399-0023-8

Children's ALLERGY

Antihistamine

Diphenhydramine Hydrochloride
12.5mg/5ml Oral Solution

ALLERGY

DYE-FREE
Relieves:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat



For ages 6-11 years

Bubble Gum

Akron Pharma

8 FL.OZ (236 mL)

Drug Facts

Active ingredient (in each 5 mL) Purpose
Diphenhydramine HCl 12.5 mg.....Antihistamine

Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies.
■ sneezing ■ runny nose ■ itchy, watery eyes ■ itchy nose or throat

Warnings

Do not use
■ with any other product containing diphenhydramine, even one used on the skin
■ to make a child sleepy

Ask a doctor before use if the child has
■ a breathing problem such as chronic bronchitis
■ glaucoma
■ a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product
■ marked drowsiness may occur
■ sedatives and tranquilizers may increase drowsiness
■ excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ do not take more than 6 doses in any 24 hours
■ take every 4 to 6 hours, or as directed by a doctor
■ measure only with dosing cup provided. Do not use any other dosing device.
■ mL = milliliter. ■ keep dosing cup with product

Drug Facts (continued)

■ find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	Do not use unless directed by a doctor
children under 2 years	Do not use

Other Information

■ each 5 mL contains: sodium 8 mg
■ store between 20°- 25°C (68°-77°F). Do not refrigerate
■ protect from light

Inactive Ingredients

anhydrous citric acid, bubble gum flavor, purified water, sodium benzoate, sodium citrate, saccharin sodium, sorbitol solution, sucrose.

Questions or comments? Call 1-877-225-6999

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl Allergy.

Akron Pharma

Manufactured for:

Akron Pharma, Inc.

Fairfield, NJ 07004

www.akronpharma.com



MAX Allergy Kids

NDC 71399-0023-8

Children's ALLERGY

Antihistamine

Diphenhydramine Hydrochloride
12.5mg/5ml Oral Solution

ALLERGY

DYE-FREE
Relieves:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat



For ages 6-11 years

Bubble Gum

Akron Pharma

8 FL.OZ (236 mL)

Drug Facts

Active ingredient (in each 5 mL) Purpose
Diphenhydramine HCl 12.5 mg.....Antihistamine

Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies.
■ sneezing
■ runny nose
■ itchy, watery eyes
■ itchy nose or throat

Warnings

Do not use
■ with any other product containing diphenhydramine, even one used on the skin
■ to make a child sleepy

Ask a doctor before use if the child has
■ a breathing problem such as chronic bronchitis
■ glaucoma
■ a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product
■ marked drowsiness may occur
■ sedatives and tranquilizers may increase drowsiness
■ excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ do not take more than 6 doses in any 24 hours
■ take every 4 to 6 hours, or as directed by a doctor
■ measure only with dosing cup provided. Do not use any other dosing device.
■ mL = milliliter.
■ keep dosing cup with product
■ find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	Do not use unless directed by a doctor
children under 2 years	Do not use

MAX Allergy Kids

NDC 71399-0023-8

Children's ALLERGY

Antihistamine

Diphenhydramine Hydrochloride
12.5mg/5ml Oral Solution

ALLERGY

DYE-FREE
Relieves:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat



For ages 6-11 years

Bubble Gum

Akron Pharma

8 FL.OZ (236 mL)

Drug Facts (continued)

Other Information
■ each 5 mL contains: sodium 8 mg
■ store between 20°- 25°C (68°-77°F).
Do not refrigerate
■ protect from light

Inactive Ingredients

anhydrous citric acid, bubble gum flavor, purified water, sodium benzoate, sodium citrate, saccharin sodium, sorbitol solution, sucrose.

Questions or comments? 1-877-225-6999

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl Allergy.

Akron Pharma

Manufactured for:

Akron Pharma, Inc.

Fairfield, NJ 07004

www.akronpharma.com



<p>Drug Facts</p> <p>Active ingredient (in each 5 mL) Purpose Diphenhydramine HCl 12.5 mg.....Antihistamine</p> <p>Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies. ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itchy nose or throat</p> <p>Warnings Do not use ■ with any other product containing diphenhydramine, even one used on the skin ■ to make a child sleepy</p> <p>Ask a doctor before use if the child has ■ a breathing problem such as chronic bronchitis ■ glaucoma ■ a sodium-restricted diet</p> <p>Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.</p> <p>When using this product ■ marked drowsiness may occur ■ sedatives and tranquilizers may increase drowsiness ■ excitability may occur, especially in children</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions ■ do not take more than 6 doses in any 24 hours ■ take every 4 to 6 hours, or as directed by a doctor ■ mL = milliliter. ■ keep dosing cup with product</p>	<p style="font-size: small;">NDC 71399-0023-6</p> <h1 style="margin: 0;">MAX Allergy™ Kids</h1> <h2 style="margin: 0;">Children's ALLERGY Antihistamine</h2> <p style="margin: 0;">Diphenhydramine Hydrochloride 12.5mg/5ml Oral Solution</p> <div style="display: flex; align-items: center; justify-content: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em; font-weight: bold; margin-right: 10px;">ALLERGY</div> <div style="text-align: left;"> <p style="color: red; font-weight: bold;">DYE-FREE</p> <p style="color: red; font-weight: bold;">Relieves:</p> <ul style="list-style-type: none"> ● Runny Nose ● Sneezing ● Itchy, Watery Eyes ● Itchy Throat </div> </div> <p style="color: red; font-weight: bold; font-size: 1.2em;">Bubble Gum</p> <p style="font-size: small;">Akron Pharma</p> <p style="font-size: small;">16 FL. OZ (473 mL)</p>	<p>Drug Facts (continued)</p> <p>■ find the right dose on the chart below</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Age (yr)</th> <th>Dose (mL)</th> </tr> </thead> <tbody> <tr> <td>children 6 to 11 years</td> <td>5 mL to 10 mL</td> </tr> <tr> <td>children 2 to 5 years</td> <td>Do not use unless directed by a doctor</td> </tr> <tr> <td>children under 2 years</td> <td>Do not use</td> </tr> </tbody> </table> <p>Other Information ■ each 5 mL contains: sodium 8 mg ■ store between 20°- 25°C (68°-77°F). Do not refrigerate ■ protect from light</p> <p>Inactive Ingredients anhydrous citric acid, bubble gum flavor, purified water, sodium benzoate, sodium citrate, saccharin sodium, sorbitol solution, sucrose.</p> <p>Questions or comments? 1-877-225-6999</p> <div style="border: 1px solid red; padding: 2px; font-size: x-small; color: red; font-weight: bold;"> TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING. </div> <p style="font-size: x-small;">*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.</p> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 10px;"> <div style="font-size: x-small;"> <p style="margin: 0;">Akron Pharma</p> <p style="margin: 0;">Manufactured for: Akron Pharma, Inc. Fairfield, NJ 07004 www.akronpharma.com</p> </div> </div>	Age (yr)	Dose (mL)	children 6 to 11 years	5 mL to 10 mL	children 2 to 5 years	Do not use unless directed by a doctor	children under 2 years	Do not use
Age (yr)	Dose (mL)									
children 6 to 11 years	5 mL to 10 mL									
children 2 to 5 years	Do not use unless directed by a doctor									
children under 2 years	Do not use									

<h2 style="margin: 0;">MAX ALLERGY KIDS</h2> <p style="margin: 0;">diphenhydramine hcl solution</p>			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71399-0023
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL
Inactive Ingredients			
	Ingredient Name		Strength
	ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
	WATER (UNII: 059QF0KO0R)		
	SODIUM BENZOATE (UNII: OJ245FE5EU)		
	SODIUM CITRATE (UNII: 1Q73Q2JULR)		
	SACCHARIN SODIUM (UNII: SB8Z UX40TY)		
	SORBITOL (UNII: 506T60A25R)		
	SUCROSE (UNII: C151H8M554)		

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-0023-4	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/15/2023	
2	NDC:71399-0023-8	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/15/2023	
3	NDC:71399-0023-6	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/24/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/15/2023	

Labeler - Akron Pharma Inc. (067878881)

Revised: 10/2025

Akron Pharma Inc.