

CHILDRENS COLD AND COUGH- brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl liquid

Best Choice (Valu Merchandisers Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate 2 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purposes

Antihistamine

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)

- a breathing problem or persistent or chronic cough that lasts such occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occurs
- symptoms do not improve within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in a 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- mL = milliliter

| age | dose |
|---------------------------------------|---------------------|
| adults and children 12 years and over | 20 mL every 4 hours |
| children 6 to 11 years | 10 mL every 4 hours |
| children under 6 years | do not use |

Other information

- **each 10 mL contains:** sodium 5 mg
- store between 20-25°C (68-77°F). Do not refrigerate

Inactive ingredients

citric acid, FD&C blue #1, FD&C red 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

For Ages 6 & Over

COMPARE TO THE ACTIVE INGREDIENTS IN CHILDREN'S DIMETAPP® COLD & COUGH*
Children's

Cold and Cough

BROMPHENIRAMINE MALEATE (ANTI-HISTAMINE)

DEXTROMETHORPHAN HBr (COUGH SUPPRESSANT)

PHENYLEPHRINE HCl (NASAL DECONGESTANT)

Relieves:

- Stuffy Nose
- Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat
- Cough
- Sneezing

GRAPE FLAVOR

Alcohol free

FL OZ (mL)

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Children's Dimetapp® Cold and Cough

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

www.bestchoicebrand.com

Package Label

Drug Facts (continued)

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- 1 mL = milliliter

| Age | Dose |
|---------------------------------------|---------------------|
| adults and children 12 years and over | 20 mL every 4 hours |
| children 6 to 11 years | 10 mL every 4 hours |
| children under 6 years | do not use |

Other information

- each 10 mL contains: sodium 5 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Children's Dimetapp® Cold & Cough.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

Best Choice,
100% Guaranteed
www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

For Ages
6 & Over

**Best
Choice®**

COMPARE TO THE ACTIVE
INGREDIENTS IN CHILDREN'S
DIMETAPP® COLD & COUGH*

**Children's
COLD &
COUGH**



BROMPHENIRAMINE MALEATE (ANTIHISTAMINE)
DEXTROMETHORPHAN HBr (COUGH SUPPRESSANT)
PHENYLEPHRINE HCl (NASAL DECONGESTANT)

Relieves:

- **Stuffy Nose**
- **Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Nose or Throat**
- **Cough**
- **Sneezing**

GRAPE FLAVOR Alcohol-Free
4 FL OZ (118 mL)

For Ages
6 & Over

**Best
Choice®**

COMPARE TO THE ACTIVE
INGREDIENTS IN CHILDREN'S
DIMETAPP® COLD & COUGH*

**Children's
COLD &
COUGH**



BROMPHENIRAMINE MALEATE (ANTIHISTAMINE)
DEXTROMETHORPHAN HBr (COUGH SUPPRESSANT)
PHENYLEPHRINE HCl (NASAL DECONGESTANT)

Relieves:

- **Stuffy Nose**
- **Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Nose or Throat**
- **Cough**
- **Sneezing**

GRAPE FLAVOR Alcohol-Free
4 FL OZ (118 mL)

Drug Facts

| Active ingredients (in each 10 mL) | Purposes |
|------------------------------------|--------------------|
| Brompheniramine maleate 2 mg | Antihistamine |
| Dextromethorphan HBr 10 mg | Cough suppressant |
| Phenylephrine HCl 5 mg | Nasal decongestant |

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- do not use more than directed
- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not improve within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

BEST CHOICE



BEST CHOICE Children's Cold & Cough Grape Liquid

CHILDRENS COLD AND COUGH

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63941-013 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------------|-------------------|
| BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN) | BROMPHENIRAMINE MALEATE | 2 mg in 10 mL |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg in 10 mL |

| | | |
|--|-----------------------------|---------------|
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg in 10 mL |
|--|-----------------------------|---------------|

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0K00R) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K) | |
| SORBITOL (UNII: 506T60A25R) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | GRAPE | Imprint Code | |
| Contains | | | |

| Packaging | | | | |
|-----------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:63941-013-04 | 1 in 1 BOX | 09/30/2015 | |
| 1 | | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC MONOGRAPH FINAL | part341 | 09/30/2015 | |

Labeler - Best Choice (Valu Merchandisers Company) (868703513)