

ALMOST MAKEUP SPF 18- octinoxate, titanium dioxide powder
ASANUMA CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Clinique Almost Powder Makeup Broad Spectrum SPF 18

Actives ingredients

Octinoxate 2.0%

Titanium Dioxide 1.2%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only.

Do not use

Do not use on damaged or broken skin.

When using this product

When using this product keep out of eyes. Rinse with water to remove.

Stop use

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
apply liberally 15 minutes before sun exposure.
reapply at least every two hours.
use a water resistant sunscreen if swimming or sweating

Sun Protection Measure.

Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

limited time in the sun, especially from 10 a.m. - 2 p.m.

wear long-sleeved shirts, pants, hats and sunglasses.

children under 6 months of age: ask a doctor

Inactive ingredients

TALC, DIMETHICONE, NYLON-12, SILICA, SQUALANE, BORON NITRIDE, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, CETYL ETHYLHEXANOATE, DIISOSTEARYL MALATE, PHYTOSTERYL/ISOSTEARYL/CETYL/STEARYL/BEHENYL DIMER DILINOLEATE, METHICONE, GLYCERIN, SODIUM HYALURONATE, MAGNESIUM PALMITOYL GLUTAMATE, SODIUM PALMITOYL SARCOSINATE, PALMITOYL PROLINE, ALUMINA, TOCOPHEROL, PALMITIC ACID, 1,2-HEXANEDIOL, HYDRATED SILICA, ASCORBYL TETRAISOPALMITATE, ALUMINUM HYDROXIDE, TIN OXIDE, SODIUM DEHYDROACETATE, [+/- MICA, IRON OXIDIES (CI 77491), IRON OXIDIES (CI 77492), IRON OXIDIES (CI 77499), TITANIUM DIOXIDE (CI 77891)] [ILN45192]

Other information

protect the product in this container from excessive heat and direct sun

Principal display panel


CLINIQUE almost powder makeup broad spectrum SPF 18

POIDS NET WT. .35 OZ/ 10 g

PRINCIPAL DISPLAY PANEL

ALL SKIN TYPES
1, 2, 3, 4
almost powder makeup
broad spectrum SPF 18
03 light (MF)

03 light (MF)



CLINIQUE

almost powder makeup
broad spectrum
SPF 18

POIDS NET WT. .35 OZ./10 g e

Allergy Tested. 100% Fragrance Free.
Lightweight "no-makeup" makeup covers without clogging pores. Stays put even through sweat and high humidity. Oil-free.

K785-
03-
1112

ALMOST MAKEUP SPF 18

octinoxate, titanium dioxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:38001-801
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.23 g in 100 g
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8) (ETHYLHEXYL METHOXYCRYLENE - UNII:S3KFG6Q5X8)	ETHYLHEXYL METHOXYCRYLENE	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
PHYTOSTERYL/ISOSTEARYL/CETYL/STEARYL/BEHENYL DIMER DILINOLEATE (UNII: 8N725H4EFN)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PALMITIC ACID (UNII: 2V16EO95H1)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
MICA (UNII: V8A1AW0880)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
SODIUM PALMITOYL SARCOINATE (UNII: 7297LY09YF)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
SQUALANE (UNII: GW89575KF9)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
MAGNESIUM PALMITOYL GLUTAMATE (UNII: DH37YM1F48)	
NYLON-12 (UNII: 446U8J075B)	
PALMITOYL PROLINE (UNII: I49727TDYF)	
ALUMINUM OXIDE (UNII: LM26O6933)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	

Product Characteristics

Color	white (Skin color)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:38001-801-02	1 in 1 CARTON	03/01/2018	
1	NDC:38001-801-01	1 g in 1 JAR; Type 0: Not a Combination Product		



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

Labeler - ASANUMA CORPORATION (700717762)

Revised: 12/2020

ASANUMA CORPORATION