

SLEEP-AID- doxylamine succinate tablet
Cardinal Health 110, LLC. DBA Leader

Leader 44-386

Active ingredient (in each tablet)

Doxylamine succinate 25 mg

Purpose

Nighttime sleep-aid

Use

- helps to reduce difficulty in falling asleep

Warnings

Do not use

- in children under 12 years of age
- with any other product containing doxylamine
- unless you have time for a full night's sleep

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking

- sedatives or any other sleep-aid
- tranquilizers
- any other antihistamines
- any other drugs

When using this product

- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery
- take only at bedtime

Stop use and ask a doctor if

- sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor
- children under 12 years of age: do not use

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at controlled room temperature 20°-25°C (68°-77°F)
- see end flap for expiration date and lot number

Inactive ingredients

dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions or comments?

Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

Principal display panel

LEADER™

NDC 70000-0567-1

Sleep-Aid

Doxylamine Succinate Tablets, 25 mg
Nighttime Sleep-Aid

One Tablet per Dose

48 TABLETS

Actual Size

COMPARE TO
UNISOM® SLEEPTABS®
active ingredient*

100% Money Back Guarantee

**TAMPER EVIDENT: DO NOT USE IF PACKAGE
IS OPENED OR IF BLISTER UNIT IS TORN,**

BROKEN OR SHOWS ANY SIGNS OF TAMPERING

CIN 5653183 REV. 6/23

CardinalHealth™

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

www.myleader.com 1-800-200-6313

Essential to Care™ since 1979

©2023 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO,

ESSENTIAL TO CARE, LEADER, and the Leader LOGO are trademarks or registered trademarks

of Cardinal Health. All other marks are the property of their respective owners.

All LEADER™ Brand Products Have A

100% Money Back Guarantee

Return to place of purchase if not satisfied.

*This product is not manufactured or distributed by Chattem, Inc., owner of the registered trademark Unisom® SleepTabs®.

50844 REV0123B38622

Sleep-Aid

Doxylamine Succinate Tablets, 25 mg | Nighttime Sleep-Aid

LEADER²

LEADER²

LEADER²

NDC 70000-0567-1

Sleep-Aid

Doxylamine Succinate Tablets, 25 mg
Nighttime Sleep-Aid

One Tablet per Dose

48 TABLETS



Actual Size

COMPARE TO
UNISOM[®] SLEEPTABS[®]
active ingredient*

100% Money Back Guarantee

Sleep-Aid

Doxylamine Succinate Tablets, 25 mg | Nighttime Sleep-Aid



DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com 1-800-200-6313
Essential to Care[™] since 1979

©2023 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.



All LEADER[™] Brand Products Have A
100% Money Back Guarantee

Return to place of purchase if not satisfied.

no print / no varnish area

lot no. & exp. date

TAMPER EVIDENT: DO NOT USE IF PACKAGE
IS OPENED OR IF BLISTER UNIT IS TORN,
BROKEN OR SHOWS ANY SIGNS OF TAMPERING

0 96295 13989 1

CIN 5653183 REV. 6/23

B-0225-386-22
REV0123838622

*This product is not manufactured or distributed by Chatterm, Inc.,
owner of the registered trademark Unisom[®] SleepTabs[®].
50844 REV0123838622

Drug Facts (continued)
Drug Facts
Active ingredient (in each tablet) Doxylamine succinate 25 mg.....Nighttime sleep-aid
Purpose Use ■ helps to reduce difficulty in falling asleep
Warnings Do not use ■ in children under 12 years of age ■ with any other product containing doxylamine ■ unless you have time for a full night's sleep Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic ■ bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland Ask a doctor or pharmacist before use if you are taking ■ sedatives or any other sleep-aid ■ tranquilizers ■ any other antihistamines ■ any other drugs When using this product ■ avoid alcoholic beverages ■ do not drive a motor vehicle or operate machinery ■ take only at bedtime Stop use and ask a doctor if ■ sleeplessness persists continuously for more than two weeks. ■ insomnia may be a symptom of serious underlying medical ■ illness.
Directions ■ adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor ■ children under 12 years of age: do not use
Other information ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTER IS TORN OR BROKEN ■ store at controlled room temperature 20°-25°C (68°-77°F) ■ see end flap for expiration date and lot number Inactive ingredients dibasic calcium phosphate dihydrate, FD&C Blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate
Questions or comments? Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

SLEEP-AID

doxylamine succinate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0567
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	25 mg

Inactive Ingredients

Ingredient Name	Strength
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	10mm
Flavor		Imprint Code	44;386
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0567-1	3 in 1 CARTON	07/23/2020	
1		16 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040564	07/23/2020	

Labeler - Cardinal Health 110, LLC. DBA Leader (063997360)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(70000-0567)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(70000-0567) , pack(70000-0567)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(70000-0567)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(70000-0567)

Revised: 7/2025

Cardinal Health 110, LLC. DBA Leader